

Infinimesh v3 Installation:

Infinimesh platform is shipped as a small local infrastructure that is running inside of a Docker engine on local computer. We provide the scripts and pre-build images with Infinimesh components that can be deployed locally inside running engine. At the end of the installation is expected to have a fully working system which later needs to be provisioned with at least one device in order to see actual communication.

Supported operating system: Any major distribution of Linux that supports Docker, MacOSX (not running on Apple Silicon), Microsoft Windows.

Who installs the platform in scope of evaluation, ideally should worked before with:

- Version control systems – git
- Docker containers
- Certificate management
- Basic understanding of networking and domain name resolution

We have included also steps for installing any missing components on local system, in case is not already available.

Check minimal requirements (common on all supported operating systems)

- git
- docker engine
- openssl binary and library (for generation of self-signed certificates)
- mqtt client (for testing Infinimesh platform)

For **Microsoft Windows**, install following binaries:

OpenSSL binary: <https://slproweb.com/products/Win32OpenSSL.html>

Docker Engine (desktop): <https://docs.docker.com/desktop/install/windows-install/>

Git: <https://github.com/git-for-windows/git/releases/tag/v2.38.1.windows.1>

For Linux, depending of the distribution, install:

	Ubuntu / Debian	RPM based (Redhat / CentOS, Fedora,etc)
git	<ul style="list-style-type: none">• Start by updating the package index: <code>sudo apt update</code>.• Run the following command to install Git: <code>sudo apt install git</code>.• Verify the installation by typing the following command which will print the Git version: <code>git --version</code>	<pre>sudo dnf update -y sudo dnf install git -y git --version</pre>

Installation of Docker engine on Linux:

Follow official documentation at: <https://docs.docker.com/desktop/install/linux-install/> for your installed Linux distribution.

(for .rpm Based distribution)

```
#[root@localhost ~]# yum install -y yum-utils
Dependencies resolved.
(...)
Installed:
  yum-utils-4.0.21-3.el8.noarch
Complete!
[root@localhost ~]# yum-config-manager \
> --add-repo \
> https://download.docker.com/linux/centos/docker-ce.repo
Adding repo from: https://download.docker.com/linux/centos/docker-ce.repo
[root@localhost ~]#[root@localhost ~]# yum install docker-ce docker-ce-cli
containerd.io docker-compose-plugin
Docker CE Stable - x86_64
(...)
Installing:
  containerd.io                x86_64                1.6.10-3.1.el8
docker-ce-stable              33 M                  x86_64                3:20.10.21-3.el8
docker-ce                     21 M                  x86_64                1:20.10.21-3.el8
docker-ce-stable              30 M                  x86_64                2.12.2-3.el8
docker-compose-plugin         10 M
Installing dependencies:
  checkpolicy                  x86_64                2.9-1.el8
baseos                        348 k                  noarch                2:2.167.0-
(...)
Installed:
  checkpolicy-2.9-1.el8.x86_64
container-selinux-2:2.167.0-1.module_el8.5.0+911+f19012f9.noarch
  containerd.io-1.6.10-3.1.el8.x86_64
ce-3:20.10.21-3.el8.x86_64
  docker-ce-cli-1:20.10.21-3.el8.x86_64
ce-rootless-extras-20.10.21-3.el8.x86_64
  docker-compose-plugin-2.12.2-3.el8.x86_64
scan-plugin-0.21.0-3.el8.x86_64
  fuse-overlayfs-1.7.1-1.module_el8.5.0+890+6b136101.x86_64
3.2.1-12.el8.x86_64
  fuse3-libs-3.2.1-12.el8.x86_64
libcgroup-0.41-19.el8.x86_64
  libslirp-4.4.0-1.module_el8.5.0+890+6b136101.x86_64
polycoreutils-python-utils-2.9-16.el8.noarch
  python3-audit-3.0-0.17.20191104git1c2f876.el8.x86_64
libsemanage-2.9-6.el8.x86_64
  python3-polycoreutils-2.9-16.el8.noarch
setools-4.3.0-2.el8.x86_64
  slirp4netns-1.1.8-1.module_el8.5.0+890+6b136101.x86_64

Complete
```

```
[root@localhost ~]# systemctl start docker
[root@localhost ~]#
[root@localhost ~]# docker run hello-world
Unable to find image 'hello-world:latest' locally
latest: Pulling from library/hello-world
2db29710123e: Pull complete
Digest:
sha256:faa03e786c97f07ef34423fccceec2398ec8a5759259f94d99078f264e9d7af
Status: Downloaded newer image for hello-world:latest

Hello from Docker!
This message shows that your installation appears to be working correctly.
```

(for .deb Based distribution)

Download of the Infinimesh platform

From command line, issue following commands:

Download Infinimesh platform:

```
[root@localhost infinimesh]# git clone
https://github.com/infinimesh/infinimesh.git
Cloning into 'infinimesh'...
remote: Enumerating objects: 35637, done.
remote: Counting objects: 100% (841/841), done.
remote: Compressing objects: 100% (314/314), done.
Receiving objects: 24% (8629/35637), 69.82 MiB | 3.46 MiB/s
```

After download has finish, access the folder and start the platform

```
[root@localhost ~]#
[root@localhost infinimesh]# ls
CODE_OF_CONDUCT.md  Dockerfiles  README.md          asciicast.gif  console
e2e                 go.sum      pkg                vetur.config.js
CONTRIBUTING.md    LICENSE     api.swagger.json  cmd            docker-
compose.yaml        go.mod      hack              traefik.yml
[root@localhost infinimesh]# docker compose up -d
[+] Running 18/50
.: redis Pulling
13.6s
.: a603fa5e3b41 Waiting
6.5s
.: 77631c3ef092 Waiting
6.5s
.: ed3847cf62b8 Waiting
6.5s
.: 261a8b530567 Waiting
6.5s
.: 7d9005a8af6d Waiting
6.5s
.: 828da1afb5be Waiting
6.5s
```

```
.: db Pulling
13.6s
  :: 213ec9aee27d Pull complete
(...)
[+] Running 14/14
  :: Network infinimesh_default          Created
0.5s
  :: Volume "infinimesh_data"            Created
0.0s
  :: Volume "infinimesh_user-media"      Created
0.0s
  :: Container infinimesh-http-fs-1      Started
1.4s
  :: Container infinimesh-rabbitmq-1     Started
1.6s
  :: Container infinimesh-handsfree-1    Started
1.6s
  :: Container infinimesh-redis-1        Started
1.4s
  :: Container infinimesh-proxy-1        Started
1.8s
  :: Container infinimesh-db-1           Started
1.5s
  :: Container infinimesh-shadow-1       Started
1.9s
  :: Container infinimesh-repo-1         Started
2.6s
  :: Container infinimesh-mqtt-1         Started
3.7s
  :: Container infinimesh-web-1          Started
3.5s
  :: Container infinimesh-console-1      Started
4.2s
```

install CLI for Infinimesh platform:

Download the precompiled version of **inf** binary from following link:
<https://github.com/infinimesh/inf/releases> for your operating system.

Edit hosts file (/etc/hosts) by using an editor on local operating system and add following hosts:

```
127.0.0.1 api.infinimesh.local
127.0.0.1 console.infinimesh.local
127.0.0.1 traefik.infinimesh.local
127.0.0.1 rbmq.infinimesh.local
127.0.0.1 db.infinimesh.local
127.0.0.1 media.infinimesh.local
127.0.0.1 mqtt.infinimesh.local
```


Previous step is mandatory, otherwise will not be able to access the platform.

Access the console of the Infinimesh platform, by pointing your browser at the address:
<https://console.infinimesh.local>

Use the default credentials:


Username: "infinimesh"

Password: "infinimesh"



On picture above, you can see the login page of the Infinimesh platform. Browser used on this example is Mozilla Firefox, but can be any other standard browser.

After a successful login, for the first time on a clean install, first page will look as the page bellow. In the picture bellow, can be seen than no device has been added.



Working with devices:

Infinimesh V3 supports authentication of devices using certificates pairs (public and private keys) or token based.

Please note: every device needs to have a way to authenticate.

For the first time we can use an existing certificate pair that we already have (or has been provided by us as example), but in case we want to create new ones, procedure bellow can be followed:

Authentication using certificates:

Bellow commands for certificate creation will work on Linux distributions and MacOSX. For Microsoft Windows in necessary to install openssl binary.

Generate a private key for the device:

```
#openssl genrsa -out sample_1.key 4096
```

Generate the client certificate (and self-sign it):

```
#openssl req -new -x509 -sha256 -key sample_1.key -out sample_1.crt -days 365
```

Private key (sample_1.key) is on client side and the corresponding public key (sample_1.key) is uploaded into Infinimesh platform in order to validate that the connecting client is

authenticated. Device creation can be done using UI console or the cli that talks with platform through API calls.

