

Red Hat JBoss BPM Suite

Cool Store Demo

(Use case: online shopping cart user interface integration with decision tables, rules, and BPM)

Jason Milliron

JBoss Solution Architect

Eric D. Schabell

JBoss Technology Evangelist (Integration & BPM)

Table of Contents

1	Introduction.....	3
2	Setup and Configuration.....	3
2.1	Installation.....	3
2.2	JBoss Developer Studio Configuration.....	4
2.3	Start the JBoss Enterprise BRMS Platform.....	5
2.4	Importing Project Repository into BRMS.....	6
3	Running the Demo.....	6
3.1	Goals of this demo.....	6
3.2	Demo setup from CLI.....	6
3.3	Running demo	7
3.4	JBDS IDE unit test.....	8
3.5	BRMS BRM demo	8
	Web Designer.....	8
	Build package for deployment.....	9
3.6	Cool Store Demo deployment.....	9
3.7	Cool Store Demo deployment.....	9

1 Introduction

Interested in fully automating your loan application process but you don't know where to start? Have no fear, with the Red Hat JBoss Business Process Management Suite (BPM Suite) you can leverage the power of rules, events, and processes in a single integrated suite.

This document will guide you through a coolstore application project using the JBoss BPM Suite, demonstrating a BPM process with rules, events, guided rules, a data model, and a process. This is the world that a business analyst lives in.

It will also get you started with an appart project in the JBoss Developer Studio that leverages the coolstore rules, events, and process as a dependency that the web shop application is built upon. This shows how a developer can focus on the application development and just leverage the business analysts work as a dependency.

It will help you demonstrate the various product components and help you to evaluate an application like a online retail shopping cart application.

2 Setup and Configuration

2.1 Installation

You first need to get the project by cloning it from the central location:

```
git clone git://github.com/eschabell/bpms-coolstore-demo.git
```

Once downloaded, you will have the following folder structure:

- \bpms-coolstore-demo
 - \installs – Initially empty, but will contain the BRMS platform downloads.
 - \projects – The web shop project to build the WAR leveraging the coolstore kjar.
 - \support – Additional supporting files used by the demo.
 - \target – Will be created by running init.sh. Contains the fully configured BPM Suite runtime server.
 - \docs – Contains quickstart guide you are reading and architectural overview slides.
 - init.{sh|bat} – Script to install and configure the run time server environment.

Next, download JBoss BPM Suite from the Red Hat Customer Portal (<https://access.redhat.com>).

Download JBoss BPM Suite:

1. Under *JBoss Enterprise Platforms*, select the *BPM Suite* product.

2. Select version *6.0.0.GA* in the *Version* field.
3. Download *Red Hat JBoss BPM Suite 6.0.0.GA Deployable for EAP 6*
(Please note that this is the deployable distribution, not the standalone one.)

Now copy `boss-bpms-6.0.0.GA-deployable-eap6.x.zip`, to the projects *installs* folder. Ensure that this file is executable by running:

```
$ chmod +x <path-to-project>/installs/ boss-bpms-6.0.0.GA-redhat-2-deployable-eap6.x.zip
```

Download EAP 6 Platform:

4. Under *JBoss Enterprise Platforms*, select the *Application Platform* product.
5. Select version *6.1.1* in the *Version* field.
6. Download *JBoss Application Platform 6.1.1*.

Now copy `jboss-eap-6.1.1.zip`, to the projects *installs* folder. Ensure that this file is executable by running:

```
$ chmod +x <path-to-project>/installs/jboss-eap-6.1.1.zip
```

Lastly, from the project folder, run the *init.sh* (or *init.bat*) script:

```
$ ./init.sh
```

When the script completes you will have a new folder named *jboss-eap-6.1*, in the projects *target* folder. The folder is a ready to run EAP 6 server with BPM Suite with the following modifications made:

- The *alan*, *erics* accounts enabled (passwords are all the same, *bpmsuite*) in the *application-roles.properties* and *application-users.properties* file in *bpms-coolstore-demo/target/jboss-eap-6.1/standalone/configuration*
- Adjusted system properties, copied new *standalone.xml* to *bpms-coolstore-demo/target/jboss-eap-6.1/standalone/configuration*
- The coolstore demo repository setup in the product, copied *bpm-suite-demo-niogit* to the *bpms-coolstore-demo/target/jboss-eap-6.1/bin*
- The coolstore web application has been build into a WAR from the *projects* directory and copied into the *bpms-coolstore-demo/target/jboss-eap-6.1/standalone/deployments/bpm-suite-coolstore-demo.war*

2.2 JBoss Developer Studio Configuration

In this section, you will configure JBoss Developer Studio. Specifically you will add the BRMS 5.3.1 platform server runtime environment and then import the project that makes up the BRMS Rewards Demo.


Important: It is assumed that you already have JBoss Developer Studio installed. This demo has been tested with JBoss Developer Studio 7.

Launch JBoss Developer Studio

1. Either select or switch to a new workspace by pointing to the *brms-coolstore-demo/projects* folder.
2. If the Welcome to JBoss Developer Studio screen appears, dismiss it by click the Workbench arrow in the upper right.

Install SOA tools for BRMS

1. Select *Help* → *Install New Software...* and add SOA Tools update site:
<http://download.jboss.org/jbosstools/updates/integration/kepler/integration-stack/aggregate/>
2. Select *Business Process and Rules Development & SOA Development* (all sub-menu items will be selected) and proceed thru installation and restart JBoss Developer Studio to complete the installation. You will be told to restart JBoss Developer Studio for the changes to take effect, do this now.



Detect and add a BRMS 5.3.1 runtime environment

1. Select *Preferences* from the *Window* menu.
2. In the left hand side, expand *JBoss Tools* and then select *JBoss Tool Runtime Detection*
3. Select the *Add* button and navigate to the *brms-coolstore-demo/target* folder (**not** *brms-coolstore-demo/projects/brms-coolstore-demo/target*), then select *OK*.
4. The *jboss-eap-6.1* runtime created earlier should have been found and selected. If so, select *OK*.
5. Select *OK* again to close the Preferences dialog window.

Import Projects

1. Select *Import...* from the *File* menu.
2. Expand the *General* folder, and then select *Existing Projects into Workspace*
3. Select the *Browse* button to *Select root directory*, you should be in the *brms-coolstore-demo*

folder (if not, then navigate there) and then select *OK*.

4. Make sure the project *brms-coolstore-demo* is selected and then select *Finish*.
5. The project is now imported.

2.3 Start the JBoss Enterprise BRMS Platform

In this section, you will start the server from within JBoss Developer Studio.

1. Select the *Servers* view
2. You should see the *JBoss EAP 6.1 Runtime Server* you created earlier.
3. Right click on *JBoss EAP 6.1 Runtime Server* and select *Start* from the pop-up menu. In a few moments your JBoss Enterprise BRMS Platform will be running.

2.4 Importing Project Repository into BRMS

In this section, you will import all of the JBoss Enterprise BRMS artifacts into the Business Rules Manager.

1. Open up your Web browser of choice and navigate to <http://localhost:8080/jboss-brms/>
2. Use the default credentials of *admin/admin*
3. Upon logging in, you will see the following prompt:

**This looks like a brand new repository.
Would you like to install a sample repository?**

Important: Please be sure to select *No thanks*.

4. Select the *Administration* section on the left hand side
5. From the *Administration* list select *Import Export*. This will open the *Import Export* window.
6. Now select *Browse...* and navigate to *brms-coolstore-demo/support* folder and select the *repository_export.zip* file.
7. Lastly, select the *Import* button. Select *OK* to confirm that you want to import the artifacts.
8. Build the package by selecting from the left navigation *Knowledge Bases* → *Packages* → *com* → *redhat* → *coolstore* → *Edit tab* → *Build Package* button.

3 Running the Demo

3.1 Goals of this demo

This demo comes to you from the field, a JBoss Solution Architect Jason Milliron wanted to look at the following:

1. create a JBoss BRMS solution for an online shopping cart.
2. create easy to understand web application where able to apply changes to business logic in JBoss BRMS while viewers see web application updated without restarting application / server.
3. create web application using JavaEE, third party development framework (Vaadin) and CDI technology.

3.2 Demo setup from CLI

The following steps will run through the demo components without using JBDS:

1. setup project as described in Readme by using `init.sh`.
2. start JBoss EAP
3. import project (*support/repository-export.zip*) into BRM (<http://localhost:8080/jboss-brms>)
4. build project in BRM
5. open web application (<http://localhost:8080/brms-coolstore-demo>), note Checkout button is disabled by design, the demo is about rules changing the discounts of products as you select and put them into your cart.




Illustration 1: Red Hat JBoss BRMS CoolStore

3.3 Running demo

The demo can be manipulated in several ways to show interaction between the GUI and rules based on the Shipping rules:

1. in BRM select the coolstore package
2. open *Business rules assets* → *Shipping Rules*
3. edit pricing of shipping, last column, to modify how shipping is calculated (for example, increase 4.99 to 5.99, see Illustration 2)
4. *File* → *Save changes* and rebuild coolstore package
5. Clear shopping cart (GUI) and select again items to see price changes take effect.




Illustration 2: Adjust shipping pricing in decision table.


3.4 JBDS IDE unit test

Unit Testing

The following will run the demo process with two unit tests:

1. Right-click the *brms-coolstore-demo* project and select *Properties*.
2. Select the *Maven* option in the tree on the left.
3. Set Active Maven Profile to *arq-jbossas-remote*, ensure “Resolve dependencies from Workspace projects” is checked. Click *Yes* when asked to update the project configuration. Click OK button to close Properties dialog.
4. Select the file *brms-coolstore-demo/Java Resources/src/test/java/com.redhat.coolstore.service.ShoppingCartServiceTest.java*, right click, *Run As...*, *JUnit Test*.

Illustration 3: *ShoppingCartServiceTest* run



3.5 BRMS BRM demo

The package was already imported so now we can look closer at web designers viewing, rules asset viewing, package building and deploying, web business central admin console viewing.

Web Designer

The BRM is available on <http://localhost:8080/jboss-brms> once the BRMS server has been fully started.

1. Login with a user (admin, krisv, mary, john, erics available). To start fresh you can at any time import the original repository as follows: *Administration* → *Import Export* → *Choose File* → *brms-coolstore-demo/support/repository-export.zip* → *Import* (Ok to pop-ups)

Build package for deployment

To build your package for deployment:

1. Build package: *Knowledge Bases* → *Packages* → *com* → *redhat* → *coolstore* → *Edit tab* → *Build Package* button.

3.6 Cool Store Demo deployment

In this section, you will deploy the application to the server from within JBoss Developer Studio.

1. Select the *Servers* view
If it is currently not open, select *Show View* --> *Other...* from the *Window* menu and search for the *Servers* view.
2. If the server is not running, right click on *JBoss EAP 6.1 Runtime Server* and select *Start* from

the pop-up menu. In a few moments your JBoss Enterprise BRMS Platform will be running.

3. Right-click on *JBoss EAP 6.1 Runtime Server* and select *Add and Remove...* from the pop-up menu.
4. Select *brms-coolstore-demo* from the list of Available resources and click the *Add >* button to move it to the Configured resources section.
5. Click *Finish*.

3.7 Cool Store Demo deployment

1. Open up your Web browser of choice and navigate to <http://localhost:8080/brms-coolstore-demo>, should see Illustration 1.