

## Taylor's Series of $\sin x$

In order to use Taylor's formula to find the power series expansion of  $\sin x$  we have to compute the derivatives of  $\sin(x)$ :

$$\begin{aligned}\sin'(x) &= \cos(x) \\ \sin''(x) &= -\sin(x) \\ \sin'''(x) &= -\cos(x) \\ \sin^{(4)}(x) &= \sin(x).\end{aligned}$$

Since  $\sin^{(4)}(x) = \sin(x)$ , this pattern will repeat.

Next we need to evaluate the function and its derivatives at 0:

$$\begin{aligned}\sin(0) &= 0 \\ \sin'(0) &= 1 \\ \sin''(0) &= 0 \\ \sin'''(0) &= -1 \\ \sin^{(4)}(0) &= 0.\end{aligned}$$

Again, the pattern repeats.

Taylor's formula now tells us that:

$$\begin{aligned}\sin(x) &= 0 + 1x + 0x^2 + \frac{-1}{3!}x^3 + 0x^4 + \dots \\ &= x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \dots\end{aligned}$$

*For positive terms, use ratio test to prove convergence.*

*And prove convergence for negative terms using the same way.*

*Add two terms (or Series) to get a converge Series.*

Notice that the signs alternate and the denominators get very big; factorials grow very fast.

**The radius of convergence  $R$  is infinity;** let's see why. The terms in this sum look like:

$$\frac{x^{2n+1}}{(2n+1)!} = \frac{x}{1} \cdot \frac{x}{2} \cdot \frac{x}{3} \cdots \frac{x}{(2n+1)}.$$

Suppose  $x$  is some fixed number. Then as  $n$  goes to infinity, the terms on the right in the product above will be very, very small numbers and there will be more and more of them as  $n$  increases.

In other words, the terms in the series will get smaller as  $n$  gets bigger; that's an indication that  $x$  **may** be inside the radius of convergence. But this would be true for any fixed value of  $x$ , so the radius of convergence is infinity.

Why do we care what the power series expansion of  $\sin(x)$  is? If we use enough terms of the series we can get a good estimate of the value of  $\sin(x)$  for any value of  $x$ .

This is very useful information about the function  $\sin(x)$  but it doesn't tell the whole story. For example, it's hard to tell from the formula that  $\sin(x)$  is periodic. The period of  $\sin(x)$  is  $2\pi$ ; how is this series related to the number  $\pi$ ?

*Not rigorous proof*

Power series are very good for some things but can also hide some properties of functions.

MIT OpenCourseWare  
<http://ocw.mit.edu>

18.01SC Single Variable Calculus  
Fall 2010

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.