

# Hazard Analysis

## Bridging Gaps: AI for Diagram Accessibility

Team 22, Reading4All  
Nawaal Fatima  
Dhruv Sardana  
Fiza Sehar  
Moly Mikhail  
Casey Francine Bulaclac

Table 1: Revision History

<b>Date</b>	<b>Developer(s)</b>	<b>Change</b>
October 10th 2025	All Team Members	Initial Draft of HA
November 24th 2025	Casey Francine Bulaclac	Implement Peer Review #155,#151

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Problem Statement . . . . .	1
1.2	Hazard Analysis Introduction . . . . .	1
<b>2</b>	<b>Scope and Purpose of Hazard Analysis</b>	<b>1</b>
<b>3</b>	<b>System Boundaries and Components</b>	<b>2</b>
3.1	System Overview . . . . .	2
3.2	System Boundaries . . . . .	2
3.3	System Components . . . . .	2
<b>4</b>	<b>Critical Assumptions</b>	<b>3</b>
<b>5</b>	<b>Failure Mode and Effect Analysis</b>	<b>4</b>
<b>6</b>	<b>Safety and Security Requirements</b>	<b>7</b>
<b>7</b>	<b>Roadmap</b>	<b>7</b>

# 1 Introduction

## 1.1 Problem Statement

Students with disabilities face major challenges to reading technical diagrams, which are often given in the form of static images that screen readers cannot interpret. Manually developing alternative (alt) text is possible, but it is resource-intensive, inconsistent, and not scalable for huge volumes of course content. This generates disparities in access to learning materials in postsecondary education.

To address this issue, this project proposes creating an Artificial Intelligence (AI) / Machine Learning (ML) powered application that automatically generates clear and detailed alt text for technical diagrams. The tool intends to increase accessibility, assure compliance with Accessibility for Ontarians with Disabilities Act (AODA) regulations, and promote greater inclusion in higher education.

## 1.2 Hazard Analysis Introduction

A hazard is a system state or combination of conditions that, when paired with specific environmental or contextual factors, can result in an unwanted or adverse event in the system or its surroundings. Hazards in software and AI development encompass not only physical threats but also usability, ethical, and technological issues.

Hazards in this project may develop during the design, training, and implementation of the alt-text generating model. These risks include technical flaws in generated text, misinterpretations that may mislead learners, ethical concerns regarding bias in the dataset, and compatibility issues with assistive technology.

This hazard analysis identifies and evaluates such risks to guarantee that the system provides consistent accessibility gains while not mistakenly introducing new obstacles.

# 2 Scope and Purpose of Hazard Analysis

The objective of this hazard analysis is to analyze the potential hazards and damages related to the AI/ML alt-text generating tool throughout its development and operation. The most significant hazards are:

- **Technical Flaws:** Incorrect or inadequate alt text may mislead students, impair comprehension, or violate accessibility guidelines. This could result in a loss of confidence in the tool and poor results in education.
- **User Insensitivity:** Alt text that is excessively technical, unsophisticated, or inconsistent may not meet the needs of students. This may result in a loss of usefulness, reducing participation among students, teachers, and accessibility professionals.
- **External Dependencies:** Relying on third-party libraries, Application Programming Interfaces (APIs), or screen reader compatibility can lead to external failures. Interruptions in these functions may result in a loss of functionality or downtime.

The purpose of this hazard study is to systematically identify these hazards, estimate their potential impact, and develop mitigation strategies. By doing this, we aim to minimize losses associated with time, trust, resources, and accessibility outcomes, ensuring that the tool contributes positively to equitable education.

## 3 System Boundaries and Components

### 3.1 System Overview

The system is a web-based AI tool that generates alt text for uploaded images or figures and integrated with screen readers to improve accessibility for visually impaired users.

### 3.2 System Boundaries

- **Internal Components:** Alternative Text Generation ML Model, User Interface (UI), Session History Manager, Backend Server
- **External Components:** McMaster Authentication System, External AI/ML Frameworks, Screen Reader Software

### 3.3 System Components

#### 1. Alt Text Generation ML Model

- **Purpose:** To automatically generate accurate and descriptive alt text for uploaded images using machine learning.
- **Key Functions:**
  - Process image inputs received from the backend and extract key visual features.
  - Generate contextually relevant text descriptions.
  - Return the generated alt text to the backend to display to the user interface.

#### 2. User Interface

- **Purpose:** To serve as the primary interaction point between the user and the system and allow users to upload images and view generated alt text.
- **Key Functions:**
  - Enable users to upload images through an accessible web interface.
  - Display generated alt text and allow users to edit, copy, and download the text.
  - Provide features that are accessible and complies with the Web Content Accessibility Guidelines (WCAG) 2.1 standards.
  - Communicates user requests and display outputs from the backend.

#### 3. Session History Manager

- **Purpose:** To ensure the continuity of the current session and manage user data during active use of the system.
- **Key Functions:**
  - Track unique user sessions throughout interaction with the web application.
  - Store previously uploaded images and generated alt text for the current session to allow users to view history.

#### 4. Backend Server

- **Purpose:** To securely manage communication between the user interface, session manager, and the machine learning model. This is done by validating inputs, ensuring safety-related checks, and coordinating all data processing flows.
- **Key Functions:**
  - Receive and process image upload requests from the user interface.
  - Handle safety-related operations such as user authentication and authorization of session actions.
  - Forward images to the Alt Text Generation ML Model for processing.
  - Retrieve generated alt text from the model and return it to the user interface.
  - Interact with the Session Manager to store or retrieve session data such as previous uploads and generated results.
  - Manage error handling procedures to ensure reliability and prevent invalid states while operating the system.

## 4 Critical Assumptions

This section documents the assumptions made during the hazard analysis of Bridging Gaps: AI for Diagram Accessibility (Reading4All). The number of assumptions is kept to a minimum to reduce the chance of overlooking potential hazards. Where assumptions are made, they set clear boundaries for the analysis and define the conditions under which the system is expected to operate safely.

- **Assumption 1: Input Integrity.** All image files provided to the system are assumed to be valid image formats and not corrupted or maliciously constructed to exploit parsing vulnerabilities.
- **Assumption 2: Standards Stability.** Accessibility guidelines (WCAG 2.1, AODA) are assumed to remain stable for the operational lifetime of the system.
- **Assumption 3: Model Performance.** The machine learning models used for visual recognition and natural language generation are assumed to operate within validated ranges of accuracy and reliability.
- **Assumption 4: Human Oversight.** It is assumed that alt text generated by the system will undergo review by human instructors, teaching assistants, or accessibility specialists before being used in educational contexts.
- **Assumption 4: Network Stability.** The system is assumed to operate in an environment with stable and sufficient network connectivity to support uninterrupted communication between the different system components. Network interruptions are assumed to be minimal and not severe enough to impact system safety.

Violations of these assumptions may introduce additional hazards outside the current scope of this analysis. Such cases would require re-evaluation of risks and system design updates.

## 5 Failure Mode and Effect Analysis

The [Table 2](#) below outlines the hazards found within our system, as well as effects of failure, possible causes and the recommended actions.

Table 2: Failure Mode and Effect Analysis (FMEA) for Reading4All

HA ID	Component	Failure Mode	Effects of Failure	Possible Causes	Recommended Action / Mitigation	SRS Ref.
HA-1	Frontend UI	All user interface components cannot be controlled using keyboard	Users using assistive technology cannot operate all features	Missing Accessible Rich Internet Applications (ARIA) roles, incorrect tab order	WCAG 2.1 Level AA evaluation; fix focus order and ARIA; add additional tests for accessibility needs	UHR-AR 1, UHR-AR 2
HA-2	Frontend UI	Alt text output not compatible with screen readers	Screen readers skip generated alt text	Missing ARIA labels	Validate with NVDA/JAWS/VoiceOver; use <code>aria-label</code> with user interface components	FR 3, UHR-AR 1
HA-3	Backend Controller	Accepts unsupported/corrupted files	System crash or user confusion	Missing images/type validation or file-size limits	Validate uploads; enforce size/type checks; detailed error messages	FR 1, PR-RFT 1, SR-IM 1
HA-4	Backend Controller	Timeout during image analysis	User perceives failure and is frustrated with system; repeated submissions; increased load on backend controller	Increased model latency; missing timeout handling	Add timeouts/retries for better user handling; progress indicator	PR-SL 1, PR-SL 2
HA-5	Alt Text Generation Model	Generates offensive/biased or Personal Interest Information (PII)-leaking text	Ethical/privacy risk; loss of user trust	Lack of Model Training and Accuracy; no output filtering	Add additional filters and checks for PII Data and offensive texts	SR-PR 2
HA-6	Alt Text Generation Model	No output or empty alt text	Users cannot use result; reduced learning impact	Interface failure or Application Programmable Interface (API) crash	Retry option; “No Text Generated” label; clear user feedback	PR-RFT 2

*Table continues on next page*



Table 2 (continued)

HA ID	Component	Failure Mode	Effects of Failure	Possible Causes	Recommended Action / Mitigation	SRS Ref.
HA-7	Session Storage Component	Images metadata or generated alt text not deleted after processing	Privacy exposure; increased storage/cost	Cleanup jobs fail or not configured	Auto-delete temp files; periodic cleanup; log storage usage; manual deletion triggered by deletion failure alarms	SR-PR 1
HA-8	Session Storage Component	Session history not found	Loss of user trust and session data causing frustration	Session key mismatch; write errors	Atomic writes; bind session to SSO token	FR 5, SR-AR 2
HA-9	Alt Text Model Output Training Evaluation	Evaluation metrics and scale linked to wrong model output	Inaccurate metrics	Race condition; wrong foreign key	Immutable IDs; transactional writes; enforce referential integrity	PR-PAR 1
HA-10	McMaster SSO (Access Control)	Session bypass	Unauthorized access	Token reuse; improper validation	Validate tokens on the server	SR-AR 1, SR-AR 2

## 6 Safety and Security Requirements

PR-SR-HA 1. *The system must notify the user when a timeout occurs during alt text generation.*

**Rationale:** Users should be informed when the alt text generation exceeds the expected amount of time. If users are not notified they may send multiple requests, leading the server to be overloaded; this would also lead to user frustration.

**Fit Criterion:** When a timeout occurs, the system displays a message indicating the timeout and a "Retry" option. The message must follow accessibility guidelines and be compatible with screen readers.

**Priority:** Medium

**Hazard Analysis Connected:** HA4

PR-SR-HA 2. *The system must safely exit when a timeout occurs and ensure that no user data or incomplete alt text is stored or shown to the user.*

**Rationale:** Safely exiting during a timeout prevents users from seeing incomplete alt text and mistaking it for a complete output, which may cause confusion. Leaving user data stored would also be a security violation.

**Fit Criterion:** When a timeout occurs, the system must stop processing and delete the users data and any incomplete alt text that has been generated.

**Priority:** High

**Hazard Analysis Connected:** HA4

PR-SR-HA 3. *The system must ensure that messages notifying the user of failure, do not reveal any system code or data.*

**Rationale:** This will prevent internal data from being shown to users, which may lead to system and user security issues.

**Fit Criterion:** All error messages shown to the user only display the necessary information and do not contain any technical information.

**Priority:** High

**Hazard Analysis Connected:** HA4, HA7

## 7 Roadmap

All safety and security requirements outlined in our SRS, as well as newly discovered requirements will be implemented as part of the capstone timeline. This includes the following requirements, which can be found in our SRS document:

- |           |           |            |               |
|-----------|-----------|------------|---------------|
| • SR-AR 1 | • SR-PR 1 | • SR-IM 1  | • PR-SCR 3    |
| • SR-AR 2 | • SR-PR 2 | • SR-IM 2  | • PR-SCR-HA 1 |
| • SR-IR 1 | • SR-AU 1 | • PR-SCR 1 | • PR-SCR-HA 2 |
| • SR-IR 2 | • SR-AU 2 | • PR-SCR 2 | • PR-SCR-HA 3 |

## Appendix — Reflection

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

### Group - Reflection

1. **Which of your listed risks had your team thought of before this deliverable, and which did you think of while doing this deliverable? For the latter ones (ones you thought of while doing the Hazard Analysis), how did they come about?**

Prior to completing this deliverable we had considered the privacy hazard, specifically relating to user's data. We also had discussed the need to add programmable labels when developing our system. Furthermore, completing this deliverable revealed many hazards, the most significant being the possibility of the system timing out and the issues that may cause. It revealed other hazards relating to the model evaluation process, which is essential to our system.

2. **Other than the risk of physical harm (some projects may not have any appreciable risks of this form), list at least 2 other types of risk in software products. Why are they important to consider?**

One main risk in software products is in security and privacy. Situations such as unauthorized access and data leaks can harm users of the software and can violate laws. This can also lead to damage of the developer's reputation, as well as fines and lawsuits. Another risk in software products is failure to comply with certain required regulations. For example, violating licenses or accessibility rules can result in the delay or blocking of deployments, and may also lead to legal issues.

### Moly Mikhail - Reflection

1. **What went well while writing this deliverable?** Completing part 6, where we outlined the Safety and Security requirements, went well for several reasons. Firstly, completing the previous section 5 helped us directly derive the new Safety and Security requirements that needed to be outlined. Additionally, working on this document after finishing the SRS document made the process much easier, as we had gained a lot of practice with determining and writing requirements from the SRS.
2. **What pain points did you experience during this deliverable, and how did you resolve them?** One pain point we faced during this deliverable was the dependency on other sections within the HA document and the SRS document. For

example, to complete section 5 in the HA document, we needed the requirements in SRS to be completed so they can be referenced as needed. This was challenging as developing our SRS requirements was a long process that required significant work and detail; meanwhile, the HA Failure Mode and Effect analysis also needed extensive work. This made it hard to manage our time effectively, as the two documents couldn't be worked on in parallel at times.

#### **Nawaal Fatima - Reflection**

**1. What went well while writing this deliverable?**

I think the easiest part was coming up with the assumptions themselves. From my summer work experience with Ms. Sui, I was already familiar with the main areas where Reading4All could run into issues (inputs, standards, model accuracy, and human review), it felt pretty natural to turn those into clear assumptions. It also helped that the section didn't need to be super long, so I could keep it focused and to the point.

**2. What pain points did you experience during this deliverable, and how did you resolve them?**

The tricky part was figuring out how much detail to put in without overcomplicating things. At first, I thought about writing assumptions that basically ruled out certain failures, but I realized that would go against the whole idea of hazard analysis. To fix that, I stuck to assumptions that made sense for defining boundaries without pretending hazards don't exist. Another small challenge was making the wording simple enough - so I rewrote a couple of the assumptions to sound clearer and less "technical report" heavy.

#### **Fiza Sehar - Reflection**

**1. What went well while writing this deliverable?**

Sections 1 and 2 were more manageable to write because the project's goals and problem statement were clearly specified in the SRS. This made it easy to explain the goal and scope of the hazard analysis. Understanding accessibility standards like AODA and WCAG 2.1 enabled us to clearly link identified concerns (technical, ethical, and usability) to specific compliance requirements. Our team was already familiar with much of the contextual groundwork, notably AI-generated alt text and educational accessibility, so the authoring process was straightforward.

**2. What pain points did you experience during this deliverable, and how did you resolve them?**

One big problem was blending technical detail with explanations that were more accessible. Because this document combines software engineering and accessibility compliance, it was challenging to prevent repetition between the SRS and Hazard Analysis. We also found it difficult to make the hazard descriptions concise while maintaining clarity for non-technical readers. To address this, we altered the structure several times and used clear subheadings and bullet points to distinguish between hazard types (Technical flaws, user insensitivity, and external dependencies).

#### **Dhruv Sardana - Reflection**

**1. What went well while writing this deliverable?**

While writing this deliverable, I was responsible for the FMEA Table. This gave me an opportunity to understand the system in depth and identify potential failure modes. It helped me identify different risks and it helped other team members understand requirements better and helped refine the SRS document. It also helped me understand the mitigation strategies for the identified risks.

**2. What pain points did you experience during this deliverable, and how did you resolve them?**

Some of the pain points I faced while writing this deliverable was the dependency on other sections within the document. Especially referring to SRS document and accompanying them with system components. This was challenging as the SRS document was being worked on in parallel and requirements were constantly being refined

**Casey Francine Bulaclac - Reflection**

**1. What went well while writing this deliverable?** Writing this deliverable was organized as the team split the sections beforehand, so we had clear instructions on how and who is completing which sections. It was also helpful completing the SRS before this document as it helped define certain sections such as the System Boundaries and Components.

**2. What pain points did you experience during this deliverable, and how did you resolve them?** One challenge I ran into with this deliverable were keeping the language and details aligned with the SRS. Another challenge was having to finish one section before I could move on to others as some sections depended on previous ones. To address this, I double-checked the SRS and kept clear, timely communication with my team about what needed to be done and by when.