### Question 1

$$< a_n >$$
 is a real sequence;  $\sigma_n := \frac{a_1 + a_2 + ... + a_n}{n}$ 

Going to show that

I lim inf  $a_n \leq \lim \inf \sigma_n$ If  $a_n$  is unbounded below, then  $\lim \inf a_n = -\infty \leq \lim \inf \sigma_n$  So, let  $a_n$  be bounded below, thus LHS is a real number,

$$m := \lim \inf a_n$$

Now, if  $a_n$  is constant, and equal to a,

$$\forall n \in \mathbb{N} , \inf\{a_i | i \ge n\} = a = \frac{na}{n} = \sigma_n$$

Otherwise, if  $a_n$  is not constant, then,

$$\exists i, j \in \mathbb{N} \text{ such that(wlog) } a_i < a_j$$

Suppose if possible,  $\lim \inf a_n = m > \lim \inf \sigma_n$ But,

$$\forall n \in \mathbb{N} \text{ such that } n \geq i, j,$$

$$\sigma_n = \frac{a_1 + \dots + a_i + \dots + a_j + \dots + a_n}{n} \ge \frac{(n-2)m + a_i + a_i}{n}$$

$$\ge \frac{(n-1)m + a_j}{n}$$

$$\ge m \mid \because m \le a_i < a_i$$

Hence, inf 
$$\sigma_n \ge \frac{(n-1)m + a_j}{n}$$

$$\implies \lim \inf \sigma_n \ge \lim_{n \to \infty} \frac{(n-1)m + a_j}{n} = m$$

But this contradicts the initial assumption.

II  $\limsup a_n \ge \limsup \sigma_n$  If  $a_n$  is unbounded above, then  $\limsup a_n = \infty \ge \limsup \sigma_n$ .

So, let  $a_n$  be bounded above, thus LHS is a real number,

$$M := \lim \sup a_n$$

Now, if  $a_n$  is constant, and equal to a,

$$\forall n \in \mathbb{N} , \sup\{a_i | i \ge n\} = a = \frac{na}{n} = \sigma_n$$

Otherwise, if  $a_n$  is not constant, then,

$$\exists i, j \in \mathbb{N} \text{ such that(wlog) } a_i < a_j$$

Suppose if possible,  $\limsup a_n = M < \limsup \sigma_n$ But,

$$\forall n \in \mathbb{N} \text{ such that } n \geq i, j,$$

$$\sigma_n = \frac{a_1 + \ldots + a_i + \ldots + a_j + \ldots + a_n}{n} \le \frac{(n-2)M + a_i + \ldots}{n}$$

$$\le \frac{(n-1)M + a_j}{n}$$

$$< M \mid \because M \ge a_j > 1$$

Hence, 
$$\inf \sigma_n \le \frac{(n-1)M + a_j}{n}$$

$$\implies \lim \inf \sigma_n \le \lim_{n \to \infty} \frac{(n-1)M + a_j}{n} = M$$

But this contradicts the initial assumption.

### Question 2

$$\lim \inf \frac{a_{n+1}}{a_n} \le \lim \inf (a_n)^{\frac{1}{n}} \le \lim \sup (a_n)^{\frac{1}{n}} \le \lim \sup \frac{a_{n+1}}{a_n}$$

I Showing that  $\lim \inf \frac{a_{n+1}}{a_n} \leq \lim \inf (a_n)^{\frac{1}{n}}$ Case 1:  $\lim \inf \frac{a_{n+1}}{a_n} = 0$ 

$$\forall n \in \mathbb{N}, a_n > 0 \implies (a_n)^{\frac{1}{n}} > 0$$

Thus, 
$$\lim \inf (a_n)^{\frac{1}{n}} \ge 0 = \lim \inf \frac{a_{n+1}}{a_n}$$

Case 2:  $\lim \inf \frac{a_{n+1}}{a_n} = \infty$ So, for any  $a \in \mathbb{N}$ ,

$$\exists M_a \in \mathbb{N} : n \ge M_a \implies \frac{a_{n+1}}{a_n} > a$$

Fix any a, and choose  $n > M_a$ . For any such n,

$$\frac{a_{n+1}}{a_n} > a \implies a_{n+1} > aa_n$$

$$\implies a_n > aa_{n-1} > a^2 a_{n-2} > \dots > a^{n-M} a_M$$
$$\implies (a_n)^{\frac{1}{n}} > a(\frac{a_M}{a^M})^{\frac{1}{n}}$$

Now as for fixed a,  $\frac{a_M}{a^M}$  is constant,

$$\lim_{n \to \infty} \left(\frac{a_M}{a^M}\right)^{\frac{1}{n}} = 1 \implies \lim_{n \to \infty} a\left(\frac{a_M}{a^M}\right)^{\frac{1}{n}} = a$$

Thus,

$$\forall \epsilon > 0, \exists K \in \mathbb{N} : n > K \implies a(\frac{a_M}{a^M})^{\frac{1}{n}} > a - \epsilon$$

And hence, in particular,  $a(\frac{a_M}{a^M})^{\frac{1}{n}} > a-1$  for any natural number a.

$$(a_n)^{\frac{1}{n}} > a(\frac{a_M}{a^M})^{\frac{1}{n}} > a - 1 \implies \lim_{n \to \infty} (a_n)^{\frac{1}{n}} = \infty$$

$$\therefore \lim \inf \frac{a_{n+1}}{a_n} = \infty = \lim \inf (a_n)^{\frac{1}{n}}$$

Case 3:  $\liminf \frac{a_{n+1}}{a_n} = a \in \mathbb{R}$ So,  $\forall \epsilon > 0, \exists M \in \mathbb{N} : n > M \implies \frac{a_{n+1}}{a_n} > a - \epsilon$ 

$$a_n > (a - \epsilon)a_{n-1} > (a - \epsilon)^2 a_{n-2} > \dots > (a - \epsilon)^{n-M} a_M$$
  
 $\implies (a_n)^{\frac{1}{n}} > (a - \epsilon)(\frac{a_M}{a^M})^{\frac{1}{n}}$ 

But, as  $\lim_{n\to\infty} \left(\frac{a_M}{a^M}\right)^{\frac{1}{n}} = 1$ ,

$$(a_n)^{\frac{1}{n}} > (a-\epsilon)(\frac{a_M}{a^M})^{\frac{1}{n}} > (a-\epsilon)(1-\epsilon) = a-(1+a)\epsilon + \epsilon^2$$

$$\implies (a_n)^{\frac{1}{n}} > a - (1+a)\epsilon$$

But as this holds for every  $\epsilon > 0$ ,

$$\lim \inf (a_n)^{\frac{1}{n}} \ge a - 0 = \lim \inf \frac{a_{n+1}}{a_n}$$

II 
$$\limsup (a_n)^{\frac{1}{n}} \le \limsup \frac{a_{n+1}}{a_n}$$
  
Case 1:  $\limsup \frac{a_{n+1}}{a_n} = \infty$   
As  $\limsup (a_n)^{\frac{1}{n}} \le \infty = \limsup \frac{a_{n+1}}{a_n}$ , done

Case 2: 
$$\limsup \frac{a_{n+1}}{a_n} = -\infty$$

$$\lim \sup \frac{a_{n+1}}{a_n} = -\infty \implies \lim_{n \to \infty} \frac{a_{n+1}}{a_n} = -\infty$$

But, as all  $a_n$  are positive, so is their raito, and hence it cant be unbounded below.

Case 3: 
$$\limsup \frac{a_{n+1}}{a_n} = a \in \mathbb{R}$$
  
So,  $\forall \epsilon > 0, \exists M \in \mathbb{N} : n > M \implies \frac{a_{n+1}}{a_n} < a + \epsilon$ 

$$a_n < (a+\epsilon)a_{n-1} < (a+\epsilon)^2 a_{n-2} < \dots < (a+\epsilon)^{n-M} a_M$$

Now, as  $\left(\frac{a_M}{a^M}\right)^{\frac{1}{n}}$  is constant,

$$\exists K \in \mathbb{N} : n \ge K \implies \left(\frac{a_M}{a^M}\right)^{\frac{1}{n}} < 1 + \epsilon$$

$$\implies (a_n)^{\frac{1}{n}} < (a+\epsilon)(\frac{a_M}{a^M})^{\frac{1}{n}} < (a+\epsilon)(1+\epsilon) = a+(a+1)\epsilon + \epsilon^2$$
Thus,

$$\lim \sup (a_n)^{\frac{1}{n}} \le a + (a+1)\epsilon + \epsilon^2 < a + (a+1)(1+\epsilon)\epsilon,$$

but as this holds for every  $\epsilon > 0$ ,

$$\lim \inf (a_n)^{\frac{1}{n}} \le a = \lim \inf \frac{a_{n+1}}{a_n}$$

## Question 3

I

## Question 4

- 1.
- 2.
- 3.
- 4. Some convergant sequences are:

(a) 
$$a_n := 1$$

5. Some divergent sequences are:

(a) 
$$a_n := n$$

$$\frac{a_{n+1}}{a_n} = \frac{n+1}{n} = 1 + \frac{1}{n}$$

This tends to 1 [ for  $\epsilon = \frac{1}{n}$ , take  $\delta = \frac{1}{n+1}$ ] But the sequence diverges [ to  $\infty$  ].

# **Appendix**

1. also, make sure to show  $\liminf \le \limsup$