

8. Prior, Posterior and Likelihood

Prior, Posterior and Likelihood

minus.

So here again, we will have multiple thetas because we will have a big vocabulary, more than too many

times, that can respond to the negative class,

and different kind of parameters of theta for the positive class.

And the relation between them would determine

how this expression look like.

7:20 / 8:56 1.0x

End of transcript. Skip to the start.

Video

[Download video file](#)

Transcripts

[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

Prior, Posterior and Likelihood distributions

1/1 point (graded)

Consider a binary classification task with two labels '+' (positive) and '-' (negative).

Let y denote the classification label assigned to a document D by a multinomial generative model M with parameters θ^+ for the positive class and θ^- for the negative class.

Which of the following option(s) is/are true about the prior, posterior or likelihood distributions for this classifier? Choose the correct notations from the statements below:

☒ $P(y = +|D)$ is the posterior distribution ✓

☐ $P(y = +|D)$ is the prior distribution

☐ $P(y = +)$ is the posterior distribution

☒ $P(y = +)$ is the prior distribution ✓



Solution:

Recall from the lecture that from bayesian rule we have,

$$P(y = +|D) = \frac{P(D|\theta^+) \times P(y = +)}{P(D)}$$

where $P(y = +|D)$ is the posterior distribution and $P(y = +)$ is the prior distribution while $P(D|\theta^+)$ is the likelihood of document D given parameter θ^+

Submit

You have used 1 of 1 attempt

i Answers are displayed within the problem

A Numerical Example

2/2 points (graded)

Let's say that the prior for the positive class takes the following value:

$$P(y = +) = 0.3$$

Also, say that $P(D|\theta^+) = .3$ and $P(D|\theta^-) = .6$

From the above values of prior and likelihood, calculate the value of $P(D)$, the probability of generating document D . Enter the value below:

0.51

✓ Answer: 0.51

From $P(D)$ also estimate the posterior probability $P(y = +|D)$. Enter your answer as a numerical expression or round it off to two decimal places.

0.09/0.51

✓ Answer: 0.1764705882352941

$$P(-) = 1 - P(+) = 0.7$$

$$P(\text{not } D|+) = 1 - P(D|+) = 0.7$$

$$P(\text{not } D|-) = 1 - P(D|-) = 0.4$$

$$P(D|+) \times P(+) = 0.09$$

$$P(D|-) \times P(-) = 0.42$$

$$P(\text{not } D|+) \times P(+) = 0.21$$

$$P(\text{not } D|-) \times P(-) = 0.28$$

sum to 1

Solution:

From bayes rule, we have that

$$P(D) = P(D|y = +) P(y = +) + P(D|y = -) P(y = -)$$

Also probability values must sum to 1 across all classes,

$$P(y = +) + P(y = -) = 1$$

Therefore,

$$P(D) = P(D|y = +) \times .3 + P(D|y = -) \times .7$$

$$P(D) = .3 \times .3 + .6 \times .7 = 0.51$$

From $P(D)$, we can calculate the posterior value $P(y = +|D)$ using bayes rule as follows:

$$P(y = +|D) = \frac{P(D|\theta^+) P(y = +)}{P(D)}$$

$$P(y = +|D) = \frac{.3 \times .3}{0.51} = 0.1764705882352941$$

Submit

You have used 3 of 3 attempts

i Answers are displayed within the problem

Discussion

Show Discussion

Topic: Unit 4 Unsupervised Learning (2 weeks) :Lecture 15. Generative Models / 8. Prior, Posterior and Likelihood