

0.95

0.90

0.85

0.75

0.70

0.65

0.01

0.1

1

10

1000

1000


Suppose you are interested in finding a parsimonious model (the model that accomplishes the desired level of prediction with as few predictor variables as possible) to predict housing prices. Which of the following would be the best choice?

6. Match the plots of SVM margins below to the values of the C parameter that correspond to them.

1 Ints

Use Figures A and B below to answer questions 7, 8, 9, and 10.

Estimated coefficients vs. regularization parameter 50 40 Estimated coefficients 30 10° 10¹ 10² 10-1 alpha R² vs. regularization parameter — Testing Training 0.8 0.6 R2 0.2 0.0 -0.2-0.4 -0.610-1 10° 10¹ 10² alpha Figure A



Looking at the two figures (Figure A, Figure B), determine which linear model each figure corresponds to:

8. Looking at Figure A and B, what is a value of alpha that optimizes the R2 score for the Ridge Model?

Module 2 Quiz

Quiz, 11 questions

0.6 / 1

points

10. When running a LinearRegression() model with default parameters on the same data that generated Figures A and B the output coefficients are:

Coef 0 -19.5

Coef 1 48.8

Coef 2 9.7

Coef 3 24.6

Coef 4 13.2

Coef 5 5.1

For what value of Coef 3 is R2 score maximized for the Ridge Model?