

Submitting Solutions

The USACO Training Program features an automatic grading system for your homework problems. You submit your programs from the problem page itself; they are compiled and graded; the results are conveyed back to you -- all within a few seconds.

C/C++/C++11/C++14, PASCAL, Python2, Python3, and Java are available. This system uses the GNU GCC compilation suite for C/C++/C++11 programs and the Free Pascal system for Pascal programs. The Java compiler is Oracle's most recent release.

The grading system compilers are those formerly used at the IOI.

These newer compilers uses 32 bit int's; the Borland compilers use 16 bit int's. DO NOT GET IN TROUBLE BECAUSE OF THIS!

Submit solutions via the web by typing the name of the file containing the source code into the 'Submit a file:' box at the bottom of problem description pages..

Program submissions require simple **Header comments**: your ID (i.e., your USACO login name), the name of the program (which will be given in each programming assignment, and the language used. See the examples below to get the idea.

Every training page problem has input and output. Currently, the input appears in a file named 'probname.in' (e.g., if the problem name is 'ride', then the input filename is 'ride.in'). Output must be written to a file named 'probname.out' (i.e., 'ride.out' for the 'ride' problem).

The First Challenge

The simplest programming challenge is named 'test' and requires you to read a pair of small integers from a single input line in the file 'test.in' and print their sum to the file 'test.out'.

Below is a simple solution in the 'C' programming language. Note the use of 'exit (0);', which is usually required to exit properly.

```
exit (0);
}
Below is a simple solution in the C++ programming language. Note the use of 'return
(0);', which is usually required to exit properly.
/* Use the slash-star style comments or the system won't see your
   identification information */
/*
ID: your_id_here
TASK: test
LANG: C++
*/
/* LANG can be C++11 or C++14 for those more recent releases */
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main() {
   ofstream fout ("test.out");
   ifstream fin ("test.in");
   int a, b;
   fin >> a >> b;
   fout << a+b << endl;
    return 0;
}
Below is a simple solution in the PASCAL programming language:
{
ID: your_id_here
TASK: test
LANG: PASCAL
Program Test;
Var fin, fout: text;
    a, b: word;
Begin
   Assign(fin, 'test.in'); Reset(fin);
    Assign(fout, 'test.out'); Rewrite(fout);
    Readln(fin, a, b);
```

Below is a simple solution in the 'Python' programming language. Both Python 2 and Python 3 are available; specify language PYTHON2 or PYTHON3 as needed. Notes:

- Header is on left margin with """ above and below.
- Put your own USACO training ID in the ID field.

Writeln(fout, a+b);

Close(fout);

End.

- Python must be in all capital letters: PYTHON2 or PYTHON3.
- The TASK name changes for each different problem you submit; this task is known as 'test'.
- Copy and paste these lines to a file and submit it for testing.
- To print debug output, add 'import sys' just below the ID headers and then use sys.stderr.write('message'). Even if your program's output is wrong, the message will be displayed for you.
- If you use any 'import' or 'from ... import' statements, make sure they are not indented, flush with the large margin.

```
ID: your_id_here
LANG: PYTHON2
TASK: test

fin = open ('test.in', 'r')
fout = open ('test.out', 'w')
x,y = map(int, fin.readline().split())
sum = x+y
fout.write (str(sum) + '\n')
fout.close()
```

And here is the same program, this time in JAVA. The class name must be the same as the task name and will always be lowercase, unlike many JAVA conventions. .pp Note that the program presumes the file opens will succeed, which they will.

```
/* Use the slash-star style comments or the system won't see your
   identification information */
/*
ID: your_id_here
LANG: JAVA
TASK: test
*/
import java.io.*;
import java.util.*;
class test {
 public static void main (String [] args) throws IOException {
    // Use BufferedReader rather than RandomAccessFile; it's much faster
    BufferedReader f = new BufferedReader(new FileReader("test.in"));
                                                  // input file name goes above
   PrintWriter out = new PrintWriter(new BufferedWriter(new FileWriter("test.out")));
    // Use StringTokenizer vs. readLine/split -- lots faster
    StringTokenizer st = new StringTokenizer(f.readLine());
                                                  // Get line, break into tokens
    int i1 = Integer.parseInt(st.nextToken());
                                                  // first integer
    int i2 = Integer.parseInt(st.nextToken());
                                                  // second integer
    out.println(i1+i2);
                                                  // output result
    out.close();
                                                  // close the output file
 }
}
```

Important: BufferedReader and StringTokenizer are far more efficient than many other schemes for reading input. They can make a huge difference in the efficiency of your program! Use them!

You can try as many different things (subject to the caveats below) as you like to see how the grading system works. Theoretically, you can't break it or crash it. If you see a problem, please let me know.

The restrictions are few:

- One second runtime limit unless other specified (programs are run on a modern processor but **times are scaled to a 700 MHz Pentium III**)
- About 16MB datasize limit
- About 1MB stacksize limit
- Be sure your program exits with status 0
- Be sure you print complete lines (with terminating newline), not just a few words or numbers
- Don't use files other than the specified input, output, and auxiliary files

Other common sense rules that need not be listed

The rules are simple:

- Don't try to cheat.
- **Don't just print the answers**, you must calculate them in your program. If you just print answers, your login ID might be removed.
- Don't try to look at other files on the system or use other schemes to break security
- Don't try to break common sense rules of privacy
- Please report anomalous behavior to me right away (<<u>rob.kolstad@gmail.com></u>)
- Have as much fun as possible
- Earn a trip to the IOI and other exotic contests!

Some hints:

- Both stderr and stdout are returned to you when errors occur
- Feel free to ask questions and send in comments
- Your reported output has `_'s substituted for spaces
- Include this comment if you use try/catch/throw in C++: /*pragma handle-exceptions*/

Compiler comments (please send in new compiler comments as you find them):

- We're using g++ (a.k.a. djgpp on PCs), Free Pascal, and gjc
- In C/C++, ints are 32 bits (char is 8; short is 16; long is 32; long long is 64)
- some libraries have new names; some have different or missing functions
- stricmp doesn't exist; use strcmp for string compares
- strrev does not exist
- neither itoa nor Itoa exists (use sprintf instead)
- No need for huge declarations pointers already go everywhere
- Pascal users: be sure to "close" your output file or the output might not appear


DO NOT SKIP THIS STEP!

Give it a try! Submit one of the programs above, using your own ID. Mouse it off into a file then type in the name of the text file that contains the source:

Submit a file: Browse... No file selected. Send it in!

Results typically appear in significantly less than two seconds.

Here is a typical result that you might receive, along with annotations in blue:



If you don't see something like the above, make sure you have proper headers just like the examples above (e.g., no '*'s in front of ID, LANG, etc.). Make sure you are sending the proper file -- it should be a text file that contains ONLY the program text, nothing else (this can be challenging when using IDEs).

Back to USACO Training Gateway | Comment or Question