


**NOTES: UNLESS OTHERWISE SPECIFIED (UOS)**

1. ALL ITEMS DEPICTED ON THIS DRAWING ARE CRITICAL TO THE FUNCTION OF THIS PART. ALL DIMENSIONS NOT DEPICTED ARE CONTAINED WITHIN THE FOLLOWING INTERMEDIATE FILES:
  - [APPLICABLE DASH]: OH1A6A-[APPLICABLE DASH].STL (PRINTED PARTS)
  - [APPLICABLE DASH]: OH1A-INDICATORCOVERS.DXF (INDICATOR COVERS)
  - [APPLICABLE DASH]: OH1A-INDICATORLEGENDS.DXF (INDICATOR LEGENDS)
  - [APPLICABLE DASH]: OH1A-DIFFUSERSGREEN.DXF (INDICATOR DIFFUSERS, GREEN)
  - [APPLICABLE DASH]: OH1A-DIFFUSERSAMBER.DXF (INDICATOR DIFFUSERS, AMBER)
  - [APPLICABLE DASH]: OH1A-DIFFUSERSRED.DXF (INDICATOR DIFFUSERS, RED)
2. SAND/PRIME/PAINT ALL EXTERNAL PARTS IAW FINISH SPECIFICATION. 2X PRIME COAT(S)/2X TOPCOAT(S). MASK ALL THREADS AND HOLES.







-1

CAD GENERATED DOCUMENT. ALL  
CHANGES MAY ONLY BE MADE  
WITHIN NATIVE CAD FILE. REVISION  
HISTORY CONTAINED WITHIN PDM  
REPOSITORY.

REVISIONS			
ZONE	REV	DESCRIPTION	DATE
	-	INITIAL RELEASE	11/21/2019

QTY.	PART NUMBER	DESCRIPTION	MATERIAL	MFR	TYPE	ITEM NO.
1	OH1A6A-10	EWI LEGEND PLATE, RIGHT	PETG		PRINT	1
1	OH1A6A-11	EWI CHASSIS, RIGHT	PETG		PRINT	2
1	OH1A6A-12	EWI LIGHT CHANNELS, RIGHT	PETG		PRINT	3
1	OH1A4A-14	EWI PCB, LEFT	PCB		PCB	4
11	OH1A4A-15	EWI INDICATOR COVER, SMALL	.0625 TRANSPARENT ACRYLIC		CNC	5
1	OH1A6A-13	EWI INDICATOR LEGEND, RCDRON	TRANSPARENT FILM		SCREENPRINT	6
5	OH1A6A-14	EWI INDICATOR LEGEND, BLANK	TRANSPARENT FILM		SCREENPRINT	7
1	OH1A6A-15	EWI INDICATOR LEGEND, AI	TRANSPARENT FILM		SCREENPRINT	8
1	OH1A6A-16	EWI INDICATOR LEGEND, CW	TRANSPARENT FILM		SCREENPRINT	9
1	OH1A6A-17	EWI INDICATOR LEGEND, DISP	TRANSPARENT FILM		SCREENPRINT	10
1	OH1A6A-18	EWI INDICATOR LEGEND, SAM	TRANSPARENT FILM		SCREENPRINT	11
1	OH1A6A-19	EWI INDICATOR LEGEND, AAA	TRANSPARENT FILM		SCREENPRINT	12
7	OH1A4A-26	EWI INDICATOR DIFFUSER, GREEN	GREEN FILM		CUT	13
4	OH1A4A-27	EWI INDICATOR DIFFUSER, RED	RED FILM		CUT	14
2	OH1A4A-29	EWI INDICATOR COVER, LARGE	.0625 TRANSPARENT ACRYLIC		CNC	15
1	OH1A4A-30	EWI INDICATOR LEGEND, FIRE	TRANSPARENT FILM		SCREENPRINT	16
1	OH1A6A-20	EWI INDICATOR LEGEND, APU FIRE	TRANSPARENT FILM		SCREENPRINT	17
2	OH1A4A-32	EWI INDICATOR DIFFUSER, LARGE RED	RED FILM		CUT	18
2	OH1A4A-13	EWI PUSHBUTTON INDICATOR STANDOFF	PETG		PRINT	19
2	99461A505	PHS, 0-42 X .125, SELF TAPPING, 18-8	18-8 SS	MCMASTER-CARR	COTS	20
1	1568A64	HANDLE, 4-40 FEM X 2.0 CNTRS X 1.0 PROTR, ALUM, ANODIZED BLK	6061-16	MCMASTER-CARR	COTS	21
3	93365A110	INSERT, 2-56, HEAT SET, BRASS	BRASS	MCMASTER-CARR	COTS	22
3	94070A076	PHS, 2-56 X .1875, BRASS	BRASS	MCMASTER-CARR	COTS	23
1	90471A427	FHS, 100DEG, 4-40 X .625, 18-8	18-8	MCMASTER-CARR	COTS	24
2	93085A116	FHS, 100DEG, 4-40 X .875, 18-8	18-8	MCMASTER-CARR	COTS	25
3	93365A130	INSERT, 6-32, HEAT SET, BRASS	BRASS	MCMASTER-CARR	COTS	26
1	93365A120	INSERT, 4-40, HEAT SET, BRASS	BRASS	MCMASTER-CARR	COTS	27
3	90276A143	RHS, SLOTTED, 6-32 X .1875, STEEL, ZINC-PLATED	STEEL	MCMASTER-CARR	COTS	28

		THIRD ANGLE PROJECTION		UNLESS OTHERWISE SPECIFIED:		UOS INCH TOLERANCES ARE:		 <b>OPEN HORNET</b> <a href="https://www.OpenHornet.com">https://www.OpenHornet.com</a>	
				DIMENSIONS ARE IN INCHES.		DECIMALS: ANGLES: .X ± .1 MACHINED ±0°30' .XX ± .03 LOCATING ±0°30' .XXX ± .010 FORMED +2° CHAMFERS ±5°		TITLE	
		APPROVALS	DATE	DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.		HOLE DIAMETERS: 0 - .0140: +.0020 / -.0005 .014 - .125: +.004 / -.001 .126 - .250: +.005 / -.001 .251 - .500: +.006 / -.001 .501 - .750: +.008 / -.001 .751 - 1.000: +.010 / -.001 1.001 - 2.000: +.012 / -.001 2.000+: +.015 / -.005		ASSY, EYEBROW WARNING INDICATORS, RIGHT	
		DRAWN J. STEENSEN	2019/11/13	INTERPRET DRAWING IAW ASME Y14.100-2013.					
		MATERIAL		INTERPRET DIM AND TOL IAW ASME Y14.5-2009.					
		SEE PARTS LIST		REMOVE ALL BURRS AND SHARP EDGES TO .1 MAX.					
		FINISH		DIMENSIONS APPLY BEFORE FINISH.					
		SEE FINISH SPEC							
									
OH1A	UPPER INSTRUMENT PANEL								
NEXT ASSY	USED ON								
APPLICATION									






TABLE 1: DIFFUSER COLORS	
FIRE	RED
APU FIRE	RED
RCDRON	GREEN
DISP	GREEN
BLANK	GREEN
SAM	RED
AI	RED
AAA	RED
CW	RED

-1  
INDICATOR LEGENDS AND DIFFUSERS  
FRONT VIEW

