

15:44:12 09-07-2021

## Description

Cyclosporin CPMG experiment. Iteration 8 (vc = 48)

## **Experiment Information**

Sweep Width (Hz)	5000		
Sweep Width (ppm)	9.99736		
Transmitter Offset (Hz)	2250.59		
Transmitter Offset (ppm)	4.49998		
Transmitter Frequency (MHz)	500.132		
Basic Frequency (MHz)	500.13		
Nucleus	$^{1}H$		

Filter region (Hz): 3831.03 - 3751.07 Filter region (ppm): 7.66004 - 7.50016

## Result

m	a <sub>m</sub>	$\phi_m$ (rad)	f <sub>m</sub> (Hz)	f <sub>m</sub> (ppm)	$\eta_m~(\mathrm{s}^{-1})$	ſ	<i>5/  f </i>
1	$3.0825 \times 10^{3}$	-1.3318	$3.7815 \times 10^{3}$	7.5609	37.15	$1.1265 \times 10^{8}$	0.45928
	$\pm$ 223.56	$\pm \ 0.069353$	$\pm$ 0.43191	$\pm~8.6359 \times 10^{-4}$	$\pm$ 2.8829	-	-
2	$6.6817 \times 10^3$	6.6952	$3.8046 \times 10^{3}$	7.6072	80.985	$2.1788 \times 10^{8}$	0.88829
	$\pm$ 197.68	$\pm \ 0.045239$	$\pm 0.6352$	$\pm 1.2701 \times 10^{-3}$	$\pm 2.9649$	-	-



Estimation performed using NMR-EsPy.

Author: Simon Hulse For more information:



https://foroozandehgroup.github.io/NMR-EsPy



https://github.com/foroozandehgroup/NMR-EsPy



simon.hulse@chem.ox.ac.uk

If used in a publication, please cite:

No references yet...