

Getting good quality graphics inside a \LaTeX document

Ignas Anikevičius

August 23, 2011

Contents

1	Introduction	2
2	Inserting a simple figure	3
3	Directory setting for graphics, their formats and \LaTeX compilers	4
4	Overlaying a figure with \LaTeX code	5
4.1	The <code>picture</code> Environment	5
4.2	The <code>overpic</code> Package	5
4.3	The <code>XyPic</code> Package	5
4.4	Portable Graphics Format and <code>TikZ</code> macros	6
4.4.1	Example 1: Overlaing a Simple Figure	7
4.4.2	Example 2: Composing a Scheme of Individual Structures	9
4.4.3	Example 3: Using <code>ChemFig</code> Package to Draw 2D Structures	11
5	Substituting Postscript Code with \LaTeX Macros	12
5.1	The <code>psfrag</code> package	12
5.2	The <code>pstool</code> package	12
5.3	The <code>pst-pdf</code> package	12

1 Introduction

For publications and scientific articles, reports and thesis the most important thing is to make well looking graphics. For that there are several guidelines, which help one to get his figures look professionally, but at the same time not to overdo things as there is a limit of how good the quality has to be.

1. Use vector graphics as much as possible. Especially where there is a lot of text in the figure. But remember, if you 'convert' a jpg to eps or svg or any other vector graphics format, you will **not** gain any quality. More on this, please use [Google](#)
2. If you have to use raster graphics, please select **.png** format as a better alternative where possible
3. If you use raster graphics, do not exceed the final resolution of the picture to more than 600dpi as most of the printers are printing at 300dpi or 600dpi, so anything more than that might just be wasted time while waiting the figure to be rendered. Of course if you have a good reason why you need more than 600dpi, then go ahead.
4. Have a high quality copy of your figure somewhere in your computer. This is because while converting from one format to another one can **not** improve the quality.

If you feel that you have not found enough information on the graphics usage in L^AT_EX, please refer to these websites:

- [Floats, Figures and Captions](#)
- [Importing Graphics](#)
- [Creating Graphics](#)

2 Inserting a simple figure

Inserting a figure is a really easy task and it can be accomplished with the following code. Note, that there is an option to the `\includegraphics` command which scales the image, so that its width would not exceed the text width.

```
1 \begin{figure}[h]
2   \centering % Center everything
3   \includegraphics{plot1.eps} % This is an unscaled image
4   %\includegraphics[width=.8\textwidth]{plot1.eps}
5   % This is scaled image, which will have width of 80 percent
6   % of the textwidth.
7   % The width can also be specified as 5cm,4in,3mm, etc.
8   \caption{
9     Example of a figure.
10    %
11    Note that for best results one should not have to do any scaling
12    for the figures, which appear in the documents, as the lines
13    and fonts are not rendered as they were intended to.
14  }
15  \label{fig:plot1} % This label is later used for cross-referencing
16 \end{figure}
```

And our figure will look as follows:




Figure 1. Example of a figure. Note that for best results one should not have to do any scaling for the figures, which appear in the documents, as the lines and fonts are not rendered as they were intended to.

3 Directory setting for graphics, their formats and \LaTeX compilers

The most convenient way nowadays to produce documents from \LaTeX source code is to use the `pdftex` or `pdflatex` compiler. It is because it produces a `.pdf` file directly and you do not need to convert the `.ps` file every time before viewing it with a viewer. Also with `pdflatex` you can use more graphics formats:

.pdf This is the native graphics vector format for this compiler

.eps This format also can be used with `pdflatex`, but you need to use the `epstopdf` package, which will convert them to `.pdf` files on the fly. There are also options to make the conversion only when the `.eps` figures are changed, which speeds up everything substantially.

.png, .jpg At last you can use this format too if you need to import raster graphics into your document, which might ease a lot of things.

For all these features, one should use the `graphicx` package as this is the recommended way to do it. What is more, this package provides some other useful commands. You can tell it where to search for figures by issuing the following command (note the `/` symbol after the directory name):

```
1 \graphicspath{{./path/to/your/directory/}{./second/directory/}}
```

The symbols `./` mean, that the top directory is where the `.tex` file is located. So if you have the following directory structure:

```
1 some document
2   | - figures
3   | - mytexfile.tex
```

you will need to issue `\graphicspath{./figures}`. The preamble of this file contains the following lines:

```
1 \usepackage[pdftex]{graphicx}
2 \graphicspath{{./figs/}}
3 \usepackage[update,verbose=false]{epstopdf}
```

There is one thing, which you should be aware of, that is all names should not contain white-space as they are known to break on some setups. So if it is working for you, it might not work for others.

The options for the `epstopdf` package mean, that it will convert the `.eps` graphics only when they are updated and it will not output any errors.

4 Overlaying a figure with L^AT_EX code

There are many ways how to overlay L^AT_EX macros on top of a figure and I will present some of them in this section. These are using the native `picture` environment, whereas the other ways rely on either of `XyPic`, `overpic` and `TikZ` packages. As pure drawing tools, packages `XyPic` and `TikZ` seem to offer the most comprehensive feature-set, however, `TikZ` package is newer and overcomes some of the limitations imposed by `XyPic`. What is more, `TikZ` works better with the `pdfLATEX` compiler as it uses internal pdf specifications.

In any case, if you got interested in any of these packages, please read the notes bellow and for further information look upon the documentation on the respective folders on [CTAN](http://www.ctan.org/)¹. You can also find a very good guide if you refer to the [L^AT_EX wikibook](https://secure.wikimedia.org/wikibooks/en/wiki/LaTeX/Creating_Graphics)². There are overviews of the `picture` environment, `XyPic` package, `Tikz` package and the `ChemFig` package, although the later two have very good documentation with lots of examples and one can learn how to use the packages just by going through examples.

4.1 The `picture` Environment

This is the most interesting capability of L^AT_EX although it should be considered as too 'fiddly' to actually be the quickest way to produce content. If you want to see an example figure and how it is made, please refer to the sources of the document, the file is named `fig2.tex`

I do not advise you to use this tool as there are several issues with it. To begin with, you need to know the aspect ratio of your picture, which is not a problem most of the times, but still is far from the quickest way of doing things. Another is that the alignment of the elements is really tricky and there are no quick macros to do such things like position text to the right of the specified point.

For more information one should either refer to the L^AT_EX documentation or some books such as Leslie Lamport's original book on L^AT_EX updated for L^AT_EX 2_ε.

4.2 The `overpic` Package

The `overpic` package can be considered as slightly improved version of the `picture` environment as it can draw a grid automatically and the position of the text and the figure itself is somewhat better. However, it is far too simple if one needs to add some graphics elements on top of the figure as it is mostly suited with overlaying other figures or text on top of the image. What is more, you still got to position everything very carefully and if you want or need more flexibility, than this package will not do the job.

To get more information please refer to the package documentation which can be found by following [this link](#)³.

4.3 The `XyPic` Package

This is yet another alternative for producing graphics inside `.tex` documents. Since it was created more than 10 years ago, many requirements have changed and new technologies have been created, but I believe, that there are still a lot of people using it, because it just suits their needs.

In my opinion the drawback of this package is that might not work as expected if a person uses the `latex` compiler and the does the file conversion `.dvi` \rightarrow `.ps` \rightarrow `.pdf`. This is because for producing graphics the package uses glyphs (i.e. to produce a long line it will use a lot of small dashes or dots and will not describe line in a similar way as vector programs do, which is defining a curve). Hence, I do not think, that it is in any way better than the `TikZ` package, about which I have written in the next section. This said, feel free to test it and do not worry about any limitations if that does not affect your picture quality/work-flow.

¹The URL is <http://www.ctan.org/>

²The URL is https://secure.wikimedia.org/wikibooks/en/wiki/LaTeX/Creating_Graphics

³The URL is <http://www.ctan.org/tex-archive/macros/latex/contrib/overpic>

To get more information please refer to the package documentation which can be found by following [this link](#)⁴.

4.4 Portable Graphics Format and TikZ macros

Here I will describe shortly how to get the TikZ package working and why it might be better than the solutions described above. To begin with, Portable Graphics Format or PGF is a language for drawing quality vector graphics. It was designed after the Metapost language and is a very powerful tool for dealing with vector images. The TikZ package is mainly a set of macros for the PGF language and it is in a sense very similar how L^AT_EX is a set of macros for T_EX.

Over time TikZ and PGF combination got very powerful and the documentation (v2.1) now contains over 600 pages, which is basically a lot of examples explaining different functionality in the package. If you can not find a way to do something, then please make sure, that you search inside this huge document as well. The documentation is very helpful as all commands in the examples are cross-referenced and if one clicks with the mouse on the command in the example, then a thorough description of the command will appear with explanation of all options and parameters. The documentation can be found by going to [this link](#)⁵, whereas a web folder containing a lot of resources can be found by following [this link](#)⁶ and there is also the [TeXample](#)⁷, which is full of TikZ example figures.

⁴The URL is <http://ctan.org/tex-archive/macros/generic/diagrams/xypic/>

⁵The URL is <http://mirrors.ctan.org/graphics/pgf/base/doc/generic/pgf/pgfmanual.pdf>

⁶The URL is <http://www.ctan.org/tex-archive/graphics/pgf/base>

⁷The URL is <http://www.texample.net/>

4.4.1 Example 1: Overlaying a Simple Figure

Let's look at the example below, which has to do more with chemistry than the figure 1. The thing, which we want to do is to put 4 structures and then label them. The final image is shown in the figure 2, where the work-flow is explained in the figure 3 on page 8.




Figure 2. Overlaying L^AT_EX commands to get some nice things.

You can check out the code listing for creating the figure 2 below:

```
1 \documentclass{standalone}
2
3 \usepackage{graphicx,calc,epstopdf,tikz}
4
5 \graphicspath{{./figs/}}
6
7 \newlength{\tikzunit}
8 \setlength{\tikzunit}{\textwidth/16}
9 \newcommand{\compx}[1]{\textbf{#1}}
10
11 \begin{document}
12 \begin{tikzpicture}[scale=1.0,x=\tikzunit,y=\tikzunit]
13   % ——— Draw a grid which should help to position things ———
14   %\draw[step=.20,color=gray,very thin] (-4.95,-4.95) grid (4.95,
15   %4.95);
16   %\draw[step=1.0,color=gray] (-4.95,-4.95) grid (4.95,
17   %4.95);
18   %\draw[step=5.0,color=black] (-4.95,-4.95) grid (4.95,
19   %4.95);
20   % Notes:
21   % just uncomment the lines with draw commands and the grid
22   % will appear. The commands, I believe are self explanatory
23   % and it can be drawn as big as you want. The two coordinates
24   % denote lower left and upper right corners of the grid.
25   % ———
26   \node(0,0){\includegraphics[width=9\tikzunit]{4struct.eps}};
27   \draw (-2.8, 1.0) node{TNT};
28   \draw (2.6, 1.0) node{Naphtol};
29   \draw (-2.8,-4.0) node{\compx{1}};
```

```

27 \draw ( 2.6,-4.0) node{\comp{2}};
28 \end{tikzpicture}
29 \end{document}

```




Figure 3. The work-flow how figure annotation using **TikZ** is done. Part **a)** shows just a plain figure before annotation, where the later steps (**b)** and **c)**) involve drawing a grid and the positioning the labels at the right positions. And **d)** shows the image after the grid was removed. NB this illustration was done also using the very same **TikZ** package.

This way one can create good figures very easily. What is more, if you have just simple structure images you do not have to worry about placing them correctly using your mouse or making sure that the font will be the same as in all the other text if you overlay everything using this **L^AT_EX** package.

4.4.2 Example 2: Composing a Scheme of Individual Structures

In this example I have used a scheme by Eric Appel to extract the structures of the compounds and then I have put all the annotations using TikZ macros. This way allows the user to use the same type of lines consistently throughout all figures and the most importantly it allows to ensure, that the figures remains scaled by the same factor. You can see, that I have slightly scaled down the figures above the arrow and the scaling factor there is 4/5, but most importantly, all the figures will be scaled the same way, because I have created a common style for them.

Another very good thing is that I have made this figure in a special `standalone` environment and this lets me do two things:

1. Compile only the figure, which lets me to preview it as a separate `.pdf` file and since the compilation time is decreased, I can create it faster.
2. Include the whole `.tex` file in the document via `\input` command, so that I can get all cross-references right.




Figure 4. Comparison of two figures, one created with ChemDraw and Adobe Illustrator by Eric Appel, whereas another, was created by me just using the chemical structures as images and putting them into right order. All the annotations were done in LaTeX and both figures are not scaled.

The code for the figure can be found in the `fig4.tex` in the same directory as the sources of this tutorial. There are several differences in style of composing the figure while compared with the

previous `TikZ` example. To begin with, the previous example used absolute positions and it might have probably been better to use `overpic` package, if I needed just to overlay some text. However, this example did not use absolute positions at all and everything is done via different nodes and relative positioning. This concept might be slightly harder from the first look, but it is actually much easier to write, that `\img1` will be to the left of `\img2` and in between there will be an arrow. The source code of the figure is documented with further comments, should you want any more explanation on the executed commands.

My drawn example is just a proof of concept and I think that with a bit of effort it can be made to look even better, but I just did not want to spend too much time on this. However, one can note very easily, that the fonts in the structures are not the same as the surrounding annotations. The solution to this is described in the next sub-sub-section.

4.4.3 Example 3: Using ChemFig Package to Draw 2D Structures

The third example shows third case scenario, where one might want to create entire structures using \LaTeX macros. For this job I chose to use the **ChemFig** package, which is just a set of macros for the **TikZ** package, which ease the creation of 2D structures. I have redraw the structures used earlier (fig. 2), which for me did not look right, as the text was way too small and the alignment was not perfect.

This time, using **ChemFig** and **TikZ** I could create much nicer figures, and for those who are worrying about how much time it takes, I can answer, that it actually takes less time to get this perfectly looking figure, than trying to make your software use the same fonts you use in your document and then overlay the figure with text. The results are shown in the figure 5.




Figure 5. ChemFig and TikZ usage to create very good-looking figures. Note that the charge signs are different, and this is just to show different options, which are provided by this package.

In my opinion this is the best way to produce good looking structures and in my experience it has only one glitch, where it has problems with positioning text containing superscripts and subscripts (as said in the documentation). However, I do think, that it is not impossible to fix it and it should get improved soon.

5 Substituting Postscript Code with L^AT_EX Macros

Another way to modify graphics is to use packages, which ease the replacement of the Postscript code into L^AT_EX commands, which gives you a lot of control on the looks of your figures. However, one must need to use a standard `latex` compiler to leverage this functionality, because otherwise, the `.eps` figures will not be post-processed by T_EX. On the other hand, that was true only until recently when some people thought of packages, which go around these limitations and psfrag-like substitution becomes available using all compilers.

5.1 The `psfrag` package

The mechanism of how this package works is very simple. You create markers inside a `.eps` figure (e.g. `TMP1`, or `TMP2`) and then replace them with L^AT_EX macros by issuing the following command inside the figure environment, but before `\includegraphics` command:

```
1 \psfrag{tag}[position][psposition][scale][rotation]{LaTeX construction}
```

You can deduce, that with this approach one can get the same font-faces, which are being used by L^AT_EX and, what is more, the font sizes are retained the same as in the `.eps` figure, so you are not tied to the `\normalsize` or `\footnotesize` font sizes. Although this might come handy at times, my personal opinion is that with more flexibility one can introduce more inconsistencies. Hence, one should avoid fiddling with the font-sizes a lot unless it is necessary and everything should be defined via macros such as `\normalsize`, `\tiny`, `\footnotesize` and similar.

5.2 The `pstool` package

This is one of the packages, which let you use `psfrag` type functionality without sacrificing the advantages of `pdflatex` compiler. It basically processes the figures separately before including the as already processed `.pdf` files and one can get most of the `psfrag` functionality this way.

Another advantage of this approach is that the figures are processed only when needed and the compilation times decrease.

5.3 The `pst-pdf` package

This package does similar thing as `pstool`, but where the first is striving to provide functionality of the `psfrag` package, the `pst-pdf` package is for dealing with `pstricks` routines. The mechanism of how it is done, is basically very similar to the approach described above.