Regex

David Arroyo Menéndez

November 11, 2019

Metacharacters (I): the full list

Some characters are special metacharacters, and don't match themselves. Instead, they signal that some out-of-the-ordinary thing should be matched. A full list of metacharacters:

```
. ^ $ * + ? { } [ ] \ | ( )
```

Metacharacters (II): Skiping

So, you can precede them with a backslash to remove their special meaning:

```
$ echo "^Lorem ipsum" > txt.txt
$ echo "Dolor" >> txt.txt
$ grep "\^" txt.txt
$ echo "" > txt.txt
$ echo "Dolor" >> txt.txt
$ grep "\^" txt.txt
$ grep "\open" txt.txt
```

Metacharacters (III): Begin and End

```
$ grep "^Lorem" txt.txt
$ grep "^ipsum" txt.txt
$ grep "^Dolor" txt.txt
$ grep "Lorem$" txt.txt
$ grep "ipsum$" txt.txt
$ grep "Dolor$" txt.txt
```

Metacharacters (IV): Repeating

```
$ echo "oooo" > txt.txt
$ egrep -i "o+" txt.txt
$ egrep -i "a+" txt.txt
$ egrep -i "a?" txt.txt
$ egrep -i "o{2,6}" txt.txt
```

Metacharacters (V): Grouping explicting

```
$ grep "[abc]" txt.txt
$ grep "[rem]" txt.txt
$ echo "niñas" >> txt.txt
$ grep "niñ[oa]" txt.txt
```

Metacharacters (VI): Grouping with Ranges

```
$ grep "[a-c]" txt.txt
$ echo "13579" > numbers.txt
$ echo "2468" >> numbers.txt
$ echo "1456789" >> numbers.txt
$ grep "[0-1]" numbers.txt
```


Metacharacters (VII): Grouping all

```
$ echo "davidam@gnu.org" | egrep -i ".*@.*"
$ echo "davidam@gnu.org" | egrep -i "asdf@.*"
```

Metacharacters (VIII): Alternatives

```
$ uname -a | egrep -i "linux|unix"
```

Metacharacters (IX): Explaining Python metacharacters



Parse: username@domain.TLD (top level domain)

Python (I): Basics of regex with Python

- \$ python3 regex-basics.py
- \$ python3 alfanum.py
- \$ python3 ascii-encode.py
- \$ python3 clean-string.py
- \$ python3 date.py

Python (II): Capturing matches

\$ python3 group.py
\$ python3 sub.py
\$ python3 urls.py
\$ python3 unicode.py
\$ python3 hexadecimal.py
\$ python3 split.py
\$ python3 startend.py

Python (III): Capturing matches

\$ python3 findall.py
\$ python3 findall2.py
\$ python3 findall3.py
\$ python3 finditer.py
\$ python3 names.py
\$ python3 number.py
\$ python3 php.py

Python (IV). Advanced Exercises

- \$ python3 infinitivos-participios.py
- \$ python3 duplicate-lines.py
- \$ python3 remove-blank-lines.py

License

Copyright (C) 2019 David Arroyo Menendez Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in GNU Free Documentation License.