ECE 413 Product Design Specification

Due on Friday, April 17, 2020

Team: 11

ODIN II

(Product Design Specification)

Abram Fouts
Karla Barraza
Todd Townsend
Xuening Jia
Wenhao Cheng

Team 11 ECE 413

Winter 2020

Table of Contents

(Product Design Specification)	2
Introduction:	4
Purpose of the Product Design Specification Document:	4
Project Overview:	4
Market Analysis:	5
Requirements:	5
System Architecture:	7
Block Diagram	7
Design Specification:	7
Documentation:	8

Introduction:

Recently, about 4% of Americans suffer from Eye divergence issues. Medical terminology is called strabismus, which means abnormal alignment of the eyes. There are many forms, like Amblyopia (Lazy Eye), Diplopia (Double Vision), Oculomotor Palsy (Unsteady Gaze), Oculomotor Paralysis (Fixed Gaze) and other conditions (physical abnormalities, nerve damage, muscle damage). Here are some current solutions: like Prism Glasses, Physical Therapy, and Surgery. However, users might face problems like hard to calibrate, less effective after age 7, and high risk. Therefore, the purpose of this project is to use a VR device to track the gaze vectors and let each eye be presented with the corrected Field Of View.

Purpose of the Product Design Specification Document:

The purpose of the product design specification is to confirm that the subsequent design and development of the product can meet the needs of the users. The project must meet all the requirements that "Must" be completed in the specification document. "Should" and "May" are additional but not necessary.

Project Overview:

This project is to solve this situation by capturing the gaze vectors of both eyes. Then set the correction vector which can be obtained by calculating. Therefore, each eye will be presented with the correction FOV. In this project, we are going to convert the existing code for the FOV VR headset to work with the new HTC Vive Pro Eye headset. Read in gaze vectors from the user and manipulate the environment in the affected eye through the use of the touch controllers until the user can see the images normally.

Market Analysis:

People who suffer from any misalignment of the eyes. The main focus for us is strabismus. This is an alternative to people having to patch their strong eye and use their weak eye. This is also a substitute for surgical options.

Requirements:

1. Functional Requirements:

Requirement #	Requirement	Priority	Station Location
1.1	Host Environment in Unity	Must	Host
1.2	Port FOVE to HTC Vive Pro Eye	Should	Peripheral Component
1.3	Gaze Vector Hook	Must	Software
1.4	Touch Controller Hook	Must	Peripheral Component
1.5	Host the program within SteamVR	Must	Software
1.6	Field of View Hook	Should	Software

^{**} Highlighted in yellow have been changed from must's to should's because of COVID-19.

2. Performance Requirements:

Requirement #	Requirement	Priority	Station Location
2.1	Integrate Host with VR Headset	Must	Host
2.2	Correction/Cure of strabismus through the use of VR	Should	Host/Peripheral

3. Economic and Marketing Requirements:


Requirement #	Requirement	Priority	Station Location
3.1	HTC VIVE Pro Eye Platform	Must	Host

4. Power Requirements:

Requirement #	Requirement	Priority	Station Location
4.1	12 Volt Power Supply	Must	Host
4.2	USB Power Supply	Must	Peripheral Components

System Architecture:

Block Diagram



Design Specification:

Host Platform

o Processor: Intel Xeon Silver 4208 (8-core Cascade Lake SP)

Motherboard: Supermicro X11SPL-F

o Architecture: x86_64

o Graphics: EVGA GT1030 (stock) and Radeon 560X

o SSD: 256GB M.2

o RAM: 128GB on 8x16GB DIMMs

o VR System: HTC VIVE Pro Eye

• Video out: =>DisplayPort 1.2

 \circ USB ports: =>1x USB 3.0

• HTC Vive Pro Eye

Revision 2.0

o Display: OLED

o Resolution: 1440 x 1600 pixels per eye

Refresh Rate: 90 hzPlatform. SteamVR

○ Field of View: 110 °

o Lens Type: Fresnel

o Focal Length: 60.8-74.6mm

Software

- Unity Software
- Steam VR Software

Documentation:

Harper, H. (2020). Project ODIN. Intel.

https://drive.google.com/file/d/1JxkFA4xFMCXqU99b7ZcfS6Ko29alLxxa/view?usp=sharing

(2020). Intel Xeon Processor E3-1275 v5. Intel.

https://ark.intel.com/content/www/us/en/ark/products/88177/intel-xeon-processor-e3-1275-v5-8m-cache-3-60-ghz.html

(2020). Vive Pro. Vive. https://www.vive.com/us/product/vive-pro/