

Markdown PDF

This extension convert Markdown file to pdf, html, png or jpeg file.

[Japanease README](#)

Important Notices

- Markdown PDF ver1.0.0 replaced PDF converter with [puppeteer](#) (Chromium) instead of [node-html-pdf](#) (PhantomJS)
- Some options are obsolete, please change. See [Options](#)

Table of Contents

- [Features](#)
- [Install](#)
- [Usage](#)
- [Extension Settings](#)
- [Options](#)
- [FAQ](#)
- [Known Issues](#)
- [Release Notes](#)
- [License](#)
- [Special thanks](#)

Features

Supports the following features

- [Syntax highlighting](#)
- [emoji](#)
- [checkbox](#)

Sample files

- [pdf](#)
- [html](#)
- [png](#)
- [jpeg](#)

Install

Chromium download starts automatically when Markdown PDF is installed and Markdown file is first opened with Visutal Studio Code.

However, it is time-consuming depending on the environment because of its large size (~ 170Mb Mac, ~ 282Mb Linux, ~ 280Mb Win).


During downloading, **Installing Puppeteer ...** is displayed in the status bar.

If the download is not successful or you want to avoid downloading every time you upgrade Markdown PDF, please specify the installed 'Chromium' or 'Chrome' with [markdown-pdf.executablePath](#) option.

Usage

Command Palette


1. Open the Markdown file
2. Press **F1** or **Ctrl+Shift+P**
3. Type **export** and select below
 - **markdown-pdf: Export (settings.json)**
 - **markdown-pdf: Export (pdf)**
 - **markdown-pdf: Export (html)**
 - **markdown-pdf: Export (png)**
 - **markdown-pdf: Export (jpeg)**
 - **markdown-pdf: Export (all: pdf, html, png, jpeg)**



Menu

1. Open the Markdown file
2. Right click and select below
 - **markdown-pdf: Export (settings.json)**
 - **markdown-pdf: Export (pdf)**
 - **markdown-pdf: Export (html)**
 - **markdown-pdf: Export (png)**
 - **markdown-pdf: Export (jpeg)**

- `markdown-pdf: Export (all: pdf, html, png, jpeg)`




Auto convert

1. Add "`markdown-pdf.convertOnSave`": `true` option to **settings.json**
2. Restart Visual Studio Code
3. Open the Markdown file
4. Auto convert on save

Extension Settings

Visual Studio Code User and Workspace Settings

1. Select **File > Preferences > UserSettings or Workspace Settings**
2. Find markdown-pdf settings in the **Default Settings**
3. Copy `markdown-pdf.*` settings
4. Paste to the **settings.json**, and change the value



Options

- Markdown PDF ver1.0.0 replaced PDF converter with [puppeteer](#) instead of [node-html-pdf](#).
- Some options are obsolete, please change
- The new option of Markdown PDF ver1.0.0 and the obsolete options are as follows

ver1.0.0 (new)	ver0.x.x (obsolete)
markdown-pdf.executablePath	
markdown-pdf.scale	
markdown-pdf.displayHeaderFooter	
markdown-pdf.headerTemplate	markdown-pdf.header.contents
markdown-pdf.footerTemplate	markdown-pdf.footer.contents
markdown-pdf.printBackground	
markdown-pdf.pageRanges	
markdown-pdf.width	
markdown-pdf.height	
markdown-pdf.margin.top	markdown-pdf.border.top
	markdown-pdf.header.height
markdown-pdf.margin.bottom	markdown-pdf.border.bottom

ver1.0.0 (new)	ver0.x.x (obsolete)
	markdown-pdf.footer.height
markdown-pdf.margin.right	markdown-pdf.border.right
markdown-pdf.margin.left	markdown-pdf.border.left
markdown-pdf.quality	
markdown-pdf.clip.x	
markdown-pdf.clip.y	
markdown-pdf.clip.width	
markdown-pdf.clip.height	
markdown-pdf.omitBackground	

Option list

Category	Option name
Save options	markdown-pdf.type
	markdown-pdf.convertOnSave
	markdown-pdf.convertOnSaveExclude
	markdown-pdf.outputDirectory
	markdown-pdf.outputDirectoryRelativePathFile
Styles options	markdown-pdf.styles
	markdown-pdf.stylesRelativePathFile
	markdown-pdf.includeDefaultStyles
Syntax highlight options	markdown-pdf.highlight
	markdown-pdf.highlightStyle
Markdown options	markdown-pdf.breaks
Emoji options	markdown-pdf.emoji
Configuration options	markdown-pdf.executablePath
Common Options	markdown-pdf.scale
PDF options	markdown-pdf.displayHeaderFooter
	markdown-pdf.headerTemplate
	markdown-pdf.footerTemplate
	markdown-pdf.printBackground

Category	Option name
	<code>markdown-pdf.orientation</code>
	<code>markdown-pdf.pageRanges</code>
	<code>markdown-pdf.format</code>
	<code>markdown-pdf.width</code>
	<code>markdown-pdf.height</code>
	<code>markdown-pdf.margin.top</code>
	<code>markdown-pdf.margin.bottom</code>
	<code>markdown-pdf.margin.right</code>
	<code>markdown-pdf.margin.left</code>
PNG JPEG options	<code>markdown-pdf.quality</code>
	<code>markdown-pdf.clip.x</code>
	<code>markdown-pdf.clip.y</code>
	<code>markdown-pdf.clip.width</code>
	<code>markdown-pdf.clip.height</code>
	<code>markdown-pdf.omitBackground</code>

Save options

`markdown-pdf.type`

- Output format: pdf, html, png, jpeg
- Multiple output formats support
- Default: pdf

```
"markdown-pdf.type": [  
  "pdf",  
  "html",  
  "png",  
  "jpeg"  
],
```

`markdown-pdf.convertOnSave`

- Enable Auto convert on save
- boolean. Default: false
- To apply the settings, you need to restart Visual Studio Code

markdown-pdf.convertOnSaveExclude

- Excluded file name of convertOnSave option

```
"markdown-pdf.convertOnSaveExclude": [  
  "^work",  
  "work.md$",  
  "work|test",  
  "[0-9][0-9][0-9][0-9]-work",  
  "work\\test" // All '\\' need to be written as '\\\\' (Windows)  
],
```

markdown-pdf.outputDirectory

- Output Directory
- All \ need to be written as \\ (Windows)

```
"markdown-pdf.outputDirectory": "C:\\work\\output",
```

- Relative path
 - If you open the **Markdown file**, it will be interpreted as a relative path from the file
 - If you open a **folder**, it will be interpreted as a relative path from the root folder
 - If you open the **workspace**, it will be interpreted as a relative path from the each root folder
 - See [Multi-root Workspaces](#)

```
"markdown-pdf.outputDirectory": "output",
```

- Relative path (home directory)
 - If path starts with ~, it will be interpreted as a relative path from the home directory

```
"markdown-pdf.outputDirectory": "~/output",
```

- If you set a directory with a **relative path**, it will be created if the directory does not exist
- If you set a directory with an **absolute path**, an error occurs if the directory does not exist

markdown-pdf.outputDirectoryRelativePathFile

- If **markdown-pdf.outputDirectoryRelativePathFile** option is set to **true**, the relative path set with **markdown-pdf.outputDirectory** is interpreted as relative from the file
- It can be used to avoid relative paths from folders and workspaces
- boolean. Default: false

Styles options

markdown-pdf.styles

- A list of local paths to the stylesheets to use from the markdown-pdf
- If the file does not exist, it will be skipped
- All \ need to be written as \\ (Windows)

```
"markdown-pdf.styles": [  
  "C:\\Users\\<USERNAME>\\Documents\\markdown-pdf.css",  
  "/home/<USERNAME>/settings/markdown-pdf.css",  
],
```

- Relative path
 - If you open the **Markdown file**, it will be interpreted as a relative path from the file
 - If you open a **folder**, it will be interpreted as a relative path from the root folder
 - If you open the **workspace**, it will be interpreted as a relative path from the each root folder
 - See [Multi-root Workspaces](#)

```
"markdown-pdf.styles": [  
  "markdown-pdf.css",  
],
```

- Relative path (home directory)
 - If path starts with ~, it will be interpreted as a relative path from the home directory

```
"markdown-pdf.styles": [  
  "~/config/Code/User/markdown-pdf.css"  
],
```

- Online CSS (<https://xxx/xxx.css>) is applied correctly for JPG and PNG, but problems occur with PDF [#67](#)

```
"markdown-pdf.styles": [  
  "https://xxx/markdown-pdf.css"  
],
```

markdown-pdf.stylesRelativePathFile

- If **markdown-pdf.stylesRelativePathFile** option is set to **true**, the relative path set with **markdown-pdf.styles** is interpreted as relative from the file
- It can be used to avoid relative paths from folders and workspaces
- boolean. Default: false

markdown-pdf.includeDefaultStyles

- Enable the inclusion of default Markdown styles (VSCode, markdown-pdf)
- boolean. Default: true

Syntax highlight options

markdown-pdf.highlight

- Enable Syntax highlighting
- boolean. Default: true

markdown-pdf.highlightStyle

- Set the style file name. for example: github.css, monokai.css ...
- [file name list](#)
- demo site : <https://highlightjs.org/static/demo/>

```
"markdown-pdf.highlightStyle": "github.css",
```

Markdown options

markdown-pdf.breaks

- Enable line breaks
- boolean. Default: false

Emoji options

markdown-pdf.emoji

- Enable emoji. [EMOJI CHEAT SHEET](#)
- boolean. Default: true

Configuration options

markdown-pdf.executablePath

- Path to a Chromium or Chrome executable to run instead of the bundled Chromium
- All \ need to be written as \\ (Windows)
- To apply the settings, you need to restart Visual Studio Code

```
"markdown-pdf.executablePath": "C:\\Program Files  
(x86)\\Google\\Chrome\\Application\\chrome.exe"
```

Common Options

markdown-pdf.scale

- Scale of the page rendering
- number. default: 1

```
"markdown-pdf.scale": 1
```

PDF options

- pdf only. [puppeteer page.pdf options](#)

markdown-pdf.displayHeaderFooter

- Enable display header and footer
- boolean. Default: true

markdown-pdf.headerTemplate

markdown-pdf.footerTemplate

- HTML template for the print header and footer
- `` : formatted print date
- `` : markdown file name
- `` : markdown full path name
- `` : current page number
- `` : total pages in the document

```
"markdown-pdf.headerTemplate": "<div style=\"font-size: 9px; margin-left: 1cm;\">  
<span class='title'></span></div> <div style=\"font-size: 9px; margin-left: auto;  
margin-right: 1cm; \"> <span class='date'></span></div>",
```

```
"markdown-pdf.footerTemplate": "<div style=\"font-size: 9px; margin: 0 auto;\">  
<span class='pageNumber'></span> / <span class='totalPages'></span></div>",
```

markdown-pdf.printBackground

- Print background graphics
- boolean. Default: true

markdown-pdf.orientation

- Paper orientation
- portrait or landscape
- Default: portrait

markdown-pdf.pageRanges

- Paper ranges to print, e.g., '1-5, 8, 11-13'
- Default: all pages

```
"markdown-pdf.pageRanges": "1,4-",
```

markdown-pdf.format

- Paper format
- Letter, Legal, Tabloid, Ledger, A0, A1, A2, A3, A4, A5, A6
- Default: A4

```
"markdown-pdf.format": "A4",
```

markdown-pdf.width

markdown-pdf.height

- Paper width / height, accepts values labeled with units(mm, cm, in, px)
- If it is set, it overrides the markdown-pdf.format option

```
"markdown-pdf.width": "10cm",  
"markdown-pdf.height": "20cm",
```

markdown-pdf.margin.top

markdown-pdf.margin.bottom

markdown-pdf.margin.right

markdown-pdf.margin.left

- Paper margins.units(mm, cm, in, px)

```
"markdown-pdf.margin.top": "1.5cm",  
"markdown-pdf.margin.bottom": "1cm",  
"markdown-pdf.margin.right": "1cm",  
"markdown-pdf.margin.left": "1cm",
```

PNG JPEG options

- png and jpeg only. [puppeteer page.screenshot options](#)

markdown-pdf.quality

- jpeg only. The quality of the image, between 0-100. Not applicable to png images

```
"markdown-pdf.quality": 100,
```

markdown-pdf.clip.x

markdown-pdf.clip.y

markdown-pdf.clip.width

markdown-pdf.clip.height

- An object which specifies clipping region of the page
- number

```
// x-coordinate of top-left corner of clip area
"markdown-pdf.clip.x": 0,

// y-coordinate of top-left corner of clip area
"markdown-pdf.clip.y": 0,

// width of clipping area
"markdown-pdf.clip.width": 1000,

// height of clipping area
"markdown-pdf.clip.height": 1000,
```

markdown-pdf.omitBackground

- Hides default white background and allows capturing screenshots with transparency
- boolean. Default: false

FAQ

How can I change emoji size ?

1. Add the following to your stylesheet which was specified in the markdown-pdf.styles

```
.emoji {
  height: 2em;
}
```

Tip: Auto guess encoding of files

Using `files.autoGuessEncoding` option of the Visual Studio Code is useful because it automatically guesses the character code. See [files.autoGuessEncoding](#)

```
"files.autoGuessEncoding": true,
```

Tip: Output directory

If you always want to output to the relative path directory from the Markdown file.

For example, to output to the "output" directory in the same directory as the Markdown file, set it as follows.

```
"markdown-pdf.outputDirectory" : "output",  
"markdown-pdf.outputDirectoryRelativePathFile": true,
```

Known Issues

`markdown-pdf.styles` option

- Online CSS (<https://xxx/xxx.css>) is applied correctly for JPG and PNG, but problems occur with PDF. [#67](#)

Release Notes

1.0.3 (2018/04/30)

- Fix: Support [Multi-root Workspaces](#) with `markdown-pdf.styles` option
 - Japanese font is not good [#79](#)
 - relative stylesheet paths are not working when multiple folders in workspace [#68](#)
- Fix: `markdown-pdf.styles` option
 - [BUG] Custom PDF style not being used [#35](#)
 - How to change font size of generated pdf [#40](#)
 - How do you change font-family? [#64](#)
- Improve: Support [Multi-root Workspaces](#) with `markdown-pdf.outputDirectory` option
 - How do I specify a relative output directory? [#29](#)
- Fix: File encoding
 - Not correctly rendering Windows 1252 encoding [#39](#)
 - First H1 header not recognized if file starts with UTF-8 BOM [#44](#)
- Fix: Can not convert pdf [#76](#)
- Add: `markdown-pdf.outputDirectoryRelativePathFile` option

- Add: [markdown-pdf.stylesRelativePathFile](#) option

License

MIT

Special thanks

- [GoogleChrome/puppeteer](#)
- [markdown-it/markdown-it](#)
- [mcecot/markdown-it-checkbox](#)
- [leff/markdown-it-named-headers](#)
- [markdown-it/markdown-it-emoji](#)
- [HenrikJoreteg/emoji-images](#)
- [isagalaev/highlight.js](#)
- [cheeriojs/cheerio](#)
- [janl/mustache.js](#)

and

- [marcbachmann/node-html-pdf](#)
- [cakebake/markdown-themeable-pdf](#)