

v8::internal::RegExpMacro  
AssemblerRISCV::GetCode

v8::internal::RegExpMacro  
AssemblerRISCV::SetCurrentPosition  
FromEnd

v8::internal::RegExpMacro  
AssemblerRISCV::LoadCurrentCharacter  
Unchecked

```
graph LR; A["v8::internal::RegExpMacro<br/>AssemblerRISCV::GetCode"] --> C["v8::internal::RegExpMacro<br/>AssemblerRISCV::LoadCurrentCharacter<br/>Unchecked"]; B["v8::internal::RegExpMacro<br/>AssemblerRISCV::SetCurrentPosition<br/>FromEnd"] --> C;
```

The diagram illustrates a control flow or data flow between three function calls. On the left, there are two white rectangular boxes. The top box contains the text 'v8::internal::RegExpMacro' followed by 'AssemblerRISCV::GetCode' on the next line. The bottom box contains 'v8::internal::RegExpMacro' followed by 'AssemblerRISCV::SetCurrentPosition' and 'FromEnd' on the next two lines. On the right, there is a gray rectangular box containing 'v8::internal::RegExpMacro' followed by 'AssemblerRISCV::LoadCurrentCharacter' and 'Unchecked' on the next two lines. Two blue arrows originate from the right side of the two white boxes and point towards the left side of the gray box, indicating that both functions lead to the 'LoadCurrentCharacter' function.