

v8::internal::JSAtomsMutex
::HandleAsyncNotify

v8::internal::JSAtomsMutex
::HandleAsyncTimeout

v8::internal::JSAtomsCondition
::HandleAsyncTimeout

v8::internal::detail
::AsyncWaiterQueueNode
::GetSynchronizationPrimitive

```
graph LR; A[v8::internal::JSAtomsMutex::HandleAsyncNotify] --> D[v8::internal::detail::AsyncWaiterQueueNode::GetSynchronizationPrimitive]; B[v8::internal::JSAtomsMutex::HandleAsyncTimeout] --> D; C[v8::internal::JSAtomsCondition::HandleAsyncTimeout] --> D;
```

The diagram illustrates a mapping of three source functions to a single target function. On the left, three white rectangular boxes with black borders contain the following text: 'v8::internal::JSAtomsMutex::HandleAsyncNotify', 'v8::internal::JSAtomsMutex::HandleAsyncTimeout', and 'v8::internal::JSAtomsCondition::HandleAsyncTimeout'. On the right, a gray rectangular box with a black border contains the text: 'v8::internal::detail::AsyncWaiterQueueNode::GetSynchronizationPrimitive'. Three blue arrows originate from the right side of each source box and point towards the left side of the target box, indicating that these three functions all point to or call the target function.