<H1>LATEX INFO</H1>

In new Jupyter notebooks I have been working you can just type latex in markdown cells and it works.

Example of new way on next line, but won't work in old canopy I have on home computer. (kept old one so far because lets me edit directly in cnaopy whereas new Canopy goes to browser and is a bit annoying in opening and closing.) To see it work, easiest way is to upload to tmpnb.org and use there.

$$abla imes \vec{B} - rac{1}{c} rac{\partial \vec{E}}{\partial t} = rac{4\pi}{c} \vec{j}$$

$$abla imes \vec{E} = 4\pi \rho$$

$$abla imes \vec{E} + rac{1}{c} rac{\partial \vec{B}}{\partial t} = \vec{0}$$

$$abla imes \vec{B} = 0$$

Easy Equation writing examples $c=\sqrt{a}^2+b^2$) Logarithmic growth of a population of cells can be described mathematically as $N=N_oe^{\ln 2(t/t_2)}$ (from page 177 of Methods in Yeast Genetics, 205 Edition) See here for an awesome reference for MathJax

"and use single $\$ (rather than double $\$) to keep the equation in-line. stackoverflow.com/q/ 19412644/1224255" - from http://stackoverflow.com/questions/13208286/how-to-write-latex-in-ipython-notebook (<---this itself was tricky to write and I had to use minrk's April 18th answer at https://github.com/ipython/ipython/issues/3197/ as a basis

Based on here I figured out (probably again) how to add hyphen when in math mode in Jupyter notebooks and not have it loolike a minus sign. $\frac{mito\ purification\ RNA-Seq\ data}{total\ cell\ RNA-seq\ data}\ \text{VS.}\ \frac{obs_a-obs_b}{exp_a-exp_b}$

```
#from JupyterLab demo notebook November 2, 2016
from IPython.display import Latex
Latex('''The mass-energy equivalence is described by the famous equation

$$E=mc^2$$

discovered in 1905 by Albert Einstein.
In natural units ($c$ = 1), the formula expresses the identity

\\begin{equation}
E=m
\\end{equation}''')
```

<IPython.core.display.Latex object>

```
%latex
\begin{aligned}
\nabla \times \vec{\mathbf{B}} -\, \frac1c\, \frac{\partial\vec{\mathbf{E}}}
{\partial t} & = \frac{4\pi}{c}\vec{\mathbf{j}} \\
\nabla \cdot \vec{\mathbf{E}} & = 4 \pi \rho \\
\nabla \times \vec{\mathbf{E}}\, +\, \frac1c\, \frac{\partial\vec{\mathbf{B}}}
{\partial t} & = \vec{\mathbf{0}} \\
```

```
\label{eq:cdot_vec{\mathbb{B}} &= 0} $$ [3]: \end{aligned}
```

<IPython.core.display.Latex object>

```
%latex
      $$
      \frac{1}{3}
      $$
      $$
      \frac{obs}{expe}\
      $$
      $$ Ai(z) =
        \frac13\sqrt{z}\left[
         I_{-1/3}(\text{zeta})
         -I_{1/3}(\gamma) \rightarrow \gamma
        \pi^{-1}\sqrt{z/3}K_{1/3}(\zeta)
      $$
      {\bf 10.4.15}
      $$ Ai(-z) =
        \frac13\sqrt{z}
         \left[
         J_{1/3}(\zeta) +
         J_{-1/3}(\gamma) \rightarrow \gamma
        \frac12 \sqrt{z/3} \left[
         e^{\pi i/6} H_{1/3}^{(1)}(zeta)
        + e^{-\pi i/6}H_{1/3}^{(2)}(\zeta)
        \right]
[11]: $$
```

<IPython.core.display.Latex object>