Study Guide for Midterm 1 for Algebra-Based Physics-2: Electricity, Magnetism, and Modern Physics (PHYS135B-01)

Dr. Jordan Hanson - Whittier College Dept. of Physics and Astronomy

March 5, 2018

1.	Working with orders magnitude, and approximation. Use the following information: there are 107 grams per mole of silver, $\approx 6 \times 10^{23}$ atoms per mole, and one conducting electron per silver atom.
	(a) Estimate the number of free electrons in 1 gram of silver.

- (b) If 10^{10} conducting electrons are removed every 10^{-10} seconds, how long would it take to remove them all? (Think of this as a current).
- 2. The Coulomb force, and static charge. The Coulomb force between two charges q_1 and q_2 separated by a distance r is $\vec{F}_C = k \frac{q_1 q_1}{r^2} \hat{r} \tag{1}$

The vector \hat{r} is a unit vector pointing from one charge toward the other, and $k=9\times 10^9$ N C $^{-2}$ m 2 . Suppose $q_1=4.0\mu$ C, and $q_2=4.0\mu$ C, and $r=4.0\mu$ m.

- (a) What is the magnitude of the force between the charges, and in which direction does the force point?
- 3. **Drawing electric field lines, 1.** Recall our experience with the PHeT simulation of charges and fields. (a) Create a charge distribution of two opposite charges $\pm q$. (b) Illustrate the correct electric field between the charge distributions by drawing electric field lines.

- 4. **Electric potential and electric field.** Recall that the relationship between a uniform electric field E and the associated change in voltage V is V=Ed, where d is a distance. Two uniformly charged plates with charges +Q and -Q create a uniform electric field E between them. Let the voltage at the negatively charged plate be o V.
 - (a) If the distance between the plates is 80 mm, and the electric field has a value of 0.8 V/mm, what is the voltage at the positive plate?

5.	Capacitors, and capacitance. Recall that the charge Q stored on a capacitor is CV for a given potential V , and that the unit of capacitance is the $\it Farad$, $\it F.$
	(a) How much charge is stored on a capacitor with $C=0.1\mu\mathrm{F}$, if the voltage is $V=12~\mathrm{V?}$
6.	Definition of current, resistance, and Ohm's Law Recall that <i>current</i> is the change in charge per unit time, $I=\Delta Q/\Delta t$, and that the unit of current is the <i>amp</i> , A, which is 1 C/s. Also recall that Ohm's Law is $V=IR$, where V is the voltage, I is the current, and R is the total effective resistance.
	(a) How much current flows through a circuit that lights a lightbulb, if the voltage is 24 V, and the lightbulb has a resistance of 100 Ohms?
	(b) Recall that the relationship between the power P consumed by a resistor drawing a current I while being given a voltage V is $P=IV$. How many watts does the light bulb consume?
	(c) Draw a graph of voltage versus current for the lightbulb in part (a), assuming the voltage can vary.
	(d) Suppose the second light bulb is instead connected <i>in parallel</i> with the first light bulb. What is the new current?
7.	Nerve signals. Please review the section of Chapter 20 on nerve signal conduction. Pay special attention to the <i>action impulse</i> , which is a voltage versus time.