# ALGEBRA-BASED PHYSICS-1: MECHANICS (PHYS135A-01): EXAMPLE PROBLEMS FILE

Jordan Hanson September 6th - September 8th, 2017

Whittier College Department of Physics and Astronomy

# CHAPTER 6

**Conceptual Question 2.** Can centripetal acceleration change the speed of circular motion? Explain.

**Conceptual Question 2.** Answer: No, it only changes the direction. Figure 6.8 in the text shows that the velocity only changes direction, not magnitude, for uniform circular motion.

**Conceptual Question 6.** Race car drivers routinely cut corners as shown in Figure 6.32. Explain how this allows the curve to be taken at the greatest speed.

Conceptual Question 6. Answer: Path 2 in the figure has a larger radius of curvature. Widening the radius of curvature lowers the necessary centripetal force. Assuming the tires are providing the maximum possible static friction, a larger radius of curvature allows for a larger velocity while maintaining traction (static friction).

Conceptual Question for Newton's Law of Gravitation. Two objects of equal mass are drifting toward each other. If the acceleration experienced by each is 5g when the objects are 5000 km apart, what is the acceleration when they are 2500 km apart?

Conceptual Question for Newton's Law of Gravitation. Answer: If the distance decreases by a factor of two, the force of gravity must increase by a factor of four. Remember that by Newton's Third Law, the force of the first object on the second is equal and opposite to the force of the second object on the first. But the force is equal to  $m\vec{a}$ , so if the masses are equal then the accelerations are equal. The acceleration will increase by a factor of 4.0, from 5g to 20g.

**Exercise 2.** Microwave ovens rotate at a rate of about 6 rev/min. What is this in revolutions per second? What is the angular velocity in radians per second?

**Exercise 2.** Answer: 0.1 rotations per second,  $\pi/5$  radians per second.

**Exercise 5.** A baseball pitcher brings his arm forward during a pitch, rotating the forearm about the elbow. If the velocity of the ball in the pitcher's hand is 35.0 m/s and the ball is 0.3 m from the elbow joint, what is the angular velocity of the forearm?

**Exercise 5.** Answer:  $v = r\omega$ , so  $\omega = v/r = 35.0/0.3 = 35.0 \times 10/3$ . Thus,  $\omega$  is 117 radians/sec.

**Exercise 12.** Taking the age of Earth to be about  $4 \times 10^9$  years and assuming its orbital radius of  $1.5 \times 10^{11}$  m has not changed and is circular, calculate the approximate total distance Earth has traveled since its birth (in a frame of reference stationary with respect to the Sun).

**Exercise 12.** Answer: Take the age of the Earth and divide by 1 year:  $N = 4 \times 10^9$  years / 1 year =  $4 \times 10^9$ . This is the number of times the Earth has gone around the Sun. Now take the circumference of the orbit,  $2\pi r$ , and multiply by N to obtain the total distance  $2\pi rN \approx 4 \times 10^{21}$  m.