



CATEGORY STANDARD

Home Textiles

Scope

This category standard applies to products within the Home Textiles category.

Change-log

Section	Changes
1.6.2	Number of photo samples for: cushions, cushion covers, chair cushions, tablecloth, table runners and door mats has been updated.
4.3	Bed throws with fringes or ruffles around the edge must be folded so that the feature is visible
7.1	Standard sized cushion and cushion covers updated with 4 new sizes.



JYSK 1006

Edition 24 – 2025-03
Compliancequality@JYSK.com

Contents

1	General requirements.....	5
1.1	Products containing textile	5
1.2	Items with food contact	5
1.3	Products for UK and Ireland	5
1.4	Care labels.....	5
1.5	Furs	5
1.6	Samples	5
1.6.1	Reference samples.....	5
1.6.2	Photo samples.....	6
1.6.3	Space samples	6
2	Packaging requirements	6
2.1	Procedures for artwork	6
2.2	Folded products.....	6
2.3	Cardboard stiffeners.....	7
2.4	Bellybands	7
2.4.1	Closing method of bellybands.....	7
2.5	Header cards.....	7
2.6	Packing of handling units	8
3	Stores shelf dimensions (EA).....	9
3.1	General information	9
4	Bed throws	9
4.1	Sizes	9
4.2	Textile quality requirements.....	10
4.3	Packaging of bed throws.....	10
4.3.1	Stores shelf dimensions	11
5	Throws	12
5.1	Textile quality requirements.....	12
5.2	Packaging of throws	12
5.2.1	Rolled throws	13
5.2.2	Folded throws	13
5.2.3	Store shelf dimensions	14
6	Seat pads	14
6.1	Upholstered chair cushions	14
6.2	Fur seat pads	14
6.3	Imitated fur seat pads	15
6.4	Textile quality requirements.....	15
6.5	Seat pads with attachment strings	15
6.6	Care label placement.....	15

6.7	Hangtag placement	15
6.8	Packaging	15
6.9	Stores shelf dimensions	16
7	Cushions and cushion covers	16
7.1	Sizes	17
7.2	Textile quality requirements	17
7.2.1	Zipper	17
7.3	Filling of cushions	18
7.3.1	Cushion recovery	18
7.4	Care labels	19
7.4.1	Placement	19
7.5	Packaging	20
7.5.1	Cushions	20
7.5.2	Cushion covers	20
7.6	Stores shelf dimensions for cushions	21
7.7	Stores shelf dimensions cushion covers	21
8	Tablecloths	21
8.1	Tablecloths sold by piece	21
8.1.1	Textile quality requirements	22
8.1.2	Packaging and labeling	23
8.1.3	Stores shelf dimensions	24
8.2	Tablecloths sold by meter	24
8.2.1	Size	24
8.2.2	Samples	24
8.2.3	Packaging	25
8.2.4	Stores shelf dimensions	26
9	Cloth napkins	27
9.1	Packaging	27
9.2	Stores shelf dimensions	27
10	Table runners	28
10.1	Packaging	28
10.1.1	Store shelf dimensions	28
11	Place mats	29
11.1	Packaging	29
11.2	Display dimensions	29
11.3	Stores shelf dimensions	30
12	Potholders and oven gloves	30
12.1	Textile quality requirements	30
13	Tea Towels	30



JYSK 1006

Edition 24 – 2025-03
Compliancequality@JYSK.com

13.1	Sizes	31
13.2	Textile quality requirements	31
13.3	Straps	31
13.4	Packaging	31
13.4.1	Folded tea towels	32
13.4.2	Rolled tea towels	32
13.5	Stores shelf dimensions	32
14	Rugs	33
14.1	Intended use	33
14.2	Size	33
14.3	Textile quality requirements	33
14.4	Care labels	34
14.4.1	Care instruction label for large rugs (Width >80 cm)	34
14.5	Packaging of <i>small rugs</i> (Width ≤80 cm)	35
14.6	Packaging of large rugs (Width >80 cm)	36
14.7	Source tagging of large carpets, rugs and hides	37
14.8	Stores shelf dimensions	37
14.8.1	Small rugs	37
14.8.2	Large rugs	37
15	Doormats	38
15.1	Intended use	38
15.2	Packaging of doormats	38



1 General requirements

1.1 Products containing textile

Products containing textile must comply with [JYSK 4004](#).

1.2 Items with food contact

Food Contact Materials must comply with [JYSK 4001](#).

Note: Definition of Food Contact Materials is stated within the standard.

1.3 Products for UK and Ireland

Home textile products for UK and Ireland must comply with applicable requirements stated in [JYSK 4002](#).

1.4 Care labels

Home textile products must, except where otherwise instructed or agreed with [CAM](#), have sewn in care labels.

Care labels must comply with [JYSK 4004](#) and [JYSK 6004](#).

Note: For certain products with high risk of rub-off on lighter materials, suppliers may with approval from [JYSK C&Q](#) apply the text made available as [JYSK 10116](#).

Products closed with zipper must have the following text added on care label: "Close all zippers before wash"

1.5 Furs

Furs must be made from woolen sheepskin.

Furs must be [WOOLMARK certified](#) and comply with [SPECIFICATION P-1](#).

1.6 Samples

1.6.1 Reference samples

Suppliers must send a *reference sample* to JYSK HO and await approval from JYSK before initiating first production.

Note: Reference samples are required separately for UK/IE products.

1.6.2 Photo samples

Suppliers must send *photo samples* in accordance with [Table 1](#) to JYSK HO as soon as possible after reference samples are approved by JYSK.

Suppliers must ensure that JYSK receive photo samples no later than 20 weeks before *FSF* (For Sale From date).

Photo samples of substitution products are not required unless otherwise specified by [CAM](#).

Type of product	Number of samples	Notes
Cushions	-6- 4	
Cushion covers		
Throws	4	
Bed throws	2	Send the biggest size.
Chair cushions	-12- 6	
Back cushions	4	Floor cushion: Send including filling.
Floor cushions		
Hides	4	
Table cloth sold by piece	-4- 2	
Table runners		
Cloth napkins	16 packs of 2 pcs.	
Place mats	12	
Tea towels	8 packs	
Tablecloth sold by the meter	1x10 m rolled on a tube and 1 hanger	
Door mats	-2- 1	
Small rugs	3	
Rugs	3	If product exist in more than one size send 3 of each size

Table 1 – Photo samples

1.6.3 Space samples

For new products and new substitution products a space sample of one collie must be forwarded. The space sample must comply with space sample requirements in [General Requirements](#).

2 Packaging requirements

Packaging must comply with [JYSK 6001](#).

When delivering a new product, the supplier must confirm the type of packaging and labeling with [CAM](#).

2.1 Procedures for artwork

When the solution is available the layout for sales unit packaging is created by JYSK using IDG and forwarded to the supplier.

When IDG is not available, suppliers must create the artwork layout in accordance with [JYSK 6201](#). The supplier must proofread the artwork, validate the layout and ensure that all stated information is correct – E.g.: material composition, care symbols, OEKO-TEX logo, barcode, batch number, supplier number and product number.

New suppliers may send proofread and validated artwork to [PAS](#) for questions and review.

Note: JYSK does not proofread or approve the artwork – The review procedure for new suppliers is however in place out of common interest of ensuring the artwork is correct.

2.2 Folded products

Folded products must be folded in a way that ensures a uniform thickness of the sales unit.

If it is impossible to ensure a uniform thickness the thickest part must be in the bottom of the sales unit.

If a product is folded around a cardboard stiffener, the stiffener must not be directly visible on the finished sales unit.

The folding method and sales unit facing must be consistent within and between orders.



2.3 Cardboard stiffeners

Cardboard used for stiffeners must be minimum *JYSK CB 40* according to [JYSK 6001](#).

Suppliers must ensure the stiffener or u-card stiffener is sufficiently strong to prevent the sales unit from bending or twisting out of shape.

2.4 Bellybands

Bellybands must unless otherwise specified have a height of 105 ± 1 mm.

On rolled products:

- The placement of bellybands must be centered lengthwise on the rolled product.
- The bellyband *front* must be placed opposite of the loose end of the rolled product.

On folded products the bellyband *front* must be centered on the folded products facing.

2.4.1 Closing method of bellybands

The closing method of bellybands must be double-sided adhesive tape. If it is necessary to strengthen the closing further to keep closed, it must be with a transparent round sticker or a piece of tape.

The adhesive tape must not adhere to the product itself.

- When using a round sticker, it must be neatly placed (centered) on the bellyband closing edge.
- When using a piece of tape, the tape must be 20-25mm wide and cover the entire closing edge from top to bottom.

2.5 Header cards

To ensure the closing of the header card, it must be strengthened with a transparent round sticker.

- When using a round sticker, it must be neatly placed on the closing edge.

2.6 Packing of handling units

If not otherwise agreed with [CAM](#) the number of *Sales units* per *Handling unit* must be in accordance with [Table 2](#).

Product type			Sales units / Handling unit
Bed throw	Quilted		2
	Other		2-3
Throws	Quilted blanket ≤140x200		6
	Polar fleece throw		8
	Microfiber throw		6
	Microfiber throw >140x200		4
	Velour throw		4
	Velour throw >140x200		3
	Flannel throw		4
	Microfiber plush		4
	Imitated fur throw		4
	All-purpose blanket	100x150	16
		150x200	10
Tablecloth sold by piece			Varies, must be agreed with CAM
Table runner			Varies, must be agreed with CAM
Cloth napkins			Varies, must be agreed with CAM
Tablecloth sold by meter			See 8.2
Place mat			SDP
Tea towel	With header card with Euro Lock		Handling unit must be ≤15cm in depth. 2 handling units must fit onto a spike of 30 cm.
Seat pads	Thickness <4 cm		8
	Thickness ≥4 cm		6
Cushions	Cushion 40x40/45x45 cm		6
	Cushion 40x60cm		4
	Back cushion 50x70cm		3
Cushion covers			Handling unit must be ≤15cm in depth. 2 handling units must fit onto a spike of 30 cm.
Rugs	Small (Width <100 cm)		6
	Large (Width ≥100 cm)		1
Door mats			6
Soft toys			≤12

Table 2 – Sales unit per Handling unit

For products that are packed as handling unit in cardboard boxes:

- Suppliers must size cardboard boxes to fit the sales units without additional air in the box.
- Folded sales unit must be orientated with the facing is upwards within the handling unit.
Note: This orientation ensures that the products lie flat and minimizes the risk of deformed sales units.
- Sales units that do not include a plastic bag must be packed together in the cardboard box in one plastic bag.
- The cardboard of the cardboard box must be *JYSK CB 60* or higher according to [JYSK 6001](#).

For products that are packed in *SDP* (Sales Display):

- The *SDP* must comply with [JYSK 6002](#).
- The number of sales units / *SDP* must be agreed with [CAM](#).

3 Stores shelf dimensions (EA)

3.1 General information

'EA' measures are the same as 'stores shelf dimensions' in the PIF.

The 'store shelf dimension (EA)' is a unit measure of a single article.

If changes in the measurements of an article, [CAM](#) must be informed.

Articles in sales display (SDP) must comply with [JYSK 6002](#) and any specific article requirements. For articles in SDP both the SDP measure and the EA measure must be stated in the PIF. The SDP measure must include both the article and the SDP, meaning if the article is higher than the display it must be the total height.

It is important to know how the article should be displayed e.g. upright, laying down, etc.

The following measurements must be stated in the PIF:

- Height: the height of the article
- Width: the width of the article (the side facing front)
- Depth: the depth of the article and refers to the shelf depth and means the article dimension with face forward

Note: Depth = length.

For articles with header cards, the height must be measured from the bottom of the article to the inside of the Euro Lock Hole.

See measurement examples in the specific section for a product.

4 Bed throws



Examples of bed throws

4.1 Sizes

Bed throws must have an agreed size from [Table 3](#).

If not otherwise agreed with [CAM](#), the size must be measured excluding fringes.

Note: On certain products the design encourages fringes to be considered as part of the main surface.

Permitted bed throw sizes [cm] (Width x Length)
<ul style="list-style-type: none"> • 160x220 • 220x220 • 220x240 • 240x260

Table 3 – Bed throw sizes

4.2 Textile quality requirements

Bed throws must comply with the textile quality requirements stated in [Table 4](#).

Requirement			
Test method according to JYSK 4004			
Size and washing	Size and dimensional stability to washing and drying	Initial size	+4%/-0%
		After washing and drying	+4%/-3%
Physical	Ironing		Yes
	Pilling		≥3-4
Color fastness	Rubbing	Dry	≥4
		Wet	≥3-4
	Light		≥4
	Washing	Staining	≥4
		Color change	≥4-5
	Water	Staining	≥4
		Color change	≥4-5

Table 4 – Textile quality requirements for bed throws

4.3 Packaging of bed throws

Bed throws must be folded or rolled according to agreement with [CAM](#).

The facing of folded bed throws must have a size of W33 x H38 cm.

The folded bed throw must be folded around a u-card cardboard stiffener in accordance with [2.2](#).

The folded or rolled bed throw must be enclosed by a paper bellyband or band with hangtag in accordance with [2.4](#).

Bed throws must be packed as handling units cardboard boxes in accordance with [2.6](#).

Doubled-faced bed throw

Double-faced bed throws must be packaged with a flipped corner to show both faces (see example).

Note: For bed throws with the same front and back, see below.



Example of packed double-faced bed throw

Same faced bed throws

Bed throws with the same front and back must be packed like the picture below without a flipped corner (see example).



Example of packed bed throw with the same front and back

Bed throws with fringes/ruffles

Bed throws with fringes or ruffles around the edge must be folded so that the feature is visible (see example).



Example of packed bed throw with ruffles

4.3.1 Stores shelf dimensions

Stores shelf dimensions must follow the following measurements. (See pictures for reference)

	Height	Width	Depth/length	Picture examples
Folded	38 cm	33 cm	Vaires	
Rolled	Vaires		32 cm	

Table 5 - Bed throws store shelf dimensions

5 Throws



Examples of throws

5.1 Textile quality requirements

Throws must comply with the quality requirements stated in [Table 6](#).

Requirement			
Test method according to JYSK 4004			
Size and washing	Size and dimensional stability to washing and drying	Initial size	+4%/-0%
		After washing and drying	+4%/-3%
Color fastness	Rubbing	Dry	≥4
		Wet	≥3-4
	Light		≥4
	Washing	Staining	≥4
		Color change	≥4-5
	Water	Staining	≥4
		Color change	≥4-5

Table 6 – Textile quality requirements for throws

5.2 Packaging of throws

If not informed the supplier must contact [CAM](#) to clarify whether the packaging method is *rolled* according to [5.2.1](#) or *folded* according to [5.2.2](#).

Throws must be packed as handling units cardboard boxes in accordance with [2.6](#).

The artwork text for throws must be *Size 4* according to [JYSK 6201](#).

5.2.1 Rolled throws

Rolled throws must be tightly rolled to cylinder with length of 32 cm and uniform diameter.

The rolled throw must be enclosed by a paper bellyband in accordance with [2.4](#).

Rolled throw including a strap must have an 8x8 cm paper *hangtag* in accordance with [JYSK 6201](#).



**Example of rolled throw
with bellyband**



**Example of rolled throw including strap
and a hangtag**

5.2.2 Folded throws

Throws must be folded around a cardboard stiffener in accordance with [2.2](#).

The throw must be folded 'up/down' around the stiffener - Not 'from side to side'.



Example of folded throw

5.2.3 Store shelf dimensions

Folded throws must be enclosed by a paper bellyband in accordance with [2.4](#) or strap and a hangtag in accordance with [JYSK 6001](#).

All ends of the throw must be held inside the bellyband.



	Height	Width	Depth	Picture examples
Folded Option 1	33 cm	21 cm	Varies	
Folded Option 2	38 cm	33 cm	Varies	
Rolled	Varies		32 cm	

Table 7 – Accepted folding sizes for throws

6 Seat pads

6.1 Upholstered chair cushions


Polyurethane foam in upholstered chair cushions must comply with [JYSK 3002](#).



Example of upholstered chair cushions

6.2 Fur seat pads


Fur seat pads must comply with [1.5](#).



Examples of furs

6.3 Imitated fur seat pads

The pile on imitated fur must be sufficiently attached to avoid unexpected/excessive shedding.



Examples of faux furs

6.4 Textile quality requirements

Seat pads must comply with the quality requirements stated in [Table 8](#).

Note: The requirements do not apply to *Fur seat pads*.

Requirement Test method according to JYSK 4004			Type of product	
			<i>Upholstered chair cushions</i>	<i>Imitated fur seat pads</i>
Size and washing	Size and dimensional stability to washing and drying	Initial size	+5%/-0%	
		After washing and drying	If washable: +5%/-2%	-
Physical	Pilling		≥ 3-4	-
Color fastness	Rubbing	Dry	≥ 4	
		Wet	≥ 3-4	
	Light		≥ 4	
	Washing	Staining	If washable: ≥ 4	-
		Color change	If washable: ≥ 4-5	-
	Perspiration (Acidic)	Staining	≥ 3-4	
		Color change	≥ 4	
	Perspiration (Alkaline)	Staining	≥ 3-4	
		Color change	≥ 4	
	Water	Staining	≥ 4	
		Color change	≥ 4-5	

Table 8 – Textile quality requirements for seat pads

6.5 Seat pads with attachment strings

The strings or ties attached to the seat pad must be reinforced using strong sewing techniques like bar tack stitching, which provides extra strength and prevents wear and tear at the stress points. Alternative methods, such as double-stitching, can also be used if it ensures durability and longevity.

6.6 Care label placement

Care labels on seat pads and chair cushions must be placed in a seam that will face towards the backrest of the chair during use.

6.7 Hangtag placement

Hangtags must be placed next to the care label.


6.8 Packaging

Seat pads must have an 8x8 cm paper hangtag in accordance with [JYSK 6201](#).

Seat pads must be packed as handling units in cardboard boxes in accordance with [2.6](#).

6.9 Stores shelf dimensions

Stores shelf dimensions should be filled out according to below photo. Displayed lying down.



Example of seat pad measurements

7 Cushions and cushion covers



Examples of cushions



Examples of cushion covers

7.1 Sizes

Standard sized cushion and cushion covers must have an agreed size from [Table 9](#).

Note: Non-standard cushion sizes can be agreed with [CAM](#).

Type product	Size [cm] (Width x Length)
Cushion covers	<ul style="list-style-type: none"> 40x40 40x60 50x50
Cushion	<ul style="list-style-type: none"> 30x50 35x50 40x40 40x60 45x45 50x50
Back cushions	<ul style="list-style-type: none"> 35x75 50x70 60x60 60x90

Table 9 - Cushion and cushion cover sizes

7.2 Textile quality requirements

Cushions and cushion covers must comply with the quality requirements stated in [Table 10](#).

Requirement			
Test method according to JYSK 4004			
Size and washing	Size and dimensional stability to washing and drying	Initial size	+4%/-0%
		After washing and drying	+4%/-3%
Physical	Pilling		≥3-4
Color fastness	Rubbing	Dry	≥4
		Wet	≥3-4
	Light		≥4
	Washing	Staining	≥4
		Color change	≥4-5
	Perspiration (Acidic)	Staining	≥3-4
		Color change	≥4
	Perspiration (Alkaline)	Staining	≥3-4
		Color change	≥4
	Water	Staining	≥4
		Color change	≥4-5

Table 10 – Textile quality requirements for cushions and cushion covers

7.2.1 Zipper

Zipper in cushion covers should comply with **EN 16732:2015** performance code B.

7.3 Filling of cushions

Cushions must be 'well filled' - i.e.:

- The cushion must be filled with the agreed filling material.
- The cushion must be filled to the agreed look and feel.
- The cushion must be filled to the agreed weight.
- The filling must be properly 'opened' before filling.



Example of fillings

- The filling must be well and evenly distributed within the cushion (including all corners).
- Cushions with feather filling must comply with requirements for inner cushions with feather filling in [JYSK 1008](#).

7.3.1 Cushion recovery

For cushions sold 'unpacked' in JYSK stores the combination of filling and packaging method must enable a quick recovery to the intended look after unpacking.

The recovery to intended look must not require significant manual agitation.

7.4 Care labels

On cushions with removable covers the cushion cover and inner cushion must have separate care labels with separate compositions and care instructions.

On 'removable covers' the designated *product type* on the care label must be 'CUSHION COVER'.

On 'inner cushions' the designated *product type* on the care label must be 'INNER CUSHION'.



Example of inner cushion care label

7.4.1 Placement

On removable and separate cushion covers the care label must be placed inside the cover in the left side seam (relative to opening) 10±3 cm from the opening end.

On cushions without removable cover the care label must be placed outside the cushion in the bottom seam according to agreement with [CAM](#).

7.5 Packaging

7.5.1 Cushions

Cushions must have an 8x8 cm *hangtag* according to [JYSK 6201](#) pinned into the center of the top seam.

The hangtag must be attached with a tag-pin no longer than 2 cm.

The tag-pin must not permanently damage the cushion.

Cushions with feather filling must have the additional 50x50 mm hangtag made available as [JYSK 10147](#) attached in front of the original hangtag.



Example of cushion with hangtag



Example of feather hangtag

Cushions must be packed as handling units in cardboard boxes in accordance with [2.6](#).

Suppliers must ensure that the compression-% used for packaging enables cushion recovery according to [7.3.1](#).

7.5.2 Cushion covers

Cushion covers must be folded in accordance with [2.2](#) around a *header card* according to [JYSK 6201](#).

The header card must be glued around the euro-lock to prevent untimely opening.

The artwork text for cushion covers must be *Size 3* according to [JYSK 6201](#).

Cushion covers must be packed as handling units in cardboard boxes in accordance with [2.6](#).

The header card must follow the sticker according to [2.5](#).

7.6 Stores shelf dimensions for cushions

Cushions should be displayed with the front facing the costumer and must follow these measurements (See photo for reference) [Table 11](#)

Cushion size	Height		Width	Depth/length	Picture example
30x50	30 cm		50 cm	8 cm	
30x60	30 cm		60 cm	10 cm	
35x50	35 cm		50 cm	8 cm	
35x75	35 cm		75 cm	10 cm	
40x40	40 cm		40 cm	10 cm	
40x60	40 cm		55 cm	10 cm	
45x45	40 cm		40 cm	10 cm	
50x50	40 cm		40 cm	10 cm	
50x70	50 cm		70 cm	13 cm	
60x60	60 cm		60 cm	10 cm	
60x90	60 cm		90 cm	18 cm	

Table 11 – Shelf dimensions for cushions

7.7 Stores shelf dimensions cushion covers

The measurements for store shelf dimensions for one pcs. (See picture for reference) [Table 12](#)


Cushion cover size	Height	Width	Depth/Length	Picture examples
40x40	22 cm	14 cm	Varies	
50x50	28 cm	14 cm	Varies	

Table 12 – Shelf dimensions cushion covers

8 Tablecloths

Tablecloths must comply with [1.2](#).

8.1 Tablecloths sold by piece



Examples of tablecloths sold by piece

8.1.1 Textile quality requirements

Tablecloths sold by piece must comply with the textile quality requirements stated in [Table 13](#).

Requirement			
Test method according to JYSK 4004			
Size and washing	Size and dimensional stability to washing and drying	Initial size	Cotton/Linen: +7%/-0% Other: +2%/-0%
		After washing and drying	Cotton/Linen: +7%/-2% Other: +2%/-2%
	Washing temperature		≥60°C Note: For tablecloths whose design/construction does not allow for 60°C a lower washing temperature can be agreed individually with CAM
	Tumble drying		Yes
Physical	Ironing		Yes – ≥2 dots
	Tensile strength		≥250
	Tear strength		≥8
Color fastness	Rubbing	Dry	≥4
		Wet	≥3-4
	Light		≥4
	Washing	Staining	≥4
		Color change	≥4-5
	Perspiration (Acidic)	Staining	≥3-4
		Color change	≥4
	Perspiration (Alkaline)	Staining	≥3-4
		Color change	≥4
	Water	Staining	≥4
		Color change	≥4-5

Table 13 – Textile quality requirements for tablecloths sold by piece

8.1.2 Packaging and labeling

Tablecloths sold by piece must be folded around a u-card stiffener in accordance with [2.2](#) to have a facing size of W21,5 x H32 cm. The folded tablecloths must be enclosed by a paper bellyband in accordance with [2.4](#).

A size indicator icon according to [Table 14](#) must be added on the front of the bellyband right below the size on the bellyband of all tablecloths sold by piece.

Tablecloths sold by piece with an anti-stain or water repellent treatment must be labeled with the *anti-stain icon* or *water repellent icon* according to [Table 14](#) on the backside of the insert, nicely arranged with the other icons.









Icon:	Download link:	Approximate size:
	JYSK 10140 - Dining table icon 2-4	80 x 80 cm 90 x 90 cm
	JYSK 10141 - Dining table icon 4-6	140 x 180 cm
	JYSK 10142 - Dining table icon 6-8	140 x 220 cm 140 x 240 cm
	JYSK 10143 - Dining table icon 8-10	140 x 300 cm 140 x 320 cm
	JYSK 10144 - Dining table icon 10-12	>320 cm
	JYSK 10146 - Round dining table icon 4	Ø 120 cm
	JYSK 10145 - Anti-stain icon	All sizes
	JYSK 10139 - Water repellent	All sizes

Table 14 - Size labeling



Examples of tablecloths sold by piece

8.1.3 Stores shelf dimensions

Please make sure that stores shelf dimensions follow the picture below. This is for one standing tablecloth.



Example of one tablecloth sold by piece

8.2 Tablecloths sold by meter

8.2.1 Size

The width of the fabric must have an agreed size according to [Table 15](#).

Type	Fabric width [cm]
Coated	135
	140
Vinyl	140

Table 15 – Fabric widths

8.2.2 Samples

Product- or reference samples for tablecloth sold by the meter must be sent as cutouts on a 20 cm hanger.

Each hanger must contain only one design/color.

The hanger must fit on an Ø3,5 cm hanging rail.

The Hanger must be labelled with:

- Supplier name
- Product name
- Product number
- Sizes of product
- Quality
- Care instruction

8.2.3 Packaging

Tablecloths sold by the meter must be rolled in one unbroken piece according to [Table 16](#). onto a cardboard tube in accordance with [Table 17](#).

The face (front) of the tablecloth must be facing outwards on the roll.

Type	Total GSM [g/m ²]	Fabric length [m]
Clear vinyl, transparent or with print	≤185	30
Printed and solid vinyl with nonwoven backside	≥190	20


Table 16 – Piece length of vinyl by meters

Length	≥145 cm
Inner diameter	Ø55 mm
Wall thickness	4,5 mm

Table 17 – Cardboard tube specifications


Each handling unit (roll of tablecloth) must contain the following labelling:

- A white polypropylene (PP) 140x80 mm hangtag (0,3 mm, ~270 g/m²) pinned and placed inside the tube.



Example of PP hangtag (Vinyl tablecloth with PP backing)

- A 142 x 20 mm sticker pasted on the tube.



Example of sticker




Examples of labelling placement

(**Note:** The layouts in the examples are not up to date)

Unit loads of tablecloths sold by the meter must comply with *unit load stability requirements* of [JYSK 6001](#).

8.2.4 Stores shelf dimensions

The stores shelf dimensions should be (please see photo for reference):

Stores shelf dimensions	Height	Width	Depth/Length	Picture example
Table cloth sold by meter	10 cm	145 cm	10 cm	

9 Cloth napkins



Example of cloth napkins

9.1 Packaging

Cloth napkins must be *rolled* or *folded* in agreement with instructions from [CAM](#).

Cloth napkins must be enclosed by a strap and a hangtag in accordance with [JYSK 6001](#).



Example of 2 pcs packed rolled together with a band

9.2 Stores shelf dimensions

Stores shelf dimensions should be filled out according to the picture below.



Example of cloth napkin measurements

10 Table runners



Examples of table runners

10.1 Packaging

Table runners must be *rolled* or *folded* in agreement with instructions from [CAM](#).

Note: The preferred packaging method depends on the width of the table runner and desired exposure in the store.

Table runners must be enclosed by a bellyband in accordance with [2.4](#) or strap and a hangtag in accordance with [JYSK 6001](#).



Example of a folded table runner with belly band



Example of a rolled table runner with bellyband

Table runners must either be laying down or placed standing in a Sales Display and must comply with [JYSK 6002](#).

10.1.1 Store shelf dimensions

These are the dimensions for 1 pc. It should be filled out according to the photo.



Example of table runner measurements

11 Place mats



Examples of place mats

Place mats must comply with [1.2](#).

Textile place mats must have a care label in accordance with [1.4](#) on the back of the place mat.

Note: [JYSK C&Q](#) decide if a particular place mat is considered a *textile place mat* - If in doubt ask for an assessment.


11.1 Packaging

Place mat sales units must according to agreement with [CAM](#) have either:

- A W10 × H15 cm Sticker/label attached on the back of the product.

or

- An 8x8 cm hangtag in accordance with [JYSK 6201](#) pinned to the front of the product.
- The tag-pin must not permanently damage the place mat.



Example of sticker




Example of hangtag

11.2 Display dimensions

Place mats must be delivered in a Sales Display and must comply with [JYSK 6002](#) and always with a brown top box covering the whole display. The size of the SDP must be:

- Height: 5 cm
- Width: maximum 45 cm, adjusted to the article
- Depth: maximum 40 cm, adjusted to the article


Note: Exceptions must be approved by [CAM](#).



Example of SDP with measurements

11.3 Stores shelf dimensions

These are the dimensions for 1 pc. It should be measured according to the photo.



Example of place mat measurements

12 Potholders and oven gloves



Table 18 - Examples of kitchen set including potholders and oven gloves

12.1 Textile quality requirements

Potholders and oven gloves must comply with the same textile quality requirements as for tea towels, see [13](#).

Potholders and oven gloves must comply with requirements regarding The Personal Protective Equipment Regulation (PPE) in accordance with [JYSK General Requirements](#).

13 Tea Towels



Examples of tea towels

Tea towels must comply with [1.2](#).

13.1 Sizes

Tea towels size must comply with [Table 19](#).

Tea towel sizes [cm] (Width x Length)	
Tea towel	50x70
Chef tea towel	50x100

Table 19 – Tea towel sizes

13.2 Textile quality requirements




Tea towels must comply with the textile quality requirements stated in [Table 20](#).

Requirement			
Test method according to JYSK 4004			
Size and washing	Size and dimensional stability to washing and drying	Initial size	+4%/-0%
		After washing and drying	+4%/-3%
	Washing temperature		≥60°C
	Tumble drying		Yes - Normal
Physical	Ironing		Yes - ≥2 dots
	Tensile strength		≥250 N
	Tear strength		≥8 N
	Pilling		≥3-4
Color fastness	Rubbing	Dry	≥4
		Wet	≥3-4
	Light		≥4
	Washing	Staining	≥4
		Color change	≥4-5
	Perspiration (Acidic)	Staining	≥3-4
		Color change	≥4
	Perspiration (Alkaline)	Staining	≥3-4
		Color change	≥4
	Water	Staining	≥4
		Color change	≥4-5

Table 20 – Textile quality requirements for tea towels

13.3 Straps

Tea towels must have minimum one strap in quality and placement according to agreement with [CAM](#).

		
Short side center	Right corner	Right corner loop

Examples of strap placement

13.4 Packaging

Tea towel sales units must contain 2 or 3 tea towels according to agreement with [CAM](#).

If not informed the supplier must contact [CAM](#) to clarify whether the packaging method is *folded* according to [13.4.1](#) or *rolled* according to [13.4.2](#).

The artwork text for tea towels must be Size 3 according to [JYSK 6201](#).

Tea towels must be packed as handling units in cardboard boxes in accordance with [2.6](#).

13.4.1 Folded tea towels

Tea towels must be folded in accordance with [2.2](#) around a W18 x H11 cm *header card* according to [JYSK 6201](#).

The facing of folded tea towels must have a size of W18 x H25 cm. The overlay for header cards with more than 2 designs must be as specified by [CAM](#).



Example of header card with 2 different designs

13.4.2 Rolled tea towels

Rolled tea towels must be tightly rolled to cylinder with length of 18 cm and uniform diameter.

The rolled tea towels must be enclosed by a 80±1 mm paper bellyband in accordance with [2.4](#).



Example of rolled tea towel with bellyband

13.5 Stores shelf dimensions


Tea towels should be displayed with the front facing the costumer and must follow these measurements (See photo for reference):

Tea towels	Height	Width	Depth/Length
Folded	25 cm	18 cm	Varies
Rolled	Varies	Varies	18 cm

Table 21 – Tea towel store dimensions



Example of folded tea towel measurements



Example of rolled tea towel measurements

14 Rugs



Examples of rugs

14.1 Intended use

Rugs must have a specified *intended use*:

- Indoor
- Indoor & outdoor

Rugs specified as *indoor* must include the symbol [JYSK 10148](#) on the packaging in accordance to agreement with [CAM](#).

Rugs specified as *indoor & outdoor* must include the symbol [JYSK 10149](#) on the packaging in accordance to agreement with [CAM](#).

14.2 Size

Rugs must have an agreed size specified in the format WxL (Width x Length).

If not otherwise agreed with [CAM](#), the size must be measured excluding fringes.

Note: On certain products the design encourages fringes to be considered as part of the main surface.

14.3 Textile quality requirements

Rugs must comply with the textile quality requirements stated in [Table 22](#).

Requirement			
Test method according to JYSK 4004			
Size and washing	Size and dimensional stability to washing and drying	Initial size	+4%/-0%
		After washing and drying	If washable: +4%/-3%
Color fastness	Rubbing	Dry	≥4
		Wet	≥3-4
	Light		Indoor: ≥4 Indoor/Outdoor: ≥5
	Washing	Staining	If washable: ≥4
		Color change	If washable: ≥4-5
	Water	Staining	≥4
		Color change	≥4-5

Table 22 – Textile quality requirements for rugs

14.4 Care labels

Rugs must have a care label in accordance with [1.4](#).

14.4.1 Care instruction label for large rugs (Width >80 cm)

Large rugs must have a separate *care instruction label* with care instructions to ensure the customer can handle and maintain the rug correct.



Example of care instruction label (on the right)

The *care instruction label* must comply with below:

- The text must fit the specific rug considering construction, backside material etc.
- The font and font size must comply with 'Multi language description' requirements in [JYSK 6201](#).
- The care instruction label with text must be approved by [CAM](#) via E-mail before first delivery.
- The label must be sewn into the rug next to the normal care label. If it not possible due to the backside material, it must be a sticker.
- The care instruction label must not be longer than the usual care label but can be wider to make the text fit.

<p>GB New wool rugs shed naturally. Shake or brush to remove surface dirt. Dry spots to be removed immediately by scraping carefully towards the middle of the spots. Wet spots to be absorbed with paper towels, damp with cloth and use mild and colorless detergent. Do not rub.</p> <p>DK Det er helt normalt at nye uldtepper fælder. Ryst eller børst for at fjerne snavs. Tørre pletter skal straks fjernes ved forsigtigt at skrabes mod midten af pletterne. Våde pletter skal absorberes med kækkenulle, fugtes med en klud og et mildt og farveløst rengøringsmiddel. Gnid ikke.</p> <p>DE Teppiche aus Schurwolle haaren von Natur aus. Schütteln oder bürsten, um Oberflächenverschmutzung zu entfernen. Trockene Flecken sofort durch vorsichtiges Schaben zur Fleckenn mitte hin entfernen. Feuchte Flecken sollten mit einem Papiertuch aufgenommen werden. Dazu den Flecken mit einem Tuch befeuchten und ein mildes und farbloßes Waschmittel verwenden. Nicht reiben.</p> <p>NO Nye ulltepper røyter naturlig. Rist eller børst for å fjerne overflateskitt. Fjern tørre flekker umiddelbart ved å skrape forsiktig mot midten av flekkene. Sug opp våte flekker med et tørkepapir, fukt med en klut og bruk et mildt og fargeløst vaskemiddel. Ikke gni.</p> <p>SE Nya ullmattor faller naturligt. Skaka eller borsta för att ta bort yttlig smuts. Avlägsna torra fläckar omedelbart genom att skrapa försiktigt mot fläckarnas mitt. Rikta fäddar ska absorberas med hushållspapper, fukta med en trasa och använd ett mildt och färglöst tvättmedel. Gnugga inte.</p> <p>FI Uusista villamatoista irtosa luonnostaan kukkaa. Ravistele tai harjaa irtottaaksesi pintaalika. Poista kuivat tahrat välittömästi raaputtamalla varovasti kohti tahran keskikohtaa. Anna märkien tahrojen imeytyä talouspaperiin, kostuta tahra pyyhkeellä ja käytä mietoä väritöntä pesuainetta. Älä hankaa.</p> <p>PL Nowe dywany welanie ulegają naturalnemu mechaczeniu. Brud z powierzchni należy strząsać lub czyścić szczotką. Suche plamy należy natychmiast usuwać, ostrożnie zeskrobując je w kierunku ich środka. Mokre plamy należy wchłoniąć ręcznikami papierowymi, następnie zwinąć szmatką oraz użyć łagodnego i bezbarwnego detergentu. Nie trąć.</p> <p>CZ Nové vlíné koberce přirozeně pouští vlánu. Špinu na povrchu sklepte nebo vykartáčujte. Skvrny je nutno odstranit okamžitě jemným seškrabováním směrem ke středu skvrn. Mokré skvrny vysušte papírovými utěrkami, navlhčete je hadříkem a použijte jemný a bezbarvý čistící prostředek. Nedrhněte.</p> <p>HU Az új gyapjúszőnyeg természetes módon hullatja a szálait. A felcsúzi szennyeződések eltávolítása érdekében dörzsölje azokat a szálakat fokozatosan a középső felé a folt közepére fele irányuló óvatos kaparással. A nedves foltokat itassa fel papírtörölvél, majd bemelegített kendő és kímélő, színtelen tisztítószert segítségével távolítsa el. A dörzsöléstől tartózkodjon.</p> <p>NL Nieuwe wollen vloerdekens verliezen van nature enige pluizen. Schudden of borstelen om vuil te verwijderen. Droog vlekken die onmiddellijk moeten worden verwijderd door voorzichtig naar het midden van de vlekken te schrapen. Neem natte plekken op met keukenpapier en maak ze vochtig met een doek en een mild en kleurloos wasmiddel. Niet wrijven.</p> <p>SK Nové vlíné koberce prirodzene púšťajú vlákna. Zatraste alebo očistite pre odstránenie povrchových nečistôt. Suché škvrny okamžite odstráňte opatrným poškrabávaním smerom do stredu škvrny. Mokré škvrny nechajte nasiaknuť do papierových uterákov a potom na ne handričkou naneste jemný a bezfarebný čistiaci prostriedok. Nedrhňte ich.</p> <p>FR Les nouveaux tapis en laine peluchent naturellement. Secouer ou brosser pour enlever la saleté en surface. Les taches sèches doivent être immédiatement éliminées en grattant soigneusement vers le centre des taches. Absorbez les taches humides avec des serviettes en papier, humidifiez avec un chiffon et utilisez un détergent doux et incolore. Ne frottez pas.</p> <p>SI Nove volnene preproge se naravno puščajo odvečna vlakna. Za odstranjevanje površinskih umazanij stesite ali skrajšajte. Suhe madeže je treba takoj odstraniti. Posušite jih tako, da previdno porgate proti sredini madeže. Vlažne madeže vpijte s papirnatiimi brisačkami. Navlažite krpico in uporabite blag in brezbarven detergent. Ne drgnite.</p> <p>HR Novi vuneni tepisi se prirodno linjaju. Protresti ili ličikati površinsku nečistoću. Suhe mrlje treba odmah ukloniti pažljivim struganjem prema sredini mrlji. Vlažne mrlje treba posušiti papirnatim ručnicima i navlažiti krpom uz upotrebu blagog i bezbojnog deterdženta. Nemojte trljati.</p>	<p>IT I tappeti nuovi in lana generano lanugine. Sbattere o passare una spazzola per rimuovere la polvere in superficie. Le macchie secche devono essere eliminate immediatamente raschiando con cura verso il centro delle stesse. Le macchie umide devono essere assorbite con carta assorbente, inumidite con un panno e un detergente delicato e incolore. Non strofinare.</p> <p>ES Las nuevas alfombras de lana desprenden fibras de forma natural. Agitar o cepillar para eliminar la suciedad de la superficie. Las manchas secas deben eliminarse inmediatamente rascando con cuidado hacia el centro de las manchas. Humedezca las manchas que desee absorber con toallitas de papel, humedézcalas con un paño y utilice un detergente suave e incoloro. No se debe frotar.</p> <p>BA Novi vuneni tepisi se prirodno linjaju. Protresanjem ili ličikanjem ukloniti površinsku prljavštinu. Suhe mrlje treba odmah ukloniti pažljivim struganjem prema sredini mrlji. Vlažne mrlje treba posušiti papirnatim ručnicima i navlažiti krpom uz upotrebu blagog i bezbojnog deterdženta. Nemojte trljati.</p> <p>RS Nove vunene prostirke se prirodno otiru. Protresanjem ili ličikanjem ukloniti površinsku prljavštinu. Suve mrlje treba odmah ukloniti pažljivim struganjem prema sredini mrlji. Vlažne mrlje treba posušiti papirnim ubrusom, pa navlažiti krpom i koristiti blagi i bezbojni deterdžent. Nemojte trljati.</p> <p>UA Нові вовняні килими осипаються природним чином. Потріть руками або щіткою, щоб видалити забруднення. Видаляйте плями негайно обережними зіскоблюваннями руками в напрямку центру плям. Вологі плями слід осушити паперовими рушниками і очистити ганчіркою, змоченою в м'якому безбарвному мильному засобі. Не терти.</p> <p>RO Noile covoare din lână se potrivească natural în orice decor. Scuturați sau periați pentru a înlătura murdăria de suprafață. Curățați petele uscate imediat, freclând cu grijă spre centrul petelor. Curățați petele umede absorbind umezeala cu prosopare de hârtie, umeziți cu o lavetă și folosiți un detergent delicat și incolor. Nu frecăți.</p> <p>BG При новите вълнени килими има естествено отделяне на власинки. Изпудряйте или използвайте четка, за отстраняване на повърхностно замърсяване. Сушите петна трябва да се отстраняват незабавно чрез внимателно остърпване към средата на петната. Мокрите петна трябва се абсорбират с хартиени кърпи, навлажняват се с кърпа и се използва мек и безцветен почистващ препарат. Не търкайте.</p> <p>GR Τα καινούρια παλινάκια υαλύνονται φυσικά. Να τινάξετε ή να βουρτσάρετε τη επιφάνεια για την απομάκρυνση λυγών. Πιάστε να καθαρίσετε ομοιόμορφα τους λεκέδες από προς το κέντρο. Τα υγρά λεκέδες να απορροφηθούν με χαρτί, να υγρανθεί με ένα πανό και να χρησιμοποιηθεί ήπιος και χρωστικός καθαριστικός. Μην τρίβετε.</p> <p>PT Os tapetes de lá novos largam pelo naturalmente. Agitar ou escovar para remover a sujidade da superfície. As nódoas secas devem ser removidas imediatamente, esfregando, cuidadosamente, na direção do centro das nódoas. As nódoas líquidas devem ser absorvidas com toalhas de papel. Depois, passe um pano húmido com um detergente neutro e incolor. Não esfregue.</p> <p>RU Для новых шерстяных ковров характерно сбрасывать шерсть. Для удаления грязи вытряхните или почистите щеткой. В случае образования сухих пятен, немедленно вытрите их, аккуратно двигаясь к середине пятна. Мокрые пятна промокните бумажными полотенцами и смочите тряпкой, используя мягкое бесцветное моющее средство. Не трите.</p> <p>TR Yeni yün halılar doğal olarak dökülür. Arka yüzeydeki kiri temizlemek için şilekileyin veya fırçalayın. Kuru lekeler, lekelerin ortasına doğru dikkatlice kazınarak hemen giderilmelidir. Islak yerler kagit harili ile emilir, bir bezle nemlendirilir ve yumuşak, renksiz deterjan kullanilir. Ovalamayin.</p> <p>CN 材料造成或天然清除表面灰尘。出毯干汚漬后应立即去除。从污渍外围向中心部位小心刮除。如果是湿污渍，应用纸巾吸水，再用抹布润湿，其间可使用温和无色的清洁剂。请勿擦拭。</p> <p>AR السجاد الجديد من الصوف تفقد شعراؤها بشكل طبيعي. اهزأها أو نظفها بالفرشاة لإزالة الأوساخ السطحية. يجب إزالة البقع الجافة على الفور عن طريق خدشها بحرص نحو وسط البقع. يجب امتصاص البقع الرطبة باستخدام مناشف ورقية. ثم تبليلها بقطعة قماش واستخدم مسحوق غسيل خفيف وحال من الألياف. لا تفرك.</p>
--	---

Figure 1 - Example of care instruction label text

14.5 Packaging of *small rugs* (Width ≤ 80 cm)

Small rugs must be rolled in the agreed direction with the front-side facing out.

If agreed with [CAM](#), the rug must be rolled around a cardboard tube to stiffen the sales unit.

The rolled rug must be fixed with a string in each end of the roll. The string must be approved by [CAM](#).

A 10x10 cm *clamp for rug* according to [JYSK 6201](#) must be pinned to the rolled rug with two tag-pins.

The tag-pins must not permanently damage the rug.

Note: The backside of the clamp for rug may be adapted to a longer size if necessary.



Example of rolled small rug and clamp

Small rugs must be packed as handling units in cardboard boxes in accordance with [2.6](#).

14.6 Packaging of large rugs (Width >80 cm)

Large rugs must be rolled in the agreed direction with the front-side facing out.

The *rug* must have a sticker according to [JYSK 6201](#) pasted on the back of the product.

The *rug label* on the rug must be easily locatable on the rolled rug by just flipping the corner.

Large rugs must include the user-guide made available as [JYSK 10132](#). The guide must be printed on a size A5 paper in suitable quality and be readable. The ink must not rub off on the product. The guide must be placed flat (not folded) together with the product on the inside and must not be visible when the product is rolled.

The rolled rug must be fixed with 20 ± 3 cm plastic wrapping strips placed 20 ± 3 cm from each end of the roll.

An additional *rug label* (identical to the one pasted directly on the rug) must be placed on top of the film.

Each rolled rug must be packed as handling unit in a separate plastic bag.

The ends of the plastic bag must be 'taped in' to avoid loose plastic on the roll.

Each handling unit must contain *handling unit labelling* according to [JYSK 6101](#) outside of the bag on one side.

Unit loads of large rugs must comply with *unit load stability requirements* of [JYSK 6001](#).



Example of a unit load of large rugs

14.7 Source tagging of large carpets, rugs and hides

Large carpets, rugs and hides must be marked with a source tag in accordance with [JYSK 6003](#).

Note: Exact source tag placement enables easy deactivation in the store while being invisible to customers.

Placement of source tag	Recommended label
Recommended or according to agreement with CAM : <ul style="list-style-type: none"> The source tag must be located under the rug label pasted directly on the rug. 	50x50 mm

Table 23 – Source tagging

14.8 Stores shelf dimensions

When filling out PIFs for rugs, please note whether the rug should be standing up or lying down.


14.8.1 Small rugs

Rugs that are smaller than 65 cm are spaced lying down.

Rugs larger than 65 cm are spaced standing up.

14.8.2 Large rugs

Large rugs are always spaced lying down.



Example of rug measurements

15 Doormats



Examples of doormats

15.1 Intended use

Doormats must have a specified *intended use*:

- Indoor
- Indoor & outdoor

Doormats specified as *indoor* must include the symbol [JYSK 10148](#) on the packaging in accordance to agreement with [CAM](#).

Doormats specified as *indoor & outdoor* must include the symbol [JYSK 10149](#) on the packaging in accordance to agreement with [CAM](#).

15.2 Packaging of doormats

Packaging of Doormats must be according to agreement with [CAM](#).

Door mats must be packed as handling units in cardboard boxes in accordance with [2.6](#).