


Excretion - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025



Good evening
↓
available?
↓
Ready

Excretory products and their elimination



BIOLOGYLIVE

All Type of Questions Covered:

1. NCERT Based Statement ✓
2. Numerical Based ✓
3. Graph Based ✓
4. AR BAsed ✓
5. PYQs Included ✓
6. Match the collumn Based ✓

Live this I'm Giving 190+ Live Test For Physics and Chemistry...!!

*
Physics Schedule: https://docs.google.com/spreadsheets/d/1nt_vs1nne0JnltVS1FTQdThUA-51yEQGwEsmaOoxl3w/edit?usp=sharing

Chemistry Schedule: <https://docs.google.com/spreadsheets/d/1CPmBx3HfGHK00xE-o3nWz6XyC8U71RBZq85MxBrE8rA/edit?usp=sharing>

Total Test: 190 Live Test

Physics Test: 101 Test

Chemistry Test: 95 Test

Price: Just 499Rs and 190 Live Test


Start Date: 1st Feb 2025

Buy NCERT Nichod Physics and chemistry Live Test: https://unacademy.com/goal/neet-ug/YOTUH/subscribe/KP26IA4RZG?referral_code=BIOLOGYLIVE1

After You Buy Share Invoice on email anmolsharma12385@gmail.com ✓

We will add you in premium group their you get PDF of Every test After Session...!!

* Pullani MBP:-



Title: Excretory Products and Their Elimination

1. Which of the following is a correct match?

(1) PCT- Brush bordered columnar epithelium

✓ (2) PCT- Brush bordered cuboidal epithelium ✓

(3) GFR- 125 mL/min ✗

(4) Renal vein - more urea



Title: Excretory Products and Their Elimination

2. Characteristic shared by urea, uric acid and ammonia are :-

- i. They are nitrogenous wastes. ✓
- ii. They need small amount of water for excretion X
- iii. They are equally toxic X
- iv. They are secreted in kidney alone X

(1) i, iii

(2) i, iv

(3) i, iii, iv

✓(4) i only



Title: Excretory Products and Their Elimination

3. Uricotelic mode of passing out nitrogenous waste is found in

(1) Birds and annelids

(2) Amphibians and reptiles

(3) Insects and amphibians

✓ (4) Reptiles and birds → uric acid → pellet

2029



Title: Excretory Products and Their Elimination

4. Select the total number of excretory organs found in various animals from the following options: Protonephridia, nephridia, Hepatic Ceacae, Malpighian tubules, green glands, kidney, Yellow body, fat body, urecose glands.

Handwritten annotations: Red circles with numbers 1 through 7 are placed above the following terms: Protonephridia (1), nephridia (2), Hepatic Ceacae (3), Malpighian (4), green glands (5), kidney (6), and urecose glands (7). Red 'X' marks are placed above 'Hepatic Ceacae' and 'Yellow body'.

(1) 4

(2) 5

(3) 6

✓ (4) 7



Title: Excretory Products and Their Elimination

5. Indication of diabetes mellitus is/are

- (1) The presence of glucose in urine ✓
- (2) The presence of ketone bodies in urine ✓
- (3) The presence of amino acid in urine
- (4) ✓ 1 and 2



Title: Excretory Products and Their Elimination

6. Vasa recta are minute vessel of peritubular capillaries network, which is

(1) Also known as juxtaglomerular apparatus

✓ (2) Running parallel to loop of Henle

(3) Running parallel to PCT


(4) Running parallel to DCT



Title: Excretory Products and Their Elimination

7. A fall in glomerular filtration rate activates:

- (1) Juxtaglomerular cells to release renin
- (2) Adrenal cortex to release aldosterone
- (3) Adrenal medulla to release adrenaline
- (4) Posterior pituitary to release vasopressin -



Title: Excretory Products and Their Elimination

8. Substances like glucose, amino acids, Na⁺, etc., in the filtrate are reabsorbed actively whereas the nitrogenous wastes are absorbed by Pass transport?

(1) passively, passively

✓ (2) actively, passively

(3) passively, actively

(4) actively, actively



Title: Excretory Products and Their Elimination

9. Glomerulus along with Bowman's capsule is called :-

(1) Renal corpuscle ✓

(2) Malpighian tubule

(3) Malpighian body ✓

✓ (4) 1 and 3

2025



Title: Excretory Products and Their Elimination

10. Statement A : Ammonia produced by metabolism is converted into uric acid in the liver of these animals and released into the blood which is filtered and excreted out by the kidneys. ^{uric}

Statement B : Some amount of ammonia may be retained in the kidney matrix of some of these animals to maintain a desired osmolarity. ^{uric}

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- ☒ (4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

11. Which of the following organisms is/are :-

1. ammonotelic

2. uricotelic

3. ureotelic

(A) Land snails

(B) Bony fishes

(C) Mammals - urea

(1) 1-C, 2-A, 3- B

(2) 1-A, 2-B, 3- C

✓ (3) 1-B, 2-A, 3- C


(4) Both 1 and 2



Title: Excretory Products and Their Elimination

12. Identify correctly labeled parts in the following diagram?

- (1) A- Ureter, B- Urinary bladder, C- Urethra, D- Kidney
- ✓ (2) A-Kidney, B-Ureter, C-Urinary bladder, D-Urethra
- (3) A- Urinary bladder, B- Ureter, C- Kidney, D- Urethra
- (4) A- Urethra, B- Kidney, C- Urinary bladder, D- Ureter



Title: Excretory Products and Their Elimination

13. If loop of Henle were absent from mammalian nephrons, which of the following is to be expected?

(1) There will be no urine formation

✓(2) The urine will be more dilute✓

(3) There will be hardly any change in quality and quantity of urine formed

(4) The urine will be more concentrated



Title: Excretory Products and Their Elimination

14. Match the columns I and II and choose the correct option.

V.V.V. Imp

Column I		Column II	
A	PCT	P	Long duct extends from cortex of kidneys to inner medulla
B	Henle's loop	Q	Maintain sodium - potassium balance in blood
C	DCT	R	Maintain <u>pH</u> and <u>ionic balance</u> of body fluids
D	Collecting duct	S	Plays significant role in maintenance of high osmolarity of medullary interstitial fluid

(1) A-R, B-P, C-S, D-Q

✓ (2) A-R, B-S, C-Q, D-P

(3) A-Q, B-P, C-S, D-R

(4) A-R, B-P, C-Q, D-S



Title: Excretory Products and Their Elimination

15. ✓ Assertion : Protonephridia or Flame cells in flatworms help in osmoregulation.

✓ Reason : These serve as excretory organs ~~cells~~

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

✓ (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect



Title: Excretory Products and Their Elimination

16. Assertion : Hilum is a part of human excretory system.

Reason : It is helpful in collection of urine. $\rightarrow$ U.B $\times$

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

☒ (3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect



Title: Excretory Products and Their Elimination

2075
17. The number of Bowman's capsules in a kidney is equal to the :- LOH

- ✓ (1) Number of loop of Henle
- (2) Sum of Bowman's capsules and glomeruli
- (3) Double the number of nephrons
- (4) Sum of PCT and DCT



Title: Excretory Products and Their Elimination

18. DCT helps in :-

- (1) Conditional reabsorption of Na⁺ and water
- (2) Selective secretion of H⁺ and K⁺ and HCO₃⁻ reabsorption
- (3) pH maintenance
- (4) ☒ All are correct



Title: Excretory Products and Their Elimination

19. The following substances are the excretory products in animals. Choose the least toxic form among them?

(1) Urea

✓ (2) Uric acid

(3) Ammonia

(4) Carbon dioxide



Title: Excretory Products and Their Elimination

20. In some of the nephrons, the loop of Henle is very long and runs deep into the medulla

(1) Peritubular nephrons

(2) Medullary nephrons

☒ (3) Juxta-medullary nephrons

(4) Cortical nephrons



Title: Excretory Products and Their Elimination

21 From the medullary interstitium, urea diffuses into

2025

(1) Medullary collecting ducts

(2) The thick segment of ascending limb of loop of Henle

✓ (3) The thin segment of ascending limb of loop of Henle

(4) Ascending limb of vasa recta



Title: Excretory Products and Their Elimination

22. Statement A : Many bony fishes, aquatic amphibians and aquatic insects are ammonotelic in nature. ✓


Statement B : Ammonia, as it is not readily soluble, is generally excreted by diffusion across body surfaces or through gill surfaces as ammonium ions. ✗

- ✓ (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

23. Which is the correct order for the path taken by urine after it leaves the kidney?




(1) 1, 2, 3

(2) 3, 2, 1

✓ (3) 2, 3, 1

(4) 2, 1, 3



Title: Excretory Products and Their Elimination

24. NaCl is returned to interstitium by :-

202 S

- (1) Ascending limb of Henle's loop
- (2) Descending limb of Henle's loop
- ☒ (3) Ascending limb of vasa recta
- (4) Descending limb of vasa recta



Title: Excretory Products and Their Elimination

25. Reabsorption is minimum in which part of nephron?

(1) PCT

(2) DCT

(3) Collecting duct

✓ (4) Ascending limbs of Henle's loop



Title: Excretory Products and Their Elimination

26. What happens in micturition reflex?

- (1) Contraction of striated muscles of bladder ✗
- (2) Contraction of the urethral sphincter ✗
- ✓ (3) Release of urine
- (4) All of them



Title: Excretory Products and Their Elimination

27. Choose the mismatched part of nephron with its function.

(1) Counter current-Vasa recta and loop of Henle

(2) PCT-Reabsorption of Na^+ and K^+

☒ (3) DCT-Reabsorption of glucose ✗

(4) Loop of Henle-Urine concentration



28. Counter-current mechanism helps to maintain a concentration gradient.

(4) Easy passage of water from medulla to collecting tubule and there by concentrating urine



Title: Excretory Products and Their Elimination

v.v. Imp

29. Which of the following does not favour the formation of large quantities of dilute urine?

(1) Alcohol $\rightarrow$ X

(2) Caffeine

☒ (3) Renin

(4) Atrial- natriuretic factor $\rightarrow$ vasodilation



Title: Excretory Products and Their Elimination

30. ^y Statement A : The renal tubule begins with a double walled cup-like structure called glomerulus, which encloses the Bowman's capsule. ^{glom.} ~~X~~

^x Statement B : Glomerulus along with Bowman's capsule is called renal tubule. ^{corpus} ~~X~~ ^{or}

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

☒ (4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

31. Statement A : Angiotensin II activates the adrenal cortex to release Aldosterone.

Statement B : Aldosterone causes reabsorption of sodium ion and water from the distal parts of the tubule.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

✓ (3) Both statements are correct.

(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

32. Match the columns I and II and choose the correct option.

Column I

A Ammonotelic animals

B Ureotelic animals

C Uricotelic animals

Column II

P Mammals, marine fishes

Q Reptiles, birds

R Aquatic amphibians, aquatic insects

(1) A-P, B-R, C-Q

✓ (3) A-R, B-P, C-Q

(2) A-Q, B-P, C-R

(4) A-P, B-Q, C-R



Title: Excretory Products and Their Elimination

33. Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?

(1) Uremia and Renal Calculi

✓ (2) Ketonuria and Glycosuria

(3) Renal calculi and Hyperglycaemia

(4) Uremia and Ketonuria



Title: Excretory Products and Their Elimination

34. ✓ Statement A : Inner to the hilum is a broad funnel shaped space called the renal pelvis with projections called calyces.

✗ Statement B : The outer layer of kidney is a tough capsule. Inside the kidney, there are two zones, an outer ^{cortex} medulla and an inner ^{medulla} cortex.

- ✓ (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

35. Which segment helps in the pH maintenance of body fluid?

(1) PCT

(2) DCT

(3) Collecting duct

(4) All



Title: Excretory Products and Their Elimination

36. Which one of the following enables the mammalian kidney to regulate water reabsorption during states of dehydration?

- (1) The cells of the tubules detect the osmotic pressure of the blood.
- (2) Water is extracted from the glomerular filtrate in the proximal tubules.
- (3) The kidney produces a hypotonic urine.
- (4) ✓ ADH increase the permeability of the DCT and collecting ducts to water.



Title: Excretory Products and Their Elimination

37. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Kidneys	P	Broad funnel shaped space
B	Renal pelvis	Q	Notch present towards the centre of the inner concave surface of the kidney
C	Hilum	R	Situated <u>between</u> the levels of <u>last thoracic</u> and <u>third lumbar vertebrae</u>
D	Columns of bertini	S	Present between medullary pyramids

(1) A-P, B-R, C-Q, D-P

✓ (2) A-R, B-P, C-Q, D-S

(3) A-S, B-Q, C-R, D-P

(4) A-R, B-Q, C-P, D-S



Title: Excretory Products and Their Elimination

38. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Cortical nephrons	P	Loop of Henle is very long
B	Juxta medullary nephrons	Q	U-shaped vessel runs parallel to loop of Henle
C	Peritubular capillaries	R	Loop of Henle too short
D	Vasa recta	S	Efferent arteriole emerging from the glomerulus

(1) A-P, B-Q, C-R, D-S

(2) A-P, B-R, C-S, D-Q

✓ (3) A-R, B-P, C-S, D-Q

(4) A-Q, B-R, C-S, D-P



Title: Excretory Products and Their Elimination

39. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Protonephridia	P	Insects
B	Malpighian tubules	Q	Crustaceans
C	Nephridia	R	Annelids
D	Antennary glands	S	<u>Flatworms</u>

- (1) A – R, B – P, C – S, D – Q
☒ (2) A – S, B – P, C – R, D – Q
(3) A – S, B – Q, C – R, D – P
(4) A – S, B – P, C – Q, D – R



Title: Excretory Products and Their Elimination

40. Match the columns I and II and choose the correct option.

Column I		Column II	
A	PCT	P	Conditional reabsorption of Na^+
B	Ascending limb of Henle's loop	Q	Reabsorption of water only
C	Descending limb of Henle's loop	R	Reabsorption of salts only
D	DCT	S	Reabsorption of ions, water and organic nutrients

(1) A-Q, B-P, C-S, D-R

(2) A-Q, B-P, C-R, D-S

(3) A-P, B-S, C-Q, D-R

✓ (4) A-S, B-R, C-Q, D-P



Title: Excretory Products and Their Elimination

41. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Reabsorption of glucose, Na ⁺ , amino acids	P	Passively in the initial segments of nephron
B	Reabsorption of nitrogenous wastes	Q	Active transport
C	Reabsorption of water	R	Passive transport

- ☒ (1) A-Q, B-R, C-P
(2) A-P, B-R, C-Q
(3) A-R, B-Q, C-P
(4) A-R, B-P, C-Q



Title: Excretory Products and Their Elimination

42. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Glomerulus	P	Highly coiled network
B	Bowman's capsule	Q	Glomerulus along with Bowman's capsule
C	Malpighian body	R	Double walled cup-like Structure
D	PCT	S	Tuft of capillaries formed by the afferent arteriole

(1) A-P, B-S, C-Q, D-R

(2) A-Q, B-P, C-R, D-S

(3) A-P, B-S, C-R, D-Q

(4) A-S, B-R, C-Q, D-P



Title: Excretory Products and Their Elimination

43. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Counter current mechanism	P	Nearly four times concentrated than the initial filtrate formed
B	Kidneys can produce urine	Q	Henle's loop and vasa recta
C	Concentration gradient	R	Mainly caused by NaCl and urea

- ☒ (1) A-Q, B-P, C-R
(2) A-R, B-Q, C-P
(3) A-Q, B-R, C-P
(4) A-P, B-Q, C-R



Title: Excretory Products and Their Elimination

44. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Delivers blood to the kidney	P	Proximal convoluted tubule
B	Carries urine to pelvis	Q	Ascending and descending limb
C	Collects nitrogenous waste from Bowman's capsule	R	Collecting duct
D	Loop of Henle	S	Renal artery

- ✓ (1) A-S, B-R, C-P, D-Q
(2) A-P, B-S, C-Q, D-R
(3) A-Q, B-S, C-P, D-R
(4) A-S, B-Q, C-P, D-R



Title: Excretory Products and Their Elimination

45. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Bowman's capsule	P	Renal artery
B	Contains more CO_2 and less urea	Q	Regulates amount of water excreted
C	Anti-diuretic hormone	R	Renal vein
D	Contains more urea	S	Glomerulus

(1) A-P, B-R, C-Q, D-S

(2) A-Q, B-P, C-R, D-S

(3) A-Q, B-R, C-S, D-P

(4) A-S, B-R, C-Q, D-P



Title: Excretory Products and Their Elimination

46. Match the terms given in Column I with their physiological processes given in Column II and choose the correct answer 2025

Column I		Column II	
A	Proximal convoluted	1	Formation of tubule concentrated urine
B	Distal convoluted	2	Filtration of blood tubule
C	Henle's loop	3	Reabsorption of 70-80% of electrolytes
D	Counter current	4	Ionic balance mechanism
E	Renal corpuscle	5	Maintenance of concentration gradient in medulla

(1) A – 3, B – 5, C – 4, D – 2, E – 1

☒ (2) A – 3, B – 4, C – 1, D – 5, E – 2

(3) A – 1, B – 3, C – 2, D – 5, E – 4

(4) A – 3, B – 1, C – 4, D – 5, E – 2



Title: Excretory Products and Their Elimination

47. Match the items in column I with those in column II.

Column I		Column II	
A	Nephritis	P	Diabetes mellitus
B	Uremia	Q	Renal calculi
C	Oxalate crystals	R	Dialysis
D	Ketone bodies	S	Glomerulus

(1) A – R, B – S, C – Q, D – P

✓ (2) A – S, B – R, C – Q, D – P

(3) A – Q, B – P, C – S, D – R

(4) A – P, B – Q, C – R, D – S



Title: Excretory Products and Their Elimination

48. Different types of excretory structures and animals are given below. Match them appropriately and mark the correct answer from among those given:

Column I		Column II	
A	Protonephridia	P	Prawn
B	Nephridia	Q	Cockroach
C	Malphigian tubules	R	Earthworm
D	Green gland or Antennal gland	S	Flatworms

2025

- ✓ (1) D-P, C-Q, B-R, A-S
(2) B-P, D-Q, A-R, C-S
(3) D-P, C-Q, A-R, B-S
(4) B-P, C-Q, A-R, D-S



Title: Excretory Products and Their Elimination

49. Match the columns I and II and choose the correct option.

Column I		Column II	
A	A fall in GFR can activate	P	180 L/ per day
B	Volume of filtrate formed	Q	Renal tubules
C	Amount of urine released	R	JG cells to release renin
D	Tubular reabsorption	S	1.5 L

(1) A-S, B-Q, C-R, D-P

(2) A-S, B-P, C-Q, D-R

☒ (3) A-R, B-P, C-S, D-Q

(4) A-P, B-Q, C-R, D-S



Title: Excretory Products and Their Elimination

50. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Osmoreceptors	P	Releases vasopressin
B	Hypothalamus	Q	Activates adrenal cortex to release Aldosterone
C	Juxtaglomerular cells	R	Activated by <u>changes in blood volume</u> and <u>ionic concentration</u>
D	Angiotensin-II	S	Release renin

(1) A-R, B-P, C-Q, D-S

(2) A-Q, B-P, C-R, D-S

☒ (3) A-R, B-P, C-S, D-Q

(4) A-Q, B-R, C-P, D-S



Title: Excretory Products and Their Elimination

51. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Podocytes	P	125 ml/min
B	GFR	Q	1100-1200 ml/min
C	Blood filtered by kidneys per minute	R	Special sensitive region formed by cellular modifications in DCT and afferent arteriole
D	Juxta Glomerular apparatus	S	Form filtration slits

- (1) A-Q, B-R, C-P, D-S
- (2) A-P, B-Q, C-R, D-S
- (3) A-R, B-S, C-Q, D-P
- (4) A-S, B-P, C-Q, D-R




Title: Excretory Products and Their Elimination

52. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Stretch receptors	P	Micturition
B	CNS passes motor messages	Q	Light yellow colour, pH= 6
C	Release of urine	R	Present on the wall of urinary bladder
D	Urine	S	To initiate contraction of smooth muscles of the bladder

- (1) A-P, B-R, C-Q, D-S
- (2) A-Q, B-P, C-R, D-S
- (3) A-R, B-P, C-S, D-Q
- ☒ (4) A-R, B-S, C-P, D-Q




Title: Excretory Products and Their Elimination

53. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Lungs	P	Watery fluid containing NaCl, urea
B	Liver	Q	Remove large amounts of CO ₂
C	Sweat gland	R	Eliminate sterols, hydrocarbons and waxes through sebum
D	Sebaceous gland	S	Secrete bilirubin and biliverdin

2025

- ✓ (1) A-Q, B-S, C-P, D-R
(2) A-Q, B-S, C-R, D-P
(3) A-S, B-Q, C-P, D-R
(4) A-P, B-R, C-S, D-Q



Title: Excretory Products and Their Elimination

54. Match the items given in Column I with those in Column II and select the correct option given below:

Column I		Column II	
A	Glycosuria	1	Accumulation of uric acid in joints
B	Gout	2	Mass of crystalized salts within the kidney
C	Renal calculi	3	Inflammation in glomeruli
D	Glomerulonephritis	4	Presence of glucose in urine

(1) A-2, B-3, C-1, D-4

(2) A-1, B-2, C-3, D-4

(3) A-3, B-2, C-4, D-1

✓ (4) A-4, B-1, C-2, D-3




Title: Excretory Products and Their Elimination

55. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Micturition	P	Slightly acidic and has characteristic odour
B	Indicator of diabetic mellitus	Q	25-30 gm per day
C	Amount of urea excreted	R	Glycosuria and ketonuria
D	Urine	S	Release of urine

- (1) A-S, B-R, C-Q, D-P
(2) A-Q, B-P, C-R, D-S
(3) A-Q, B-R, C-S, D-P
(4) A-P, B-R, C-Q, D-S



Title: Excretory Products and Their Elimination

56. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Atria of heart	P	Release renin
B	Adrenal cortex	Q	Release ANF
C	JG cells of kidney	R	Release aldosteron

(1) A-P, B-Q, C-R

(2) A-Q, B-P, C-R

~~(3) A-Q, B-R, C-P~~

(4) A-R, B-Q, C-P



Title: Excretory Products and Their Elimination

57. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Uremia	P	Insoluble mass of crystallized salts of oxalates
B	Renal calculi	Q	Accumulation of urea in blood
C	Glomerulo-nephritis	R	Inflammation of glomeruli of kidney

- (1) A-Q, B-R, C-P
☒ (2) A-Q, B-P, C-R
(3) A-R, B-Q, C-P
(4) A-P, B-R, C-Q



Title: Excretory Products and Their Elimination

58. Match the items given in Column I with those in Column II and select the correct option given below:

Column I		Column II	
A	Ultrafiltration	1	Henle's loop
B	Concentration of urine	2	Ureter
C	Transport of urine	3	Urinary bladder
D	Storage of urine	4	Malpighian corpuscle
		5	Proximal convoluted tubule

- (1) A-5, B-4, C-1, D-2
✓ (2) A-4, B-1, C-2, D-3
(3) A-4, B-5, C-2, D-3
(4) A-5, B-4, C-1, D-3



Title: Excretory Products and Their Elimination

59. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Ultra filtration	P	Henle's Loop
B	Concentration of urine	Q	Urinary bladder
C	Transport of urine	R	Ureter
D	Storage of urine	S	Malpighian body

(1) A-P, B-R, C-Q, D-S

(2) A-Q, B-P, C-R, D-S

(3) A-Q, B-R, C-S, D-P

☒ (4) A-S, B-P, C-R, D-Q



Title: Excretory Products and Their Elimination

60. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Aldosterone	P	Cause vasodilation of blood vessels
B	Anti-diuretic hormone	Q	Causes reabsorption of Na^+ and water from DCT
C	Renin	R	Prevent diuresis
D	Atrial Natriuretic Factor	S	Converts Angiotensinogen to Angiotensin-I

- (1) A-R, B-S, C-Q, D-P
☒ (2) A-Q, B-R, C-S, D-P
(3) A-P, B-R, C-S, D-Q
(4) A-Q, B-P, C-S, D-R



Title: Excretory Products and Their Elimination

61. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Malpighian corpuscle, PCT and DCT	P	Dips into the medulla
B	Loop of Henle	Q	Situated in cortical region
C	Collecting duct	R	U-shaped vessel
D	Vasa recta	S	Open into the renal pelvis

- (1) A-P, B-Q, C-S, D-R
- ✓ (2) A-Q, B-P, C-S, D-R
- (3) A-S, B-R, C-Q, D-P
- (4) A-S, B-R, C-P, D-Q



Title: Excretory Products and Their Elimination

62. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Cortex	P	1200 mOsmolL ⁻¹
B	Outer medulla	Q	600 mOsmolL ⁻¹
C	Inner medulla	R	300 mOsmolL ⁻¹

(1) A-R, B-P, C-Q

(2) A-P, B-Q, C-R

✓ (3) A-R, B-Q, C-P

(4) A-P, B-R, C-Q



Title: Excretory Products and Their Elimination


63. The given diagram is of nephron. Which part is called as Malpighian body in nephron?

(1) B + A

(2) A + D

(3) C + D

✓ (4) B + C



Title: Excretory Products and Their Elimination


64. The given diagram shows the reabsorption and secretion process of urine formation. 70 – 80% of electrolytes and water are reabsorbed by which segments?

(1) A- DCT

✓(2) A-PCT

(3) B- Henle's loop

(4) C- DCT



Title: Excretory Products and Their Elimination


65. Given diagram showing nephron structure. Identify the labeled (A-D) parts?

✓ (1) A-Afferent arteriole, B-Glomerulus, C-Bowman's capsule, D-Efferent arteriole

(2) A- Glomerulus, B- Bowman's capsule, C- Efferent arteriole, D- Afferent arteriole

(3) A- Bowman's capsule, B- Glomerulus, C- Afferent arteriole, D- Efferent arteriole

(4) A-Efferent arteriole, B-Afferent arteriole, C Glomerulus, D- Bowman's capsule



Title: Excretory Products and Their Elimination

66. The given diagram shows the reabsorption and secretion process of urine formation. Which molecules are actively reabsorbed in tubular segments?




- (1) Nitrogenous wastes
- (2) Water
- ☒ (3) Glucose, amino acids, Na^+
- (4) Both 1 and 3



Title: Excretory Products and Their Elimination

67. Identify the given diagram in the question?

- (1) ~~Nitrogenous wastes~~ *Renal cup?*
- (2) ~~Water~~ *Glum*
- (3) ~~Glucose, amino acids, Na⁺~~ *Malp body*
- (4) ☒ Both 1 and 3



Title: Excretory Products and Their Elimination


68. The given diagram is of renal corpuscle. Name the labeled parts A-D?

(1) A-Afferent arteriole, B-Bowman's capsule, C-Efferent arteriole, D-PCT

(2) A-Bowman's capsule, B-PCT, C-Afferent arteriole, D-Efferent arteriole

(3) A- Efferent arteriole, B-Bowman's capsule, C- PCT, D-Afferent arteriole


(4) A-PCT, B-Afferent arteriole, C-Efferent arteriole, D-Bowman's capsule



Title: Excretory Products and Their Elimination

69. The given figure shows the longitudinal section of kidney with few structures labelled as I, II, III & IV identify renal vein in the given figure.

- (1) I
- ☒ (2) II
- (3) III
- (4) IV



Title: Excretory Products and Their Elimination

70. Carefully observe the given figure and select the correct option?

I. In humans, the excretory system consists of a pair of kidneys, a pair of ureter, a urinary bladder and a urethra. ✓

II. Kidneys are reddish brown, bean shaped structures between the levels of last thoracic and third lumbar vertebra close to the dorsal inner wall of the abdominal cavity. ✓

III. The pineal gland is located on the head of kidney. ✗

IV. Each kidney has nearly one million complex tubular structures called neurons. ✗

(1) I, III, IV only

(2) I, II, III only

✓ (3) I, II only



(4) All are correct



Title: Excretory Products and Their Elimination

71. The diagram is showing mechanism of concentration of filtrate. Identify A and B in the diagram?

- (1) A- Vasa recta, B- cortex
- (2) A- Nephron, B- Vasa recta
- (3) A-Cortex, B- Medulla
- (4) A- Vasa recta, B- Nephron



Title: Excretory Products and Their Elimination

72. The nephron shown in the picture given below is a


(1) Cortical nephron because the loop of Henle is very short

→ long Loh

✓ (2) Juxtamedullary nephron because vasa recta are well developed

(3) Cortical nephron because vasa recta are poorly developed

(4) Juxtamedullary nephron because Malpighian corpuscle is present



Title: Excretory Products and Their Elimination

73. Given diagram is longitudinal section of kidney.


Identify the labeled (A-D) parts?

(1) A-Cortex, B-Renal capsule, C-Renal column, D Medullary pyramids

(2) A-Renal column, B-Medullary pyramids, C- Renal capsule, D- Cortex

(3) A-Medullary pyramids, B-Renal column, C- Cortex, D Renal capsule

(4) A-Renal capsule, B-Cortex, C-Medullary pyramids, D Renal column



Title: Excretory Products and Their Elimination

74. Assertion: Haemodialysis is used to clean the excretory products generated from the blood.

Reason : Dialysing fluid has same composition as that of plasma except nitrogenous wastes.

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- ✓ (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect



Title: Excretory Products and Their Elimination

75. Assertion : Conditional reabsorption of Na^+ and water takes place in distal convoluted tubule (DCT).

Reason : The DCT allows passive absorption of Na^+ and active absorption of Cl^- along with water.

Passively

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- ✓ (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect



Title: Excretory Products and Their Elimination

76. Assertion: Diabetes insipidus is marked by excessive urination and too much thirst of water.

Reason : Anti-diuretic hormone (ADH) is secreted by the posterior lobe of pituitary gland.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

✓ (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect



Title: Excretory Products and Their Elimination

77. Assertion : The stretch receptors on the wall of urinary bladder ~~do not~~ signal the CNS when the urinary bladder fills with urine. ✗

Reason : Micturition is a ["]~~in~~ ["] voluntary process. ✗

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

☒ (4) Both Assertion and Reason are incorrect



Title: Excretory Products and Their Elimination

78. Statement A : Reptiles, birds, land snails and insects excrete nitrogenous wastes as uric acid in the form of pellet or paste with a minimum loss of water and uricotelic animals.

Statement B : Kidneys play important role in excretion of ammonium ions.

- ☒ (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

79. Statement A : Sweat produced by the sweat glands is a watery fluid containing NaCl, small amounts of ^{urea} uric acid, lactic acid. X

Statement B : Sebaceous glands eliminate certain substances like sterols, hydrocarbons and waxes through sebum. ✓

(1) Statement A is correct but Statement B is incorrect.

✓(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

80. Statement A : Nephridia are the tubular excretory structures of earthworms and other annelids.

Statement B : Nephridia help to remove nitrogenous wastes and do not maintain fluid and ionic balance.

- ☒ (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.




Title: Excretory Products and Their Elimination

81. Statement A : Malfunctioning of kidneys can lead to accumulation of urea in blood, a condition called uremia. ✓

Statement B : Haemodialysis is a process in which urea can be removed from the ^{Blood} kidney of uremia patients. ✗

- ✓ (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

82. Statement A : The flow of filtrate in the two limbs of Henle's loop is in opposite directions and thus forms a counter current.

Statement B : The proximity between the Henle's loop and vasa recta, as well as the counter current in them help in maintaining an increasing osmolarity towards the inner medullary interstitium.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

☒ (3) Both statements are correct.

(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

83. Statement A : An increase in blood flow to the atria of the heart can cause the release of Atrial Natriuretic Factor (ANF).

Statement B : ANF can cause vasodilation and thereby decrease the blood pressure.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

☒ (3) Both statements are correct.

(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

84. Statement A : Glomerulus is a tuft of capillaries formed by the ~~efferent~~ afferent arteriole- a fine branch of renal artery. ✗

Statement B : Blood from the glomerulus is carried away by an efferent arteriole. ✓✓

(1) Statement A is correct but Statement B is incorrect.

✓ (2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

85. Statement A : An adult human excretes on average 2-2.5 litres of urine per day. ✗

✓ Statement B : The urine formed is a light yellow coloured watery fluid which is slightly acidic and has a characteristic odour.

(1) Statement A is correct but Statement B is incorrect.

✓ (2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

86. Statement A : Animals accumulate ammonia, urea, uric acid, carbon dioxide, water and ions like Na⁺, K⁺, Cl⁻ , phosphate, sulphate etc either by metabolic activities or by other means like excess ingestion.

Statement B : Ammonia, urea and uric acid are the major forms of nitrogenous wastes excreted by the animals.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

☒ (3) Both statements are correct.

(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

87. Statement A : The renal tubule continues further to form a highly coiled network - proximal convoluted tubule (PCT)

Statement B : A hairpin shaped Henle's loop is the next part of the renal tubule which has a descending and an ascending limb.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

☒ (3) Both statements are correct. ✓


(4) Both Statements are incorrect.



Title: Excretory Products and Their Elimination

88. Which of the following segment allows the passage of small amount of urea into medullary interstitium to keep up the osmolarity?

- ✓(1) Collecting duct
- (2) DCT
- (3) Loop of henle
- (4) All are correct



Title: Excretory Products and Their Elimination


89. Henle's loop of nephron plays a significant role in maintaining a high osmolarity in

(1) Interstitial fluid of hilum

☒ (2) Medullary interstitial fluid

(3) Cortex interstitial fluid

(4) All of the above



Title: Excretory Products and Their Elimination

90. The characteristic that is shared by urea, uric acid and ammonia is/are:

- A. They are nitrogenous wastes ✓
- B. They all need very large amount of , water for excretion
- C. They are all equally toxic
- D. They are produced in the kidneys

(1) A and D

(2) A, C and D

✓ (3) A only

(4) A and C



Title: Excretory Products and Their Elimination

91. The projections of renal pelvis are called

(1) hilus

✓ (2) calyces

(3) medullary pyramids

(4) renal columns



Title: Excretory Products and Their Elimination

92. Select the correct matching.

(1) PCT → Proximal Conducting Tube

(2) GFR → Glomerular Filtration Ratio

✓ (3) DCT → Distal Convoluted Tubule

(4) JGA → Juxtaglomerular Action



Title: Excretory Products and Their Elimination

93. Atrial natriuretic factor (ANF) is released in response to the increase in blood volume and blood pressure.

Which of the followings is not the function of ANF?

- ☒ (1) It stimulates aldosterone secretion. **X**
- (2) It causes vasodilation
- (3) It decreases blood pressure
- (4) It acts as a counter check on reninangiotensinaldosterone system



Title: Excretory Products and Their Elimination

unacademy
2025
94. Which one of the following is not a part of a renal pyramid?

- (1) Loops of Henle
- (2) Vasa recta
- ✓ (3) Convolutud tubules
- (4) Collecting ducts



Title: Excretory Products and Their Elimination

95. In annelids like earthworm, excretory organs are

- (1) Kidneys
- (2) Malpighian tubules
- (3) Green glands
- (4) Nephridia



Title: Excretory Products and Their Elimination

96. Which of the following statement is not correct with respect to human kidney?

- (1) The peripheral region is called cortex and central region is medulla.
- (2) Malpighian capsules are present in the cortex region.
- ✓ (3) Blood enters glomerulus through ^{afferent}~~efferent~~ arterioles.
- (4) The concave part of kidney is called hilus^m



Title: Excretory Products and Their Elimination

97. Nitrogenous waste is eliminated through

- (1) Kidney
- (2) Sweat gland
- (3) Saliva
- (4) All of these

✓



Title: Excretory Products and Their Elimination

98. ANF mechanism checks on

- (1) Oxytocin-renin mechanism
- (2) Counter-current mechanisms
- ✓ (3) Renin-angiotensin mechanism
- (4) Oxytocin-angiotensin mechanism



Title: Excretory Products and Their Elimination

99. Presence of glucose and ketone bodies in urine is called

- ✓ (1) Glycosuria and ketonuria ↗
- (2) Glucosuria and ketonuria
- (3) Glycosuria and ketonemia
- (4) Diabetes and ketonuria



Title: Excretory Products and Their Elimination

100. Angiotensin-II increases the glomerular blood pressure and GFR as it is a/an

(1) Osmoregulator

(2) Vasodilator

✓ (3) Vasoconstrictor

(4) None of there




unacademy
THANK YOU



BIOLOGYLIVE

locomotion
8 PM



Thank You