CJK Symbols and Punctuation

Range: 3000-303F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard. Version 9.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See http://www.unicode.org/charts/PDF/Unicode-9.0/ for charts showing only the characters added in Unicode 9.0. See http://www.unicode.org/Public/9.0.0/charts/ for a complete archived file of character code charts for Unicode 9.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 9.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 9.0, online at http://www.unicode.org/versions/Unicode9.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2016 Unicode, Inc. All rights reserved.

	300	301	302	303
0	3000	3010	3020	~~ 3030
1	3001	3011	3021	3031
2	O 3002	3012	3022	3032
3	// 3003	3013	3023	3033
4	3004	3014	3024	3034
5	ヤ)	б	\
6	3005	3015	3025	3035
7	3006	3016	3026	XX
8	3007	3017	3027	3037
9	3008	3018	3028 5	3038
Α	3009	3019	3029	3039
В	300A	301A	302A	303A \
С	300B	301B	302B	303B
D	300C	301C	302C	303C
E	300D	301D	302D • ○	303D [≆]
F	300E	301E	302E	303E
	300F	301F	302F	303F

CJK symbols and punctuation		3013	=	GETA MARK		
3000 B IDEOGRAPHIC SPACE				• substitute for ideograph not in font		
		→ 0020 sp space			• editorial convention to represent ideographic	
		≈ <wide> 0020 [sp]</wide>			lacuna	
3001	`	IDEOGRAPHIC COMMA			→ 25A1 ☐ white square	
		• in Chinese, delimits items in a list or series	CJK b	rack	ets	
		\rightarrow 002C, comma	3014	(LEFT TORTOISE SHELL BRACKET	
2000		→ FFOC , fullwidth comma	3015)_	RIGHT TORTOISE SHELL BRACKET	
3002	0	IDEOGRAPHIC FULL STOP	3016	[LEFT WHITE LENTICULAR BRACKET	
3003	//	→ 002E . full stop DITTO MARK	3017]	RIGHT WHITE LENTICULAR BRACKET	
3003		→ 2033 " double prime	3018	L	LEFT WHITE TORTOISE SHELL BRACKET	
3004	(F)	JAPANESE INDUSTRIAL STANDARD SYMBOL			→ 27EC (mathematical left white tortoise shell bracket	
	ヤ	IDEOGRAPHIC ITERATION MARK	3019	1	RIGHT WHITE TORTOISE SHELL BRACKET	
		→ 16FE0 3 tangut iteration mark		,	→ 27ED) mathematical right white tortoise	
3006	ø	IDEOGRAPHIC CLOSING MARK			shell bracket	
3007	\bigcirc	IDEOGRAPHIC NUMBER ZERO	301A	\mathbb{I}	LEFT WHITE SQUARE BRACKET	
		→ 20DD combining enclosing circle			= left abstract syntax bracket	
		→ 25CB O white circle			→ 27E6 [mathematical left white square bracket	
		→ 25EF Olarge circle	301B	1	RIGHT WHITE SQUARE BRACKET	
CJK an	gle	brackets	3010	Ш	= right abstract syntax bracket	
3008	<	LEFT ANGLE BRACKET			→ 27E7 mathematical right white square	
		→ 003C < less-than sign			bracket	
		→ 2039 < single left-pointing angle quotation	CJK s	ymb	ols and punctuation	
		mark	301C	~	WAVE DASH	
		→ 2329 〈 left-pointing angle bracket → 27E8 〈 mathematical left angle bracket			This character was encoded to match JIS C 6226-	
3009	>	RIGHT ANGLE BRACKET			1978 1-33 "wave dash".	
0000	/	\rightarrow 003E > greater-than sign			→ 2053 ~ swung dash	
		→ 203A > single right-pointing angle quotation			→ 3030 ~ wavy dash	
		mark	301D	"	→ FF5E ~ fullwidth tilde	
		→ 232A 〉 right-pointing angle bracket	3010		• sometimes depicted as double prime	
	,,	→ 27E9 〉 mathematical right angle bracket			quotation mark	
300A	«	LEFT DOUBLE ANGLE BRACKET			→ 201C " left double quotation mark	
		→ 00AB « left-pointing double angle quotation mark			→ 2036 " reversed double prime	
		→ 27EA 《 mathematical left double angle	301E	"	DOUBLE PRIME QUOTATION MARK	
		bracket			• this is a mistaken analogue to 201D ";	
300B	»	RIGHT DOUBLE ANGLE BRACKET			301F " is preferred	
		→ 00BB » right-pointing double angle			→ 201D" right double quotation mark	
		quotation mark	301F		→ 2033 " double prime LOW DOUBLE PRIME QUOTATION MARK	
		→ 27EB » mathematical right double angle bracket	3011	″	• may be depicted as low inverse double prime	
4 117					quotation mark	
		r brackets	3020	™	POSTAL MARK FACE	
		rner brackets, which function as quotation marks,	Suzh	ou ni	umerals	
		ommended for general-purpose corner brackets. ling and floor characters, instead.	The Suzhou numerals (Chinese su1zhou1ma3zi) are special			
300C	_	LEFT CORNER BRACKET	numeric forms used by traders to display the prices of goods.			
3000	1	→ 2308 [left ceiling			"HANGZHÓU" in the names is a misnomer."	
300D		RIGHT CORNER BRACKET	3021		HANGZHOU NUMERAL ONE	
****	_	• used as quotation marks	3022	[]	HANGZHOU NUMERAL TWO	
		→ 230B right floor	3023	[1]	HANGZHOU NUMERAL THREE	
300E		LEFT WHITE CORNER BRACKET	3024	人	HANGZHOU NUMERAL FOUR	
300F]	RIGHT WHITE CORNER BRACKET	3025	ర	HANGZHOU NUMERAL FIVE	
		 used as quotation marks 	3026	<u> </u>	HANGZHOU NUMERAL SIX	
CJK brackets		3027	当	HANGZHOU NUMERAL SEVEN		
3010		LEFT BLACK LENTICULAR BRACKET	3028 3029	タ	HANGZHOU NUMERAL EIGHT HANGZHOU NUMERAL NINE	
3011]	RIGHT BLACK LENTICULAR BRACKET		-	HANGEHOU NUMERAL MINE	
CIK symbols Dia				Diacritics		
		POSTAL MARK	302A	়	IDEOGRAPHIC LEVEL TONE MARK	
5512	1	→ 1F3E3 japanese post office	302B	ఄ	IDEOGRAPHIC RISING TONE MARK	
			302C	ೆ	IDEOGRAPHIC DEPARTING TONE MARK	

- Other CJK symbols
- 3030 ~ WAVY DASH → 2307 \{ wavy line → 301C ~ wave dash ~ 3030 FE0E text style ~ 3030 FE0F emoji style
- 3031 VERTICAL KANA REPEAT MARK
- - the preceding two semantic characters are preferred to the following three glyphic forms
- 3033 / VERTICAL KANA REPEAT MARK UPPER HALF 3034 / VERTICAL KANA REPEAT WITH VOICED SOUND
 - MARK UPPER HALF
 the preceding two are glyphs used in conjunction with the following glyph
- 3035 \ VERTICAL KANA REPEAT MARK LOWER HALF
- 3037 XX IDEOGRAPHIC TELEGRAPH LINE FEED SEPARATOR SYMBOL

Additional Suzhou numerals

Other CJK punctuation

- 303B ₹ VERTICAL IDEOGRAPHIC ITERATION MARK
- 303C ☑ MASU MARK
 - informal abbreviation for Japanese -masu ending
 - → 29C4 🛛 squared rising diagonal slash
- 303D \(^\) PART ALTERNATION MARK
 - marks the start of a song part in Japanese
 - ~ 303D FE0E text style
 - \sim 303D FE0F emoji style

Special CJK indicators

These are visibly displayed graphic characters, not invisible format control characters.

- 303E F IDEOGRAPHIC VARIATION INDICATOR
 - visual indicator that the following ideograph is to be taken as a variant of the intended character
- 303F 🛛 IDEOGRAPHIC HALF FILL SPACE
 - visual indicator of a screen space for half of an ideograph