# **CJK Symbols and Punctuation**

Range: 3000-303F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 11.0* 

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See http://www.unicode.org/charts/PDF/Unicode-11.0/ for charts showing only the characters added in Unicode 11.0.

See http://www.unicode.org/Public/11.0.0/charts/ for a complete archived file of character code charts for Unicode 11.0.

## Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 11.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 11.0, online at http://www.unicode.org/versions/Unicode11.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

### **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

# **Terms of Use**

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2018 Unicode, Inc. All rights reserved.

	300	301	302	303
0	I D SP			}
	3000	3010	3020	3030
1				
•	3001	3011	3021	3031
		=	11	\mathrew
2	0	3012	2000	<b>'</b>
3	3002	3012	3022	3032
	//			/
	3003	3013	3023	3033
4	(7)		人	/ >
4	3004	3014	3024	3034
	ヤ	\ \	41	$  \setminus  $
5		2015	2025	3035
	3005	3015	3025	
6	×			✐
	3006	3016	3026	3036
7			1	XX
'	3007	3017	3027	3037
	/		11	+
8	\		_	2020
	3008	3018	3028	8808
9		╽	タ	
	3009	3019	3029	3039
Δ	<b>/</b>		्	
А	300A	301A	o <sup></sup>	303A
	"	П		_
В	//	Ш	্	\$
	300B	301B	302B	303B
С		$\sim$	ి	
	300C	301C	302C	303C
D		"	্	$\sim$
	300D	301D	302D	303D
E	F	//		
		''	•	<b>[</b> ≆]
	300E	301E	302E	303E
		<i>,,</i>	<b>:</b> )	
	300F	301F	302F	303F

CJK symbols and punctuation C.					CJK symbols			
3000	ID SP	IDEOGRAPHIC SPACE	3012	$\mp$	POSTAL MARK			
		→ 0020 sp space			→ 20B8 <b>T</b> tenge sign			
		$\approx$ <wide> 0020 [sp]</wide>			$\rightarrow$ 2AE7 $\mp$ short down tack with overbar			
3001	`	IDEOGRAPHIC COMMA			→ 1F3E3 🗐 japanese post office			
		• in Chinese, delimits items in a list or series	3013		GETA MARK			
		$\rightarrow$ 002C, comma			<ul> <li>substitute for ideograph not in font</li> </ul>			
		$\rightarrow$ FF0C , fullwidth comma			<ul> <li>editorial convention to represent ideographic</li> </ul>			
		→ FF64 、halfwidth ideographic comma			lacuna			
3002	0	IDEOGRAPHIC FULL STOP			$\rightarrow$ 25A1 $\square$ white square			
		→ 002E . full stop	CJK brackets					
0000		→ FF61 。 halfwidth ideographic full stop	3014	(	LEFT TORTOISE SHELL BRACKET			
3003	″	DITTO MARK	3015	)	RIGHT TORTOISE SHELL BRACKET			
2004	CV.	→ 2033 " double prime	3016		LEFT WHITE LENTICULAR BRACKET			
	(F)	JAPANESE INDUSTRIAL STANDARD SYMBOL	3017		RIGHT WHITE LENTICULAR BRACKET			
3005	ヤ	IDEOGRAPHIC ITERATION MARK	3018	[	LEFT WHITE TORTOISE SHELL BRACKET			
		→ 206A4 ♥			→ 27EC ( mathematical left white tortoise shell			
3006	ď	→ 16FE0 3 tangut iteration mark  IDEOGRAPHIC CLOSING MARK		'n	bracket			
3000	,	→ 4E44 ×	3019	J	RIGHT WHITE TORTOISE SHELL BRACKET			
3007	$\bigcirc$	IDEOGRAPHIC NUMBER ZERO			→ 27ED) mathematical right white tortoise shell			
3007	$\cup$	→ 20DD ② combining enclosing circle	301A	П	bracket			
		→ 25CB O white circle	30 IA	L	LEFT WHITE SQUARE BRACKET = left abstract syntax bracket			
		→ 25EF  large circle			→ 27E6 ¶ mathematical left white square			
C 11/		<del>-</del>			bracket			
	gie	brackets	301B	1	RIGHT WHITE SQUARE BRACKET			
3008	(	LEFT ANGLE BRACKET		_	= right abstract syntax bracket			
		→ 003C < less-than sign			→ 27E7 ] mathematical right white square			
		→ 2039 < single left-pointing angle quotation mark			bracket			
		→ 2329 〈 left-pointing angle bracket	CJK p	unct	uation			
		→ 27E8 ⟨ mathematical left angle bracket	301C	$\sim$	WAVE DASH			
3009	$\rangle$	RIGHT ANGLE BRACKET			This character was encoded to match JIS C 6226-			
0000	,	→ 003E > greater-than sign			1978 1-33 "wave dash".			
		→ 203A> single right-pointing angle quotation			→ 2053 ~ swung dash			
		mark			→ 3030 ~ wavy dash			
		→ 232A〉 right-pointing angle bracket			→ FF5E ∼ fullwidth tilde			
		→ 27E9 〉 mathematical right angle bracket	301D	"	REVERSED DOUBLE PRIME QUOTATION MARK			
300A	«	LEFT DOUBLE ANGLE BRACKET			• sometimes depicted as double prime			
		→ 00AB « left-pointing double angle quotation			quotation mark → 201C" left double quotation mark			
		mark			→ 2036 " reversed double prime			
		→ 27EA 《 mathematical left double angle	301E	"	DOUBLE PRIME QUOTATION MARK			
300B	>>	bracket RIGHT DOUBLE ANGLE BRACKET	30 IL		• this is a mistaken analogue to 201D"; 301F "			
3000	//	→ 00BB » right-pointing double angle quotation			is preferred			
		mark			→ 201D" right double quotation mark			
		→ 27EB » mathematical right double angle			→ 2033 " double prime			
		brackét	301F	"	LOW DOUBLE PRIME QUOTATION MARK			
CJK co	rne	r brackets			• may be depicted as low inverse double prime			
		rner brackets, which function as quotation marks,			quotation mark			
are not recommended for general-purpose corner brackets.				ymb	ol			
			3020	₫	POSTAL MARK FACE			
	Γ	_	Suzh		umerals			
		→ 2308 [ left ceiling						
300D		RIGHT CORNER BRACKET			numerals (Chinese su1zhou1ma3zi) are special rms used by traders to display the prices of goods.			
		→ 230B   right floor			'HANGZHOU" in the names is a misnomer.			
300E		LEFT WHITE CORNER BRACKET	3021	10 30	HANGZHOU NUMERAL ONE			
300F	]	RIGHT WHITE CORNER BRACKET	3021		HANGZHOU NUMERAL ONE HANGZHOU NUMERAL TWO			
CJK br	ack	ets	3022	 	HANGZHOU NUMERAL TWO HANGZHOU NUMERAL THREE			
3010	_	LEFT BLACK LENTICULAR BRACKET	3023	メ	HANGZHOU NUMERAL FOUR			
	1	RIGHT BLACK LENTICULAR BRACKET	3025	У У	HANGZHOU NUMERAL FIVE			
3011	4	NIGITI DLACK LENTICULAR DRACKET	3025	ㅗ	HANGZHOU NUMERAL FIVE			
			0020		I WINDELLOO INDIVIDINAL DIA			

3027 = HANGZHOU NUMERAL SEVEN

3028	士	HANGZHOU NUMERAL EIGHT				
3029	タ	HANGZHOU NUMERAL NINE				
Combining tone marks						
302A	়	IDEOGRAPHIC LEVEL TONE MARK				
302B	ి	IDEOGRAPHIC RISING TONE MARK				
302C	ರೆ	IDEOGRAPHIC DEPARTING TONE MARK				
302D	o,	IDEOGRAPHIC ENTERING TONE MARK				
302E	•0	HANGUL SINGLE DOT TONE MARK				
		= single dot Bangjeom				
302F	:0	HANGUL DOUBLE DOT TONE MARK  = double dot Bangjeom				
		3,				
Other CJK punctuation						
3030	~~	WAVY DASH				
		→ 2307 \ wavy line				
		→ 301C ~ wave dash				
Kana repeat marks						
These characters are only used in vertical writing of Ja						
3031	<	VERTICAL KANA REPEAT MARK				
	2-3					

#### 303F **IDEOGRAPHIC HALF FILL SPACE**

• visual indicator of a screen space for half of an ideograph

g of Japanese.

- 3032 < VERTICAL KANA REPEAT WITH VOICED SOUND MARK
  - implemented as glyphs that are two-em tall
- 3033 VERTICAL KANA REPEAT MARK UPPER HALF
- 3034 VERTICAL KANA REPEAT WITH VOICED SOUND MARK UPPER HALF
  - implemented as glyphs that are one-em tall and that combine with the following character to form ligated two-em glyphs for the complete repeat marks
- 3035 \ VERTICAL KANA REPEAT MARK LOWER HALF

# Other CJK symbols

- 3036 © CIRCLED POSTAL MARK
  - = symbol for type b electronics
  - not used as a postal mark ≈ 3012 ⊤ postal mark
- XX IDEOGRAPHIC TELEGRAPH LINE FEED 3037 SEPARATOR SYMBOL

### **Additional Suzhou numerals**

- + HANGZHOU NUMERAL TEN
  - ≈ 5341 十
- 3039 # HANGZHOU NUMERAL TWENTY
  - ≈ 5344 #
- 303A 卅 HANGZHOU NUMERAL THIRTY
  - ≈ 5345 卅

# Other CJK punctuation

- 303B ∀ERTICAL IDEOGRAPHIC ITERATION MARK
- 303C  $\square$ MASU MARK
  - informal abbreviation for Japanese -masu ending
  - → 29C4 🛛 squared rising diagonal slash
- ↑ PART ALTERNATION MARK
  - marks the start of a song part in Japanese

# **Special CJK indicators**

These are visibly displayed graphic characters, not invisible format control characters.

303E FIDEOGRAPHIC VARIATION INDICATOR

• visual indicator that the following ideograph is to be taken as a variant of the intended character