

## CS433P Programming Paradigm Lab

DATE: 10-02-2023

EXPERIMENT NO 3

REGISTER NO: 2162014

### **BANK**

#### **AIM:**

Create an interface called “Bank” and declare a method to get customer details: customer name, customer id , number of years, and customer balance. Three classes: Axes, ICIC, and SBI, should be derived from Bank. The customer details and interest rate should be overridden in the third class. The interest rate for Axes is 5%, ICIC is 7%, and SBI is 8%.

Display the Menu:

1. AXES
2. ICIC
3. SBI

According to the selection, the total amount after a number of years should be calculated for the given balance\_amount, and all the details should be displayed as follows:

CUSTOMER NAME	ID	NO OF YEARS	BALANCE	BANK	RATE OF INTEREST	TOTAL AMOUNT
AAAA	111	5	5000	AXIS	5%	5500

#### **PROGRAM:**

```
/**
 *
 * @author 2162014
 */
import java.util.Scanner;

interface Bank {

    void get_details();
}

class Axes implements Bank {

    String Cname;
    int Cid, nay;
    double balance, tbalance, roi;
    String ROI;

    @Override
    public void get_details() {
        Scanner sc = new Scanner(System.in);
        System.out.println("ENTER CUSTOMER NAME: ");
        Cname = sc.nextLine();
        System.out.println("ENTER CID: ");
        Cid = sc.nextInt();
        System.out.println("ENTER NUMBER OF YEARS: ");
        nay = sc.nextInt();
        System.out.println("ENTER CURRENT BALANCE: ");
        balance = sc.nextDouble();
```

## CS433P Programming Paradigm Lab

**DATE:** 10-02-2023

**EXPERIMENT NO** 3

**REGISTER NO:** 2162014

```
        roi = 5;
        ROI = "5%";
        tbalance = balance + ((roi * balance * nay) / 100);
    }

    void show_details() {
        System.out.println("CUSTOMER NAME \t\t ID \t\t NO. OF YEARS \t\t BALANCE \t\t
BANK \t\t RATE OF INTEREST \t\t TOTAL AMOUNT");
        System.out.println(Cname + "\t\t\t" + Cid + "\t\t\t" + nay + "\t\t\t" + balance + "\t\t\t" +
"AXES" + "\t\t\t" + ROI + "\t\t\t" + tbalance);
    }
}

class SBI implements Bank {

    String Cname;
    int Cid, nay;
    double balance, tbalance, roi;
    String ROI;

    @Override
    public void get_details() {
        Scanner sc = new Scanner(System.in);
        System.out.println("ENTER CUSTOMER NAME: ");
        Cname = sc.nextLine();
        System.out.println("ENTER CID: ");
        Cid = sc.nextInt();
        System.out.println("ENTER NUMBER OF YEARS: ");
        nay = sc.nextInt();
        System.out.println("ENTER CURRENT BALANCE: ");
        balance = sc.nextDouble();
        roi = 8;
        ROI = "8%";
        tbalance = balance + ((roi * balance * nay) / 100);
    }

    void show_details() {
        System.out.println("CUSTOMER NAME \t\t ID \t\t NO. OF YEARS \t\t BALANCE \t\t
BANK \t\t RATE OF INTEREST \t\t TOTAL AMOUNT");
        System.out.println(Cname + "\t\t\t" + Cid + "\t\t\t" + nay + "\t\t\t" + balance + "\t\t\t" +
"SBI" + "\t\t\t" + ROI + "\t\t\t" + tbalance);
    }
}

class ICIC implements Bank {
```

## CS433P Programming Paradigm Lab

DATE: 10-02-2023

EXPERIMENT NO 3

REGISTER NO: 2162014

```
String Cname;  
int Cid, nay;  
double balance, tbalance, roi;  
String ROI;
```

```
@Override
```

```
public void get_details() {  
    Scanner sc = new Scanner(System.in);  
    System.out.println("ENTER CUSTOMER NAME: ");  
    Cname = sc.nextLine();  
    System.out.println("ENTER CID: ");  
    Cid = sc.nextInt();  
    System.out.println("ENTER NUMBER OF YEARS: ");  
    nay = sc.nextInt();  
    System.out.println("ENTER CURRENT BALANCE: ");  
    balance = sc.nextDouble();  
    roi = 7;  
    ROI = "7%";  
    tbalance = balance + ((roi * balance * nay) / 100);  
}
```

```
void show_details() {  
    System.out.println("CUSTOMER NAME \t\t ID \t\t NO. OF YEARS \t\t BALANCE \t\t  
BANK \t\t RATE OF INTEREST \t\t TOTAL AMOUNT");  
    System.out.println(Cname + "\t\t\t" + Cid + "\t\t\t" + nay + "\t\t\t" + balance + "\t\t\t" +  
"ICIC" + "\t\t\t" + ROI + "\t\t\t" + tbalance);  
}  
}
```

```
public class interBank {  
  
    public static void main(String[] args) {  
        int ch;  
        Scanner sc = new Scanner(System.in);  
        System.out.println("1. AXES");  
        System.out.println("2. ICIC");  
        System.out.println("3. SBI");  
        ch = sc.nextInt();  
        switch (ch) {  
            case 1 -> {  
                Axes a = new Axes();  
                a.get_details();  
                a.show_details();  
            }  
        }  
    }  
}
```

## CS433P Programming Paradigm Lab

DATE: 10-02-2023

EXPERIMENT NO 3

REGISTER NO: 2162014

```
        case 2 -> {
            ICIC i = new ICIC();
            i.get_details();
            i.show_details();
        }
        case 3 -> {
            SBI s = new SBI();
            s.get_details();
            s.show_details();
        }
        default -> System.out.println("Invalid choice!");
    }
}
}
```

### RESULTS:

```
C:\Users\2162014\00P\exp3\src\main\java>java interBank
1. AXES
2. ICIC
3. SBI
1
ENTER CUSTOMER NAME:
ASHVATH
ENTER CID:
454
ENTER NUMBER OF YEARS:
5
ENTER CURRENT BALANCE:
600
CUSTOMER NAME    ID    NO. OF YEARS    BALANCE    BANK    RATE OF INTEREST    TOTAL AMOUNT
ASHVATH          454          5          600.0     AXES          5%          750.0

C:\Users\2162014\00P\exp3\src\main\java>java interBank
1. AXES
2. ICIC
3. SBI
2
ENTER CUSTOMER NAME:
BARATH
ENTER CID:
655
ENTER NUMBER OF YEARS:
4
ENTER CURRENT BALANCE:
5000
CUSTOMER NAME    ID    NO. OF YEARS    BALANCE    BANK    RATE OF INTEREST    TOTAL AMOUNT
BARATH           655          4          5000.0     ICIC          7%          6400.0

C:\Users\2162014\00P\exp3\src\main\java>java interBank
1. AXES
2. ICIC
3. SBI
3
ENTER CUSTOMER NAME:
ASHVATH
ENTER CID:
665
ENTER NUMBER OF YEARS:
9
ENTER CURRENT BALANCE:
2100
CUSTOMER NAME    ID    NO. OF YEARS    BALANCE    BANK    RATE OF INTEREST    TOTAL AMOUNT
ASHVATH          665          9          2100.0     SBI           8%          3612.0
```