# Fira Sans Four Italic

Carrois' Technical Documentation



#### Copyright © 2015 by Carrois Type Design

No part of this publication may be reproduced, stored in a retrieval system, or transmittet, in any form or by any means, electronic, mecanical, photocopying, recording or otherwise, without the prior written consent of the publisher.

This publication and the information herein is furnished AS IS, is subject to change without notice, and should not be constured as a commitment by Carrois Type Design. Carrois Type Design assumes no resposibility for any errors or inaccuracies, makes no warranty of any kind (express, implied or statutory) with respect to this publication, and expressly disclaims any and all warranties of merchantability, fitness for particular purposes and noninfringement of third party rights. Brand or product names, used in this publication, are the trademarks or registered trademarks of their respective holders.

For questions and comments please contact:

Carrois Type Design GbR Simplonstr. 54 10245 Berlin Germany Tel.: +49 (30) 920 389 66

e-Mail: post@carrois.com Internet: <u>www.carrois.com</u>

Document generated 2015/03/31-12:49:46 with e-font PDF Generator

# Table of Content

Encoded Characters	5
Basic Latin	5
Latin-1 Supplement	5
Latin Extended-A	6
Latin Extended-B	6
IPA Extensions	7
Spacing Modifier Letters	8
Combining Diacritical Marks	8
Greek and Coptic	8
Cyrillic	9
Cyrillic Supplement	10
Phonetic Extensions	10
Phonetic Extensions Supplement	10
Combining Diacritical Marks Supplement	10
Latin Extended Additional	11
Greek Extended	11
General Punctuation	12
Superscripts and Subscripts	13
Currency Symbols	13
Letterlike Symbols	13
Number Forms	13
Arrows	13
Mathematical Operators	13
Miscellaneous Technical	14
Geometric Shapes	14
Dingbats	14
Miscellaneous Symbols and Arrows	14
Latin Extended-C	14
Latin Extended-D	14 14
	14
unassigned Block Private Use Area	
	15
Alphabetic Presentation Forms	15
Arabic Presentation Forms-B	15
Unencoded Glyphs	16
Small Capitals From Capitals	16
Small Capitals From Capitals, Contextual Alternates, Small Capitals	16
Small Capitals From Capitals, Small Capitals	16
Contextual Alternates, Stylistic Set 3	18
Case-Sensitive Forms	19
Discretionary Ligatures	19
Denominators 5	19
Denominators, Fractions	19
Fractions, Numerators	19
Localized Forms	19
Numerators	20
Old Style Figures, Proportional Figures	20
Old Style Figures, Tabular Figures	20
Stylistic Alternates, Stylistic Set 1	20
Small Capitals	20
Stylistic Set 2	21
Tabular Figures	21
Slashed Zero	21
Other	21
OpenType Layout Features	22

#### Fira Sans Four Italic

Substitution Features	22
Positioning Features	24
Codepages	25
MacOS	25
MS Windows	25
ISO	25
Languages	26
Latin	26
Cyrillic	26
Greek	27

# **Encoded Characters**

All encoded characters should be accessible with every unicode capable application. For details about Unicode Blocks visist the <u>Unicode Website</u>.

### **Basic Latin**

### Block from 0000 to 007F

000D	0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D	002E
					%. %. %. /								,		
002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D	003E
	25		7	2 % 2 % 4 - 2		8.00 m			)   1	9					
003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E
2.5 2.	7.5 3.57		,	7 °							,				\
004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E
7 N 8 Z		7 X X Z		Š		No. of									\
005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D	006E
		2 (3)	2 °	2005 800	, ·	0						Ú.			
006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E
															× %

# Latin-1 Supplement

### Block from 0080 to 00FF

00A0	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	00AB	00AC	00AD	00AE	00AF
		2005 No. 1		5 37 2 8					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
00B0	00B1	00B2	00B3	00B4	00B5	00B6	00B7	00B8	00B9	00BA	00BB	00BC	00BD	00BE	00BF
**		1	: :: :		52	•					>>		Ž		
00C0	00C1	00C2	00C3	00C4	00C5	00C6	00C7	00C8	00C9	00CA	00CB	00CC	00CD	00CE	00CF
							Sq.								
00D0	00D1	00D2	00D3	00D4	00D5	00D6	00D7	00D8	00D9	00DA	00DB	00DC	00DD	00DE	00DF
00E0	00E1	00E2	00E3	00E4	00E5	00E6	00E7	00E8	00E9	00EA	00EB	00EC	00ED	00EE	00EF
	2 2 4 3	2 23		2. 2.	25 V 3	22	23 80		2) 5 :	2)	25			*	
00F0	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	00FA	00FB	00FC	00FD	00FE	00FF
		1.5		1. 5.	1.5			. 5.							
5 x		< 2	S 2	× /	S 2	S 2		× 2							

### Latin Extended-A

Diack	from	0100	+-	<b>∩17</b> Γ
Block	1110111	0.700	LU	OTL

0100	0101	0102	0103	0104	0105	0106	0107	0108	0109	010A	010B	010C	010D	010E	010F
	-				-	1		1	2.3	1	200	100			
						N	× .	N	8.1	N	× .	N	X		
0110	0111	0112	0113	0114	0115	0116	0117	0118	0119	011A	011B	011C	011D	011E	011F
×			2.8	8.0	25	•	2.8		7.8		2			211	
	x 2												. 7		4.7
0120	0121	0122	0123	0124	0125	0126	0127	0128	0129	012A	012B	012C	012D	012E	012F
												*			
			47												
0130	0131	0132	0133	0134	0135	0136	0137	0138	0139	013A	013B	013C	013D	013E	013F
•				**											
0140	0141	0142	0143	0144	0145	0146	0147		0149	014A	014B	014C	014D	0445	014F
0140	0141	0142	0143		0145		0147	0148	0149	014A	0146		0140	014E	
								100				7 N			
			1		. \		1			1		5, 2	< ×	S. 8	< /
0150	0151	0152	0153	0154	0155	0156	0157	0158	0159	015A	015B	015C	015D	015E	015F
2 %		100	1.8,80				,	* *				**			at .
. ,			100						,	15	1.50	3	· ~,	- XX	1.50
Sec. 2			5252				*			` ′			1 2	* 4	141
0160	0161	0162	0163	0164	0165	0166	0167	0168	0169	016A	016B	016C	016D	016E	016F
												* -			
× 5	1.54														
· /	1 2							N. 17		N. 17		N. 17		N. 4	
0170	0171	0172	0173	0174	0175	0176	0177	0178	0179	017A	017B	017C	017D	017E	017F
							~		7				1		
N. 1		N. 12													

### Latin Extended-B

### Block from 0180 to 024F

0180	0181	0182	0183	0184	0185	0186	0187	0188	0189	018A	018B	018C	018D	018E	018F
	27 A				•	1.8	1		- N	11/2	7 .	*			e 1
2				Ż	1.2		N 9	V	1	1		v	Nag.		$\propto Z$
0190	0191	0192	0193	0194	0195	0196	0197	0198	0199	019A	019B	019C	019D	019E	019F
2 × 2 × 2 × 2 × 2 × 2 × 2 × 2 × 2								V.					\		( )
01A0	01A1	01A2	01A3	01A4	01A5	01A6	01A7	01A8	01A9	01AA	01AB	01AC	01AD	01AE	01AF
2 1	. 5	2.303	1.5			-	10 K			*		× 1			
5, 2	× /	. 7	8.7		1.00		A A	21 5 2	1						Sec. 27
01B0	01B1	01B2	01B3	01B4	01B5	01B6	01B7	01B8	01B9	01BA	01BB	01BC	01BD	01BE	01BF
	75				1		1		\		2.5				
	S. 1						8.7	× ./	- 2 N					S	1
01C0	01C1	01C2	01C3	01C4	01C5	01C6	01C7	01C8	01C9	01CA	01CB	01CC	01CD	01CE	01CF
					27	À	,			$\lambda_{j}$	\ \ \			2 5.3	
01D0	01D1	01D2	01D3	01D4	01D5	01D6	01D7	01D8	01D9	01DA	01DB	01DC	01DD	01DE	01DF
	2.75			~				.:			λ.	Σ.			2
	. ,												4.1		

01E0	01E1	01E2	01E3	01E4	01E5	01E6	01E7	01E8	01E9	01EA	01EB	01EC	01ED	01EE	01EF
				2.5						2.35		2.3		7	C C
				S	- 2		4.7			50.00	×		5,7	, J	1
01F0	01F1	01F2	01F3	01F4	01F5	01F6	01F7	01F8	01F9	01FA	01FB	01FC	01FD	01FE	01FF
	~ /	- N /						*			7		1/2		+ 5
	2/	1/			3.7	J.		1					(1)	S. 7	× /
0200	0201	0202	0203	0204	0205	0206	0207	0208	0209	020A	020B	020C	020D	020E	020F
	2		2		25		23					2.75			1.5
												S. 2	< ×	50	< 2
0210	0211	0212	0213	0214	0215	0216	0217	0218	0219	021A	021B	021C	021D	021E	021F
		1. 12						1							
				No. of		S. 3		`,'	- 2		i		7		
0220	0221	0222	0223	0224	0225	0226	0227	0228	0229	022A	022B	022C	022D	022E	022F
7.5	e s	3	2-1				1		73			y 150	18		
	- K.	* *	8 of		/		v .1	-	3	% <i>X</i>	· · ·	% Z	· · ·	N. K	\
0230	0231	0232	0233	0234	0235	0236	0237	0238	0239	023A	023B	023C	023D	023E	023F
								2 % A	2.50		100		-	ı	14
0040	0044	0040	0040				0047	0040	0040	0044	0040	0040	0045	0045	0045
0240	0241	0242	0243	0244	0245	0246	0247	0248	0249	024A	024B	024C	024D	024E	024F
		* * 2													

### **IPA Extensions**

### Block from 0250 to 02AF

0250	0251	0252	0253	0254	0255	0256	0257	0258	0259	025A	025B	025C	025D	025E	025F
	7 ) V 1			2 X	3			2 3 8 1 2	 ( )				15	21 ) No. 1	
0260	0261	0262	0263	0264	0265	0266	0267	0268	0269	026A	026B	026C	026D	026E	026F
		12 S	:								8.6			1	4.7
0270	0271	0272	0273	0274	0275	0276	0277	0278	0279	027A	027B	027C	027D	027E	027F
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			2 <sup>83</sup>		2 % 2 % 8 %	2	2 N 22 2	2 % 4.2						,	
0280	0281	0282	0283	0284	0285	0286	0287	0288	0289	028A	028B	028C	028D	028E	028F
	4					* 25									
0290	0291	0292	0293	0294	0295	0296	0297	0298	0299	029A	029B	029C	029D	029E	029F
		1		2		S			14	7 X			e de la companya de l		
02A0	02A1	02A2	02A3	02A4	02A5	02A6	02A7	02A8	02A9	02AA	02AB	02AC	02AD	02AE	02AF
	2	×.	3	X	Z			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, s , f	5	1				

# **Spacing Modifier Letters**

Block from	በጋይበ	to.	NOEE
DIOCK HOIII	UZDU	LU	UZFF

02B0	02B1	02B2	02B4	02B7	02B8	02B9	02BA	02BB	02BC	02BF	02C0	02C6	02C7	02C8	02CA
								,	r			,			
02CB	02CC	02CE	02CF	02D0	02D1	02D4	02D6	02D7	02D8	02D9	02DA	02DB	02DC	02DD	02DE
		~													
02E0	02E1	02E2	02E3	02E4	02E5	02E6	02E7	02E8	02E9	02EE					

# **Combining Diacritical Marks**

### Block from 0300 to 036F

0300	0301	0302	0303	0304	0306	0307	0308	0309	030A	030B	030C	030D	030F	0311	0312
0313	0316	0317	0318	0319	031A	031B	031C	031D	031E	031F	0320	0321	0323	0324	0325
0326	0327	0328	0329	032A	032B	032C	032D	032F	0330	0331	0332	0334	0335	0336	: 0339
033A	;; 033B	033C	033D	0342	0345	035C	0361								

# **Greek and Coptic**

### Block from 0370 to 03FF

0370	0371	0372	0373	0374	0375	0376	0377	037A	037B	037C	037D	037E	037F	0384	0385
T.									./	7.3 N.3	Š				
0386	0387	0388	0389	038A	038C	038E	038F	0390	0391	0392	0393	0394	0395	0396	0397
		*			18 N										
0398	0399	039A	039B	039C	039D	039E	039F	03A0	03A1	03A3	03A4	03A5	03A6	03A7	03A8
					\		7 N			$\rightarrow$			e to kind of the second of the		. 7
03A9															
USAS	03AA	03AB	03AC	03AD	03AE	03AF	03B0	03B1	03B2	03B3	03B4	03B5	03B6	03B7	03B8
03A9			Z 3		03AE 	03AF		7 °	Ŕ	03B3	X		1	03B7	2
y 150		03BB	7.5		03BE			2.5	2.8	03B3 \ \ \ 03C3					
9 % 5 3	4.4		7.5 					2 °	3	\ /	X	20 m 21 m 30 m	2 <sup>7</sup> 3		2 5 - 6 5 2

03C9	03CA	03CB	03CC	03CD	03CE	03CF	03D0	03D1	03D2	03D3	03D4	03D5	03D6	03D7	03D8
															2.3
		1	< 2	1	v 2	- N.	5. 2					4.7	× 1 11		42.2
03D9	03DA	03DB	03DC	03DD	03DE	03DF	03E0	03E1	03F0	03F1	03F2	03F3	03F4	03F5	03F6
	1	2.4			4	. 7		** <sub>1</sub>			2.5		10		
8.7		% -								32					
03F7	03F8	03F9	03FA	03FB	03FC	03FD	03FE	03FF							
							7.1	1.5							
		N			2.7		N								

# Cyrillic

### Block from 0400 to 04FF

Block fro	om 0400	) to 04FF	•												
0400	0401	0402	0403	0404	0405	0406	0407	0408	0409	040A	040B	040C	040D	040E	040F
*					1					1. 4	, ,				
				8.5	. 2			,	2	- 2	, ,			1	
0410	0411	0412	0413	0414	0415	0416	0417	0418	0419	041A	041B	041C	041D	041E	041F
							$\langle \cdot \rangle$		7.						
											2			S. 7	
0420	0421	0422	0423	0424	0425	0426	0427	0428	0429	042A	042B	042C	042D	042E	042F
	1			7 14									4.5	11	
. *	× .		1	×. 2						2	2	2.8	×	V. /	7
0430	0431	0432	0433	0434	0435	0436	0437	0438	0439	043A	043B	043C	043D	043E	043F
	1				2.5				-						
			71 5 2		70					2				× /	
0440	0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F
								2.7		,	1.5			No.	
0450	0451	0452	0453	0454	0455	0456	0457	0458	0459	045A	045B	045C	045D	045E	045F
0	70				15				~ ~						
0460	0461	0462	0463	0464	0465	0466	0467	0468	0469	046A	046B	046C	046D	046E	046F
0400	0-101					0400	0407	0400	0-100	040/1		0400		1	,
									4.11	7 · v	N. T.	7" x			
0470	0471	0472	0473	0474	0475	0476	0477	0478	0479	048A	048B	048C	048D	048E	048F
0470	0471	12				0470	11	4 1			0400			0.402	
. 7		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						8 10 2							e <sup>t</sup> of
0490	0491	0492	0493	0494	0495	0496	0497	0498	0499	049A	049B	049C	049D	049E	049F
0400				0-10-1	0400							,			. ,
				1 50	2.1			3							N.
04A0	04A1	04A2	04A3	04A4	04A5	04A6	04A7	04A8	04A9	04AA	04AB	04AC	04AD	04AE	04AF
		0472	04/13		04A3			/ ·		/ /				04AL	UHAI
							2.8	7.7	1						
04B0	04B1	04B2	04D2	04B4	04B5	0486	0407	0400	0480	0404	0400	04BC	04BD	04BE	04BF
0460	0461	U4BZ	04B3	U4D4		04B6	04B7	04B8	04B9	04BA	04BB				
		2				8.07					2.1	1		1	1.72
0.400	0404	0.400		0404	0405	0.400	0.407	0.400	0.400	0.40.4	0.400	0400	0400	2405	2405
04C0	04C1	04C2	04C3	04C4	04C5	04C6	04C7	04C8	04C9	04CA	04CB	04CC	04CD	04CE	04CF
													1		
					2										

04D0	04D1	04D2	04D3	04D4	04D5	04D6	04D7	04D8	04D9	04DA	04DB	04DC	04DD	04DE	04DF
	, .				1.5		28	* X		2.5		11.7		i i	
					CASS			$\langle \sqrt{z} \rangle$	100	$-\sqrt{J}$	\$ 10°				
04E0	04E1	04E2	04E3	04E4	04E5	04E6	04E7	04E8	04E9	04EA	04EB	04EC	04ED	04EE	04EF
1						2.5		13.		75		- 3			
× 2						5, 2	S. 7	8.2	8.7	5.2	8.8	× .:		1	
04F0	04F1	04F2	04F3	04F4	04F5	04F6	04F7	04F8	04F9	04FA	04FB	04FC	04FD	04FE	04FF
			17												
1		J.					2.2	** Z	2.0		* 4 *			•	

# Cyrillic Supplement

### Block from 0500 to 052F

0500	0501	0502	0503	0504	0505	0506	0507	0508	0509	050A	050B	050C	050D	050E	050F
			1							, ,			200		
×.	× *	S. San	5 J. V	1	* * *		(		100				N	. 2	1.0
0510	0511	0512	0513	0514	0515	0516	0517	0518	0519	051A	051B	051C	051D	051E	051F
7 × 2						1.57	282		,						
( ) ( )	,				,		Á		1 8 3 3 1 1	V 3					
0520	0521	0522	0523	0524	0525	0526	0527	0528	0529	052A	052B	052C	052D	052E	052F
										11/					
	2 N					. `					2.7				

### **Phonetic Extensions**

### Block from 1000 to 107F

1D4A	1D6C	1D6D	1D6E	1D6F	1D70	1D71	1D72	1D73	1D74	1D75	1D76
						P - 1	1				1
		N 4				2.00			100		1

# Phonetic Extensions Supplement

### Block from 1D80 to 1DBF



# Combining Diacritical Marks Supplement

### Block from 1DCO to 1DFF

1DC4	1DC5	1DC6	1DC7	1DC8	1DC9
		8,			

### Latin Extended Additional

### Block from 1E00 to 1EFF

1500	4500	4504	4505	1 E O A	1E0D	1500	1E0D	1505	1505	1510	4540	1515	1515	1504	1505
1E02	1E03	1E04	1E05	1E0A	1E0B	1E0C	1E0D	1E0E	1E0F	1E12	1E13	1E1E	1E1F	1E24	1E25
,	7	,													
4505	1505	1500		1500	4500			45.40		15.11		15.10			4545
1E2E	1E2F	1E36	1E37	1E3C	1E3D	1E3E	1E3F	1E40	1E41	1E44	1E45	1E46	1E47	1E4A	1E4B
										1		1		1	
.=					<i>F</i> .										.=
1E4C	1E4D	1E50	1E51	1E52	1E53	1E54	1E55	1E56	1E57	1E5A	1E5B	1E60	1E61	1E62	1E63
2.7%		2.15				100	4	1 5	7		.*	*****		***	
4, 2	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	4, 2	S 2	5, 2	S /								1.50		
								.==-							
1E6A	1E6B	1E6C	1E6D	1E6E	1E6F	1E70	1E71	1E78	1E79	1E80	1E81	1E82	1E83	1E84	1E85
															* *
								N. 17							
						*.	*.								
1E92	1E93	1E9E	1EA0	1EA1	1EA2	1EA3	1EA4	1EA5	1EA6	1EA7	1EA8	1EA9	1EAA	1EAB	1EAC
1		100		7		7		20		25		1		1-	
							.==.		. === .		. = = =		.==.		.===
1EAD	1EAE	1EAF	1EB0	1EB1	1EB2	1EB3	1EB4	1EB5	1EB6	1EB7	1EB8	1EB9	1EBA	1EBB	1EBC
-		- 4				20	4.4	7.		7		13		25	
× 1														10 m	
										* 4.1 		*			
1EBD	1EBE	1EBF	1EC0	1EC1	1EC2	1EC3	1EC4	1EC5	1EC6	1EC7	1EC8	1EC9	1ECA	1ECB	1ECC
20		1		3		25		Ö		3					2.7%
				22 50 5											4, 2
			. = = -									.===			
1ECD	1ECE	1ECF	1ED0	1ED1	1ED2	1ED3	1ED4	1ED5	1ED6	1ED7	1ED8	1ED9	1EDA	1EDB	1EDC
			y 80		J.S.	100	y 80		Jis.	- 7			2 1		2 1
5.7	N. 2	C 2	4. Z	· · ·	5, Z	< /	S. 2	< /	4. 2	< ×	4.2	< /	S. 2		4. 2
1EDD	1EDE :	1EDF	1EE0	1EE1	1EE2	1EE3	1EE4	1EE5	1EE6	1EE7	1EE8	1EE9	1EEA	1EEB	1EEC
1	2 1	1.50	2 1	150	2 1	. 5.									ILLO
	10 ×	< 2	4. ×	< ×	4.2	S. 7	N. 12		Q. 3		V*		1 m		N
1EED	1EEE	1EEF	1EF0	1EF1	1EF2	1EF3	1EF4	1EF5	1EF6	1EF7	1EF8	1EF9			
	V <sub>1</sub> - 2'		N. 17												

### **Greek Extended**

### Block from 1F00 to 1FFF

1F00	1F01	1F02	1F03	1F04	1F05	1F06	1F07	1F08	1F09	1F0A	1F0B	1F0C	1F0D	1F0E	1F0F
2.5	2.5	2.3	- 0 2 3	- 0 2 5	2.5	28	25		1	25	14	1.6			
	4 2 x														
1F10	1F11	1F12	1F13	1F14	1F15	1F18	1F19	1F1A	1F1B	1F1C	1F1D	1F20	1F21	1F22	1F23
			13 20 20 30 30		107 200 200 800 200		1	7 ·	4.5		To the state of th		10 		10
1F24	1F25	1F26	1F27	1F28	1F29	1F2A	1F2B	1F2C	1F2D	1F2E	1F2F	1F30	1F31	1F32	1F33
	17	14.	* .				**			7			1	11	13
										7				**	
										7					
	1F35	1F36		1F38	1F39	1F3A	1F3B	1F3C			1F3F				

1F44	1F45	1F48	1F49	1F4A	1F4B	1F4C	1F4D	1F50	1F51	1F52	1F53	1F54	1F55	1F56	1F57
		1,1	17.8	11,00	112 5	12.2	02.5			**	13	17	17	1.	* 1
		No. of	5, ×		< /		V 2								
1F59	1F5B	1F5D	1F5F	1F60	1F61	1F62	1F63	1F64	1F65	1F66	1F67	1F68	1F69	1F6A	1F6B
00	11					02	٠.	:/		.,			1,2 15.		11.7
															/
.=															
1F6C	1F6D	1F6E	1F6F	1F70	1F71	1F72	1F73	1F74	1F75	1F76	1F77	1F78	1F79	1F7A	1F7B
12.2	172.38	4.7	×	2.5	2.5										
	. /	X 7	X 7			\$ a	\$ a					< 2	S 2	. 1	1
1F7C	1F7D	1F80	1F81	1F82	1F83	1F84	1F85	1F86	1F87	1F88	1F89	1F8A	1F8B	1F8C	1F8D
		2.5	2.5	- 14 2 3	10 2.3	0 2 3	- 07 2 3	25	25			44	* 1	14	
						7 3 1 7 1			y 3 						
1F8E	1F8F	1F90	1F91	1F92	1F93	1F94	1F95	1F96	1F97	1F98	1F99	1F9A	1F9B	1F9C	1F9D
,					13	1.2	1.7			,		71	4.		1.2
1F9E	1F9F	1FA0	1FA1	1FA2	1FA3	1FA4	1FA5	1FA6	1FA7	1FA8	1FA9	1FAA	1FAB	1FAC	1FAD
		:	*	71	*,	11	* 2	* 4	10	1,700	0.500	De Con	10.5	17.4	177 S
		1.	4 Z.	< 2.	× 2.	× 2.	× 2.	× 2.	× 2.			1	1 × 7		1 × 1
1FAE	1FAF	1FB0	1FB1	1FB2	1FB3	1FB4	1FB6	1FB7	1FB8	1FB9	1FBA	1FBB	1FBC	1FBD	1FBE
1.15	1.15 ×	2.5	7.5	2.5	2.5	10	2.5	2.5	* -						
X 2	× 2														
1FBF	1FC0	1FC1	1FC2	1FC3	1FC4	1FC6	1FC7	1FC8	1FC9	1FCA	1FCB	1FCC	1FCD	1FCE	1FCF
													4	17	.,
1FD0	1FD1	1FD2	1FD3	1FD6	1FD7	1FD8	1FD9	1FDA	1FDB	1FDD	1FDE	1FDF	1FE0	1FE1	1FE2
		λ.	./.							13	17				
													1	× 1	
1FE3	1FE4	1FE5	1FE6	1FE7	1FE8	1FE9	1FEA	1FEB	1FEC	1FED	1FEE	1FEF	1FF2	1FF3	1FF4
				V .					0 %	Σ.					
	4.7	4.2		. 1									12	·	
1FF6	1FF7	1FF8	1FF9	1FFA	1FFB	1FFC	1FFD	1FFE							
			1914	e 4	er - 1,	2.30		r							
				,	2										

## **General Punctuation**

### Block from 2000 to 206F

2007	2008	200B	200C	200D	200E	200F	2012	2013	2014	2015	2016	2018	2019	201A	201C
			1	Ť	ightharpoons							1	,		12
														1	
201D	201E	2020	2021	2022	2026	2030	2039	203A	203F	2044					
12															
							<	>							
	27								4.00						

### Superscripts and Subscripts

### Block from 2070 to 209F

2070	2074	2075	2076	2077	2078	2079	207A	207B	207C	207D	207E	207F	2080	2081	2082
			4.7		12	3									
															1
2083	2084	2085	2086	2087	2088	2089	208A	208B	208C	208D	208E				
		1.5													

### **Currency Symbols**

#### Block from 20A0 to 20CF



## Letterlike Symbols

#### Block from 2100 to 214F



### **Number Forms**

#### Block from 2150 to 218F

2153	2154	2155	2156	2157	2158	2159	215A	215B	215C	215D	215E	215F
											4.2	

### **Arrows**

#### Block from 2190 to 21FF



### **Mathematical Operators**

#### Block from 2200 to 22FF



### Miscellaneous Technical

#### Block from 2300 to 23FF



## Geometric Shapes

#### Block from 25A0 to 25FF



# **Dingbats**

Block from 2700 to 27BF



# Miscellaneous Symbols and Arrows

#### Block from 2B00 to 2BFF



### Latin Extended-C

### Block from 2C60 to 2C7F



### Latin Extended-D

#### Block from A720 to A7FF



## unassigned Block

#### Block from AB30 to ABBF

AB53

### Private Use Area

#### Block from E000 to F8FF



# **Alphabetic Presentation Forms**

#### Block from FB00 to FB4F

FB01 FB02

### **Arabic Presentation Forms-B**

Block from FE70 to FEFF

FEFF

# **Unencoded Glyphs**

All unencoded glyphs are accessible with OpenType layout feature capable applications. For a complete list of supported OpenType layout features see the next section.

### Small Capitals From Capitals




# Small Capitals From Capitals, Contextual Alternates, Small Capitals

### Small Capitals From Capitals, Small Capitals



							¥								
		J.					2	2				N.	N.		
			r							1.30				.*.	
4											æ		a.	· .	4.5
												x x x x			
					*		× 2	× /	× 2	× 2	× 7	× 2		× /	
									2.4		2.8	2.8	2.5	2.4	
× 2	× 7	× 2	,	× 7	,	, and the second	,	× 2	,	,	, . 	2 N 3 Z	, , ,	i v	× 2
2.575				2.5				2.8	2.8		,				
s <sub>e</sub> v	S. 7	4, 2	4, 2	S. 7	S. 12	4, 2 5	S. W.	4.2	4.2	5, 2	S. 7	/ s < /			
	200 No.		7. %	× '.									·	\$	
			7 %	×											
- Sec. 1	500 500 de 1			15	S. 16		•			,*					
,															
	1						**						.*.		
				4.2	4.7		4.7	4.7	4.7	4.7	4.7	e v	4.7	- ×	4.7
										et s					
									a e						
	x 2														
				- N <sub>1</sub>										7	
				/			7	7	7				7		
. e. . 2								,							
+ +, -,2									* (* ) * (* )						
						2.1									
			S. 2									N - 2"			
					13		*	21.5	7						Jr. 8
									- 1			2		× 2	,
															2
8 2 2		n e			7.5			Sec. 1	\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.						



# Contextual Alternates, Stylistic Set 3

2

### Case-Sensitive Forms



### **Discretionary Ligatures**

### **Denominators**

## Denominators, Fractions

 $\mathbb{R}^{n}$  . The  $\mathbb{R}^{n}$  ,  $\mathbb{R}^{n}$ 

### Fractions, Numerators

### **Localized Forms**



### **Numerators**

## Old Style Figures, Proportional Figures



# Old Style Figures, Tabular Figures



### Stylistic Alternates, Stylistic Set 1

# **Small Capitals**



## Stylistic Set 2

# **Tabular Figures**



### Slashed Zero

### **Other**



# OpenType Layout Features

For details about OpenType Layout Features see the OpenType Layout tag registry.

### Substitution Features



#### Access All Alternates

This feature makes all variations of a selected character accessible.



#### **Small Capitals**

This feature turns lowercase characters into small capitals. This corresponds to the common SC font layout. It is generally used for display lines set in Large and small caps, such as titles. Forms related to small capitals, such as oldstyle figures, may be included.



### **Small Capitals From Capitals**

This feature turns capital characters into small capitals.



#### Contextual Alternates

In specified situations, replaces default glyphs with alternate forms which provide better joining behavior.



### Standard Ligatures

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers the ligatures which the designer/manufacturer judges should be used in normal conditions.



### **Discretionary Ligatures**

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers those ligatures which may be used for special effect, at the user's preference.



#### **Old Style Figures**

This feature changes selected figures from the default lining style to oldstyle form.



#### **Lining Figures**

This feature changes selected figures from oldstyle to the default lining form.



#### **Proportional Figures**

Replaces figure glyphs set on uniform (tabular) widths with corresponding glyphs set on glyph-specific (proportional) widths.



#### Tabular Figures

Replaces figure glyphs set on proportional widths with corresponding glyphs set on uniform (tabular) widths.



#### Slashed Zero

Some fonts contain both a default form of zero, and an alternative form which uses a diagonal slash through the counter. This feature allows the user to change from the default 0 to a slashed form.

7/

#### Numerators

Replaces selected figures which precede a slash with numerator figures, and replaces the typographic slash with the fraction slash.

/8

#### **Denominators**

Replaces selected figures which follow a slash with denominator figures.

7/8

#### **Fractions**

Replaces figures separated by a slash with 'common' (diagonal) fractions.



### Superscript

Replaces lining or oldstyle figures with superior figures (primarily for footnote indication), and may replace lowercase letters with superior letters (primarily for abbreviated French titles).



#### Subscript

The "subs" feature may replace a default glyph with a subscript glypht.

1st

#### **Ordinals**

Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.

**(G**}

#### Case-Sensitive Forms

Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.

ŞıŞ

#### **Localized Forms**

This feature enables localized forms of glyphs to be substituted for default forms.

g<sub>2</sub>g

#### **Stylistic Alternates**

Many fonts contain alternate glyph designs for a purely esthetic effect; these don't always fit into a clear category like swash or historical. This feature replaces the default forms with the stylistic alternates.



#### Stylistic Set 1

Glyphs in stylistic sets may be designed to harmonise visually, interract in particular ways, or otherwise work together.



#### Stylistic Set 2



#### Stylistic Set 3



#### Mathematical Greek

Replaces standard typographic forms of Greek glyphs with corresponding forms commonly used in mathematical notation (which are a subset of the Greek alphabet).

### **Positioning Features**



### Capital Spacing

Globally adjusts inter-glyph spacing for all-capital text. Most typefaces contain capitals and lowercase characters, and the capitals are positioned to work with the lowercase. When capitals are used for words, they need more space between them for legibility and esthetics.



#### Kerning

Adjusts amount of space between glyphs, generally to provide optically consistent spacing between glyphs.



#### Mark Positioning

Positions mark glyphs with respect to base glyphs.



### Mark to Mark Positioning

Positions marks with respect to other marks. Required in various non-Latin scripts like Arabic.

# Codepages

### MacOS

MacOS Central Europe MacOS Croatian MacOS Cyrillic MacOS Greek MacOS Icelandic MacOS Roman MacOS Romanian MacOS Turkish

### **MS Windows**

MS Windows 1250 Central European MS Windows 1251 Cyrillic MS Windows 1252 Western (ANSI) MS Windows 1253 Greek MS Windows 1254 Turkish MS Windows 1257 Baltic

### ISO

ISO 8859-1 Latin 1 (Western)
ISO 8859-2 Latin 2 (Central Europe)
ISO 8859-3 Latin 3 (Tu, Malt, Gal, Esp)
ISO 8859-4 Latin 4 (Baltic)
ISO 8859-5 Cyrillic
ISO 8859-7 Greek

ISO 8859-9 Latin 5 (Turkish)
ISO 8859-10 Latin 6 (Scandinavian)
ISO 8859-13 Latin 7 (Baltic 2)
ISO 8859-14 Latin 8 (Celtic)
ISO 8859-15 Latin 9
ISO 8859-16 Latin 10

# Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the <u>Unicode CLDR Project</u>.

### Latin

Afar Ga **Afrikaans** Galician Ganda Akan Albanian German Asu Gusii Azerbaijani Hausa Bambara Hawaiian Basque Hungarian Bemba Icelandic Bena Igbo Bosnian Indonesian Breton Interlingua Catalan Irish Central Morocco Tamazight Italian Chiga Jju Colognian Kabuverdianu Cornish Kabyle Crimean Tatar Kalaallisut Croatian Kaleniin Czech Kamba Danish Kikuyu Dutch Kinyarwanda Embu Koro English Koyra Chiini Esperanto Koyraboro Senni Estonian Kpelle Ewe Kurdish Faroese Langi

Latvian

Lingala

Luo

Luyia

Lithuanian

Low German

Machame Makonde Malagasy Malay Maltese Manx Maori Masai Meru Moldavian Morisyen Nama North Ndebele Norwegian Bokmål Norwegian Nynorsk Nyanja Nyankole Occitan 0 **Oromo** Polish Portuguese Romanian Romansh Rombo Rwa Saho Samburu Sami Northern Sango Sena Serbian Shambala Shona

Slovenian Soga Somali Sorbian, Lower Sorbian, Upper Sotho, Northern Sotho. Southern South Ndebele Spanish Swahili Swati Swedish Swiss German Tachelhit Taita Taroko Teso Tonga Tsonga Tswana Turkish Tvap Venda Vietnamese Vunjo Welsh Wolof Xhosa Yoruba 7ulu

Slovak

# Cyrillic

Frisian West

**Filipino** 

**Finnish** 

French

Friulian

Fulah

Azerbaijani Chechen Uighur Mongolian Bashkir Kazakh Ukrainian Russian Belarusian Kirghiz Serbian Uzbek Bulgarian Macedonian Tajik Buriat Mari Tatar

Carrois Type Design 26

Sidamo

# Greek

Greek