

Student Research Group 'Stochastic Volatility Models'

Methods of Simulation of the Heston Model: A Review

Artemy Sazonov, Danil Legenky, Kirill Korban Lomonosov Moscow State Univesity, Faculty of Mechanics and Mathematics October 23, 2022

Heston Model Definition



Assume that the spot asset at time *t* follows the diffusion

$$dS(t) = \mu S(t)dt + \sqrt{v(t)}S(t)dZ_1(t), \tag{1}$$

$$dv(t) = \left(\delta^2 - 2\beta v(t)\right) dt + 2\delta \sqrt{v(t)} dZ_2(t), \tag{2}$$

where Z_1 , Z_2 are the correlated Wiener processes with $dZ_1dZ_2=
ho dt$.



Introduction to Monte-Carlo Methods

Euler Simulation Method

Broadie-Kaya Simulation Method

Andersen Simulation Method

Computation Examples

Greeks Computation



Introduction to Monte-Carlo Methods

Euler Simulation Method

Broadie-Kaya Simulation Method

Andersen Simulation Method

Computation Examples

Greeks Computation



Introduction to Monte-Carlo Methods

Euler Simulation Method

Broadie-Kaya Simulation Method

Andersen Simulation Method

Computation Examples

Greeks Computation



Introduction to Monte-Carlo Methods

Euler Simulation Method

Broadie-Kaya Simulation Method

Andersen Simulation Method

Computation Examples

Greeks Computation



Introduction to Monte-Carlo Methods

Euler Simulation Method

Broadie-Kaya Simulation Method

Andersen Simulation Method

Computation Examples

Greeks Computation



Introduction to Monte-Carlo Methods

Euler Simulation Method

Broadie-Kaya Simulation Method

Andersen Simulation Method

Computation Examples

Greeks Computation



Introduction to Monte-Carlo Methods

Euler Simulation Method

Broadie-Kaya Simulation Method

Andersen Simulation Method

Computation Examples

Greeks Computation

Conclusion



We introduced the three most common simulation methods for dynamics of the Heston stochastic volatility model:

- 1. Euler scheme;
- 2. Broadie-Kaya scheme;
- 3. Andersen scheme.

