

A thesis on Credit Card Fraud Detection Using Artificial Neural Network

Project Work (CA 6151) report submitted to
National Institute of Technology Durgapur
in partial fulfilment for the award of the degree of
Master of Computer Applications
in
Computer Science

by
Abhishek Singh
(16/CA/6004)

Under the supervision of
Dr. Nanda Dulal Jana



Department of Computer Science and Engineering
National Institute of Technology Durgapur

Spring Semester, 2018 - 19

May 11, 2019

DECLARATION

I certify that

- (a) The work contained in this report has been done by me under the guidance of my supervisor.
- (b) The work has not been submitted to any other Institute for any degree or diploma.
- (c) I have conformed to the norms and guidelines given in the Ethical Code of Conduct of the Institute.
- (d) Whenever I have used materials (data, theoretical analysis, figures, and text) from other sources, I have given due credit to them by citing them in the text of the thesis and giving their details in the references. Further, I have taken permission from the copyright owners of the sources, whenever necessary.

Date: May 11, 2016

Place: Durgapur

(Abhishek Singh)

(16/CA/6004)

DEPARTMENT OF COMPUTER SCIENCE AND
ENGINEERING

NATIONAL INSTITUTE OF TECHNOLOGY
DURGAPUR

DURGAPUR - 713209, INDIA



CERTIFICATE

This is to certify that the project report entitled “A thesis on Credit Card Fraud Detection Using Artificial Neural Network” submitted by Abhishek Singh (Roll No. 16/CA/6004) to National Institute of Technology Durgapur towards partial fulfilment of requirements for the award of degree of Master of Computer Applications in Computer Science is a record of bona fide work carried out by him under my supervision and guidance during Spring Semester, 2018 - 19.

Date: May 11, 2016

Place: Durgapur

Dr. Nanda Dulal Jana
Department of Computer Science and
Engineering
National Institute of Technology
Durgapur
Durgapur - 713209, India

Abstract

Name of the student: **Abhishek Singh**

Roll No: **16/CA/6004**

Degree for which submitted: **Master of Computer Applications**

Department: **Department of Computer Science and Engineering**

Thesis title: **A thesis on Credit Card Fraud Detection Using Artificial Neural Network**

Thesis supervisor: **Dr. Nanda Dulal Jana**

Month and year of thesis submission: **May 11, 2019**

In present time, internet has become more popular in almost every domain of life. E-commerce , online shopping and transactions are increasing day by day. People are more used to online shopping and payment due to which frauds related to online payment is on the rise. The main modes of the online payment are credit cards, debit cards, net banking. The fraud related to Credit card is increasing nowadays because people prefer using them as an easy mode of payment. Many credit card fraud identification systems have been introduced till now. In this paper we will try to detect fraud transaction through the Artificial Neural Network. As we will see that Artificial Neural Network When trained properly can work as a human brain, though it is impossible for the Artificial Neural Network to imitate the human brain to extent at which brain works, yet Neural Network and brain, depend for there working on the neurons, which is the small functional unit in brain as well as ANN.

Acknowledgements

First and foremost, I have to thank my research supervisor Dr. Nanda Dulal jana without his assistance and dedicated involvement in every step throughout the process, this thesis would never have been accomplished. Their guidance helped me in all the time of research and writing of this thesis. I would like to thank them very much for the support, patience, motivation and understanding over this duration of the project.

I wish to acknowledge Dr. Tandra Pal, HOD of CSE, for providing supporting environment for my work. I would also like to show gratitude and respect to other faculty members of our department for their encouragement.

Last but not the least, I would like to thank my family, my parents and my friends for their unconditional support.

Contents

Declaration	i
Certificate	ii
Abstract	iii
Acknowledgements	iv
Contents	v
1 Introduction	2
2 DIFFERENT TYPES OF FRAUD TECHNIQUES	3
.	3
2.1 Card Related Frauds	3
.	3
2.1.1 Lost/Stolen Card:	3
2.1.2 Account Takeover:	4
2.1.3 Cardholder-Not-Present (CNP):	4
2.1.4 Fake and Counterfeit Cards:	4
2.1.5 Erasing the Magnetic strip:	5
2.1.6 Phishing:	5
2.2 Merchant Related Frauds	5
.	5
2.2.1 Merchant Collusion:	6
2.2.2 Triangulation:	6
.	6
2.3 Internet Frauds	6
.	6
2.3.1 False Merchant Sites:	6
2.3.2 Keystroke Loggers:	6
2.3.3 Cell phone camera Scan:	7
2.3.4 Site Cloning:	7

3	PROBLEMS WITH CREDIT CARD FRAUD DETECTION	8
	8
4	ARTIFICIAL NEURAL NETWORKS	10
4.1	Definition	10
4.1.1	Input	11
4.1.2	Hidden Layer	11
4.1.3	Output Layer	11
	11
4.2	Biological Neuron	11
4.2.1	Schematic Diagram	12
4.2.2	Working of a Biological Neuron	12
4.3	ANN versus BNN	12
4.4	Model of Artificial Neural Network	13
4.5	NETWORK TOPOLOGY	14
4.5.1	Feedforward Network	14
4.6	Learning	14
4.6.1	Forward Pass:	14
4.6.2	Backward Pass:	15

report graphicx

Chapter 1

Introduction

The advent of credit cards and their increasing functionality have not only given people more personal comfort, but have also attracted malicious characters interested in the handsome rewards to be earned. Credit cards are nice target for fraud, since in a very short time a lot of money can be earned without taking many risks. This is because often the crime is only discovered a few weeks after the date. Credit card fraud can be defined as “unauthorized account activity by a person for which the account was not intended. Operationally, this is an event for which action can be taken to stop the abuse in progress and incorporate risk management practices to protect against similar actions in the future”. In simple terms, credit card fraud is defined when an individual uses another individual’s credit card for personal benefit while the owner of the card and the card issuer are not aware of the fact that the card is being misused. And the person using the card has not at all having the connection with the card holder or the issuer and has no intention of making the repayments for the purchase they done.

Chapter 2

DIFFERENT TYPES OF FRAUD TECHNIQUES

There are three classes of frauds namely card related, merchant related and internet frauds. Some of them are listed below

2.1 Card Related Frauds

2.1.1 Lost/Stolen Card:

This type of fraud occurs when the fraudster simply steals a customer's card. In this case, the customer might feel he has lost his card, but actually this card might have been acquired by an attacker.

2.1.2 Account Takeover:

This type of fraud occurs when the valid customer's personal information is taken by fraudsters. The fraudsters takes control of a legitimate account by either providing the customer's account number or the card number. The fraudster then contacts the card issuer, as the genuine card holder, to ask the mail to redirect to a new address. The fraudster reports card lost and asks for a replacement to be sent.

2.1.3 Cardholder-Not-Present (CNP):

CNP transactions are performed only on the internet that is remotely, in such kind of frauds neither the card nor the cardholder is present at the point-of-sale. This take many types of transactions such as orders made over the phone or Internet, by mail order or fax. In such transactions, retailers are unable to physically check user or identity of the card holder which makes the user unknown and able to disguise their true identity, The details of the credit card are normally copied without the cardholder's knowledge, collected from the receipts thrown by the customer or obtained by skimming process. Frequently obtained card details are generally used with fabricated personal details to make fraudulent CNP purchases. This means that while the three or four digit card security code (CVV number) on the back of cards can help prevent fraud where card details have been obtained, but when the card is stolen it won't be helpful.

2.1.4 Fake and Counterfeit Cards:

This is another type of fraud where the creation of the counterfeit cards, together with lost or stolen cards poses highest threat in credit card frauds. Fraudsters are constantly finding new and more innovative ways to create counterfeit cards. The below mentioned are some of the techniques used for creating false and counterfeit cards.

2.1.5 Erasing the Magnetic strip:

This is the type of fraud where the fraudsters erase the magnetic stripe by using the powerful electromagnet. The fraudsters then tampers with the details on the card so that they match the details of a valid card, which they may have attained, for example, when the fraudster begins to use the card, the cashier will swipe the card through the terminal several times, before realizing that the metallic strip does not work. The cashier will then proceed to manually input the card details into the terminal. This kind of fraud is having high risk because the cashier will be looking at the card closely to read the numbers.

2.1.6 Phishing:

Phishing is a type of fraud designed to steal a person's identity. It is usually committed via spam e-mail or pop-up windows. Phishing works by a malicious person sending lots of false emails. The emails looks like they have come from a website or company you trust, for example your bank. The message tells you to provide the company with your personal details including your payment card details. They can claim that the reason for this is a database crash or something like this. To make the email look even more authentic, the fraudster might put a link to a website that look exactly like the real one but in fact that is not the real one and that is the fake one. These copies are often called "Spoofed websites". When you are on the spoofed site they can ask you for even more personal details that will be directly transmitted to the person who made that website.

2.2 Merchant Related Frauds

2.2.1 Merchant Collusion:

This type is done when a merchant purposely passes on his customer's personal information to fraudsters.

2.2.2 Triangulation:

Here, the fraudster creates a fake website and operates from there. Many discounts are given to the customers through this website due to which users are attracted to such websites. They purchase items and there they enter their personal information. Then this information is obtained by the fraudsters and they use it to perform illegitimate transactions.

2.3 Internet Frauds

2.3.1 False Merchant Sites:

In this type, the website asks the customers to enter their personal details if they want to access the content of the website. In this way, these fraudsters collect many credit card number which they use later for performing fraudulent transactions.

2.3.2 Keystroke Loggers:

“Keystroke logger” is a spyware which infects a user's computer unknown to him. This spyware tracks all the details typed by the user and gives this information to the fraudster who thus obtains all the personal details.

2.3.3 Cell phone camera Scan:

When a customer is paying his bills, a fraudster may be roaming somewhere near him. The customer may be under the assumption that the attacker is busy chatting on his phone, but actually he is taking digital image of the computer's details such as card number, expiry date, etc. This type of fraud is possible because of powerful cameras used these days.

2.3.4 Site Cloning:

Site cloning is where fraudsters close an entire site or just the pages from which the customer made a purchase. Customers have no reason to believe they are not dealing with the company that they wished to purchase goods or services from because the pages that they are viewing are identical to those of the real site. The cloned site will receive these details and send the customer a receipt of the transaction through the email just as the real company would do. The customer suspects nothing, while the fraudsters have all the details they need to commit credit card fraud.

Chapter 3

PROBLEMS WITH CREDIT CARD FRAUD DETECTION

One of the biggest problems associated with fraud detection is the lack of both literature providing experimental results and of real world data for academic researchers to perform experiments on. This is because fraud detection is often associated with sensitive financial data that is kept confidential for reasons of customer privacy.

We now enumerate some of the properties a fraud detection system should have in order to perform good results.

- The system should be able to handle skewed distributions, since only a very small percentage of all credit card transactions is fraudulent, To solve this problem, often the training sets are divided into pieces where the distribution is less skewed.
- The ability to handle noise. This is simply the presence of errors in the data, for instance incorrect dates. Noise in actual data limits the accuracy of generalization that can be achieved, no matter how extensive the training set is. One way to deal with this problem is by cleaning the data.
- Overlapping data is another problem in this field. Many transactions may resemble fraudulent transactions, when actually they are legitimate. The opposite also happens, when a fraudulent transaction appears to be normal.

- The system should be able to adapt themselves to new kinds of fraud. Since after a while successful fraud techniques decrease in efficiency, due to the fact that they become well known. Then a “Good” fraud tries to find new and inventive ways of doing his job.
- There is a need for good metrics to evaluate the classifier system. As an example, the overall accuracy is not suited for evaluation on a skewed distribution, since even with a very high accuracy, almost all fraudulent transactions can be misclassified.
- The system should take into account the cost of the fraudulent behaviour detected and the cost associated with stopping it. For example, no profit is made by stopping a fraudulent transaction of only a few Euros.

This means that there should be a decision layer on top of the fraud detection system. The decision layer decides what action to take when fraudulent behaviour is detected via the fraud detection system, taking into account factors like the amount of the transaction and the quality of the customer doing the transaction

Chapter 4

ARTIFICIAL NEURAL NETWORKS

4.1 Definition

Artificial Neural Network (ANN) is an efficient computing system whose central theme is borrowed from the analogy of biological neural networks. ANN acquires a large collection of units that are interconnected in some pattern to allow communication between the units. These units, referred to as nodes or neurons, are simple processors which operate in parallel. Every neuron is connected with other neuron through a connection link. Each connection link is associated with a weight that has information about the input signal. This is the most useful information for neurons to solve a particular problem because the weight usually excites or inhibits the signal that is being communicated. Each neuron has an internal state, which is called an activation signal. Output signals, which are produced after combining the input signals and activation rule, may be sent to other units.

Neural Network exists in many ways and different forms. The type of neural network we will discuss in this paper is the Feed Forward Multilayer Perceptron. A feedforward multilayer perceptron consists of different layers of perceptrons that are interconnected by a set of weighted connections. We can distinguish three types of layers:

4.1.1 Input

Input layer Receives input from an input stream, which can be database or some device or something else.

4.1.2 Hidden Layer

Is hidden from the outside world and receives input only from the input layer or another hidden layer

4.1.3 Output Layer

Connects the network to the outside world again and provides the final output of the network

A feed forward multilayer perceptron has no cycles and there is full connectivity between the perceptions of two consecutive layers. Signals can be propagated in two directions: function signals are propagated forwards, i.e. from input layer through the hidden layer(s) to the output layer and error signals are propagated backwards, i.e. from output layer through the hidden layer(s) to the input layer.

4.2 Biological Neuron

A nerve cell (neuron) is a special biological cell that processes information. According to an estimation, there are huge number of neurons, approximately 10^{11} with numerous interconnections, approximately 10^{15}

4.2.1 Schematic Diagram

4.2.2 Working of a Biological Neuron

As shown in the above diagram, a typical neuron consists of the following four parts with the help of which we can explain its working

- **Dendrites:** They are tree-like branches, responsible for receiving the information from other neurons it is connected to. In other sense, we can say that they are like the ears of neuron.
- **Soma:** It is the cell body of the neuron and is responsible for processing of information, they have received from dendrites.
- **Axon:** It is just like a cable through which neurons send the information.
- **Synapses:** It is the connection between the axon and other neuron dendrites.

4.3 ANN versus BNN

Before taking a look at the differences between Artificial Neural Network (ANN) and Biological Neural Network (BNN), let us take a look at the similarities based on the terminology between these two.

Biological neural Network (BNN)	Artificial Neural Network (ANN)
Soma	Node
Dendrites	Input
Synapse	Weights or Interconnections
Axon	Output

The following table shows the comparison between ANN and BNN based on some criteria mentioned.

Criteria	BNN	ANN
Processing	Massively parallel, Slow but superior than ANN	Massively Parallel, Fast but inferior than BNN
Size	1011 neurons and 1015 interconnections	102 to 104 nodes (mainly depends on the type of application and network designer)
Learning	They can tolerate ambiguity	Very precise, structured and formatted data is required to tolerate ambiguity
Fault Tolerance	Performance degrade with even partial damage	It is capable of robust performance, hence has the potential to be fault tolerant
Storage Capacity	Stores the information in the synapse	Stores the information in continuous memory locations

4.4 Model of Artificial Neural Network

The following diagram represents the general model of ANN followed by its processing.

For the above general model of artificial neural network, the net input can be calculated as follows

$$Y_{in} = x_1 * w_1 + x_2 * w_2 + x_3 * w_3 + + X_n * w_n$$

i.e., net input

$$y_{in} = \sum_i^n x_i * w_i$$

The output can be calculated by applying the activation function over the net input.

$$Y = F(Y_{in})$$

Output = function (net input calculated)

Processing of ANN depends upon the following three building blocks

- Network Topology
- Adjustments of Weights or Learning
- Activation Functions

4.5 NETWORK TOPOLOGY

A network topology is the arrangement of a network along with its nodes and connecting lines. According to the topology, ANN can be classified as the following kinds

4.5.1 Feedforward Network

It is a non-recurrent network having processing units/nodes in layers and all the nodes in a layer are connected with the nodes of the previous layers. The connection has different weights upon them. There is no feedback loop means the signal can only flow in one direction, from input to output. It may be divided into the following two types

- **Single layer feedforward network:** The concept is of feedforward ANN having only one weighted layer. In other words, we can say the input layer is fully connected to the output layer.
- **Multi layer feedforward network:** The concept is of feedforward ANN having more than one weighted layer. As this network has one or more layers between the input and the output layer, it is called hidden layers.

4.5.2 Feedback Network

As the name suggests, a feedback network has feedback paths, which means the signal can flow in both directions using loops. This makes it a non-linear dynamic system, which changes continuously until it reaches a state of equilibrium. It may be divided into the following types

- **Recurrent networks** They are feedback networks with closed loops. Following are the two types of recurrent networks.

- **Fully recurrent network** It is the simplest neural network architecture because all nodes are connected to all other nodes and each node works as both input and output.
- **Jordan network** It is a closed loop network in which the output will go to the input again as feedback as shown in the following diagram.

4.6 Learning

The type of learning we will discuss is commonly called supervised learning or error correction learning. The algorithm that we have used to do this is called Back Propagation of Error signals or in short Backprop. Every iteration of the algorithm consists of two passes:

4.6.1 Forward Pass:

Forward pass every perceptron calculates the weighted linear combination of all its inputs and applies to the result of this summing junction an activation function. The result of the activation function provides the perceptron of its output value.

4.6.2 Backward Pass:

At the output layer of the network we calculate the error with respect to the desired output value for a certain pattern. This error is propagated backwards through the network enforcing a correction on the weights of all connections in the network. This technique is based on the observation that all perceptrons in the network have a shared responsibility for the error that has been calculated at the output layer.