



***Faculty of Computer Applications & Information
Technology***

BCA PROGRAMME

Semester III Project

Report for

240301306 Introduction to Embedded Systems Project

Definition

“ Automated Dispenser For Harmful Chemicals”

Submitted by:

Group No. : 22

GOHIL PRIYANSHI NARESHBHAI - 202400319010083

MITAL MANSUKHBHAI VAJA – 202400319010104

SHAIKH YUSRABANU ABDUL HABIB - 202400319010124

PROJECT TITLE

Project Title – AUTOMATED DISPENSER FOR HARMFUL
CHEMICALS

GROUP MEMBERS

Year	Div	Name	Enrollment Number
SYBCA	B	PRIYANSHI GOHIL	202400319010083
SYBCA	B	MITAL VAJA	202400319010104
SYBCA	B	YUSRABANU SHAIKH	202400319010124

ABSTRACT

- This project presents an automated, touchless dispenser system specifically designed for harmful chemicals and liquids that are unsafe for direct human handling. The system integrates Arduino UNO, Ultrasonic Sensor, Relay Module, Air Pump, LCD Display.
- When an object (like a beaker or container) is detected by the ultrasonic sensor, the Arduino activates the relay-controlled air pump to dispense a fixed quantity of liquid. During the process, the LCD displays real-time messages such as “DISPENSING...”. ensuring clarity and confirmation for the user.
- This system ensures safety, hygiene, and automation in handling harmful liquids, preventing human contact, contamination, and accidents.

OBJECTIVE

- To design a touchless, automated chemical dispenser.
- To ensure safety by eliminating direct contact with harmful chemicals.
- To provide real-time LCD display messages.
- To make a low-cost, scalable, and safe solution for laboratories and industries

COMPONENTS

1. Hardware Components:

- Arduino Uno
- Ultrasonic Sensor (HC-SR04)
- Relay Module (HC-05)
- Air Pump
- LCD (16x2)
- Battery
- Liquid Container, Tubes, and Nozzles

2. Software Components:

- Arduino IDE
- Embedded C code

COMPONENTS FUNCTIONALITY

1. Hardware Components Functionality:

- Ultrasonic Sensor: Detects object/container.
- Arduino Uno: Processes data and controls output.
- Relay Module: Acts as a switch to control the pump.
- Air Pump: Dispenses liquid safely.
- LCD Display: Shows project name, process

("Dispensing..."),Object distance (display the distance how far it is).

- Battery: Provides required power supply.

2. Software Components Functionality:

- Arduino IDE: Code development and uploading.
- Embedded C/C++: Logic for sensing, control, and display.

WORKING OF SYSTEM

- The ultrasonic sensor continuously monitors distance.
- When an object comes within the threshold range, the Arduino activates the relay-controlled air pump.
- The LCD displays “DISPENSING...” and also display the distance of object during the process.
- The system resets and waits for the next object.

FUNCTIONALITY OF SYSTEM

- Touchless detection and dispensing.
- Real-time LCD display for process and output.
- Safe handling of harmful chemicals.
- Adjustable detection range and dispensing time.
- Portable and battery-powered.
- Cost-effective and reliable solution for labs, industries, and sanitation purposes.