

Universal Cheat-Sheet

A. C. Hinrichs

adrian.hinrichs@rwth-aachen.de

June 26, 2017

LaTeX

LaTeXmk

```
\$ latexmk -pvc -pdf -interaction=nonstopmode  
↪ \TEX-FILE
```

Wenn nur eine .tex-Datei im Verzeichniss vorhanden ist, kann \$TEX-FILE weggelassen werden

Istlistings

Inlinelistings with

```
\lstinline{<Code>}
```

Other commands

“Splitted” Footnotes (for use in eg. Math-Environments)

```
\footnotemark % Prints the mark
```

```
\footnotetext{#1} %Appends the text to the  
↪ footnote
```

EMACS-Commands

Open File (new or existing)	C-x C-f
Save file	C-x C-s
Save file as	C-x C-w
Toogle Read-Only-Mode	C-x C-q

Change Encoding	C-x RET r <ENCODING>
-----------------	----------------------

Jekyll

Jekyll starten

```
\$ jekyll serve
```

oder

```
\$ bundle exec jekyll serve
```

Markdown

Headers

```
# H1  
## H2  
### H3  
#### H4  
##### H5  
##### H6
```

Alternatively, for H1 and H2, an underline-ish style:

```
Alt-H1  
=====  
  
Alt-H2  
-----
```

Code

Inline ‘code‘ has ‘back-ticks around‘ it.
Code-Blocks:

```
‘‘python  
s = "Python syntax highlighting"  
print s  
‘‘
```

```
‘‘  
No language indicated, so no syntax  
↪ highlighting.  
But let’s throw in a <b>tag</b>.  
‘‘
```

Links

```
[Display Text]({{ site.baseurl }}/pfad/zur/  
↪ datei.html)
```