DSTORE(3)

### **NAME**

dstore - Double-precision store x

## **SYNOPSIS**

```
Fortran (77, 90, 95, HPF):

f77 [ flags ] file(s) ... -L/usr/local/lib -lgjl

SUBROUTINE dstore(x)

DOUBLE PRECISION x

END

C (K&R, 89, 99), C++ (98):

cc [ flags ] -L/usr/local/include file(s) ... -L/usr/local/lib -lgjl

Use

#include <gampsi.h>

to get this prototype:

void dstore(const fortran_double_precision * x_);
```

NB: The definition of C/C++ data types **fortran**\_xxx, and the mapping of Fortran external names to C/C++ external names, is handled by the C/C++ header file. That way, the same function or subroutine name can be used in C, C++, and Fortran code, independent of compiler conventions for mangling of external names in these programming languages.

Last code modification: 10-Jun-2000

#### DESCRIPTION

Store  $\mathbf{x}$ , to force a variable into memory.

This action is necessary on some architectures to force an expression to be converted to storage precision, when it might otherwise be held in a machine register at higher internal precision.

## **SEE ALSO**

```
astore(3), astorf(3), dstorf(3), qstore(3), qstorf(3).
```

# **AUTHORS**

The algorithms and code are described in detail in the paper

Algorithm xxx: Quadruple-Precision Gamma(x) and psi(x) Functions for Real Arguments in ACM Transactions on Mathematical Software, Volume ??, Number ??, Pages ????--???? and ????--????, 2001, by

Nelson H. F. Beebe

Center for Scientific Computing

University of Utah

Department of Mathematics, 110 LCB

155 S 1400 E RM 233

Salt Lake City, UT 84112-0090

Tel: +1 801 581 5254

FAX: +1 801 581 4148

Email: beebe@math.utah.edu, beebe@acm.org, beebe@computer.org

WWW URL: http://www.math.utah.edu/~beebe

and

James S. Ball

University of Utah

Department of Physics

Salt Lake City, UT 84112-0830

**USA** 

Tel: +1 801 581 8397

FAX: +1 801 581 6256

Email: ball@physics.utah.edu

WWW URL: http://www.physics.utah.edu/people/faculty/ball.html