ISQINF(3)

NAME

isqinf – Is quadruple-precision x infinite?

SYNOPSIS

```
Fortran (77, 90, 95, HPF):

f77 [ flags ] file(s) ... -L/usr/local/lib -lgjl

LOGICAL FUNCTION isqinf(x)

REAL*16 x

C (K&R, 89, 99), C++ (98):

cc [ flags ] -l/usr/local/include file(s) ... -L/usr/local/lib -lgjl

Use

#include <gampsi.h>

to get this prototype:
```

 $for tran_logical\ is q in f (const\ for tran_quadruple_precision*x_);$

NB: The definition of C/C++ data types **fortran**_ *xxx*, and the mapping of Fortran external names to C/C++ external names, is handled by the C/C++ header file. That way, the same function or subroutine name can be used in C, C++, and Fortran code, independent of compiler conventions for mangling of external names in these programming languages.

Last code modification: 12-Jun-2000

DESCRIPTION

Return .TRUE. if **x** is infinite, and .FALSE. otherwise.

SEE ALSO

ainf(3), dinf(3), qinf(3), isdinf(3).

AUTHORS

The algorithms and code are described in detail in the paper

Algorithm xxx: Quadruple-Precision Gamma(x) and psi(x) Functions for Real Arguments in ACM Transactions on Mathematical Software, Volume ??, Number ??, Pages ????--???? and ????--????, 2001, by

Nelson H. F. Beebe

Center for Scientific Computing

University of Utah

Department of Mathematics, 110 LCB

155 S 1400 E RM 233

Salt Lake City, UT 84112-0090

Tel: +1 801 581 5254 FAX: +1 801 581 4148

Email: beebe@math.utah.edu, beebe@acm.org, beebe@computer.org

WWW URL: http://www.math.utah.edu/~beebe

and

James S. Ball University of Utah Department of Physics Salt Lake City, UT 84112-0830 USA Tel: +1 801 581 8397 FAX: +1 801 581 6256

Email: ball@physics.utah.edu

WWW URL: http://www.physics.utah.edu/people/faculty/ball.html