Definition (Series composition). Let $\mathbf{d}: \mathbf{P} \to \mathbf{Q}$ and $\mathbf{e}: \mathbf{Q} \to \mathbf{R}$ be design problems. We define their *series composition* $(\mathbf{d}; \mathbf{e}): \mathbf{P} \to \mathbf{R}$ as:

$$(\mathbf{d}_{9}^{\circ}\mathbf{e}): \mathbf{P}^{\mathrm{op}} \times \mathbf{R} \to_{\mathbf{Pos}} \mathbf{Bool},$$

$$\langle p^{*}, r \rangle \mapsto \bigvee_{q \in \mathbf{Q}} \mathbf{d}(p^{*}, q) \wedge \mathbf{e}(q^{*}, r).$$

@Gioele: below "b" is not macroed

Alternatively, rather than taking the "or" (\bigvee) over an element q, we can iterate over pairs q_1, q_2 such that $q_1 \leq q_2$:

$$(\mathbf{d}_{9}^{\circ}\mathbf{e}): \mathbf{P}^{\mathrm{op}} \times \mathbf{R} \to_{\mathbf{Pos}} \mathbf{Bool},$$

$$\langle p^{*}, r \rangle \mapsto \bigvee_{\substack{q_{1} \leq q_{2}, q_{1}, q_{2} \in \mathbf{Q}}} \mathbf{d}(p^{*}, q_{1}) \wedge \mathbf{e}(q_{2}^{*}, r).$$