

VIP: A Python package for high-contrast imaging

Valentin Christiaens¹, Carlos Gomez Gonzalez², Ralf Farkas³, Alan Rainot⁴, Henry Ngo⁵, Olivier Absil¹, Iain Hammond⁶, and Arthur Vigan⁷

¹ Space sciences, Technologies & Astrophysics Research Institute, Université de Liège, Belgium ² TO BE FILLED ³ Rheinische Friedrich-Wilhelms-Universität Bonn, Germany ⁴ Institute of Astronomy, KU Leuven, Belgium ⁵ NRC Herzberg Astronomy and Astrophysics, Victoria, BC, Canada ⁶ School of Physics and Astronomy, Monash University, Vic 3800, Australia ⁷ Aix Marseille Univ, CNRS, CNES, LAM, Marseille, France

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Editor: [Open Journals](#) ↗

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Direct imaging of exoplanets and circumstellar disks at optical and infrared wavelengths requires reaching high contrasts at short angular separations. This can only be achieved through the synergy of advanced instrumentation, such as adaptive optics and coronagraphy, with a relevant combination of observing strategy and post-processing algorithms to model and subtract residual starlight. In this context, VIP is a Python package providing the tools to reduce, post-process and analyze high-contrast imaging datasets, enabling the detection and characterization of directly imaged exoplanets, circumstellar disks, and stellar environments.

Statement of need

VIP stands for Vortex Image Processing. It is a collaborative project which started at the University of Liège, aiming to integrate open-source, efficient, easy-to-use and well-documented implementations of state-of-the-art algorithms used in the context of high-contrast imaging. The package follows a modular architecture, such that its routines cover a wide diversity of tasks, including:

- image pre-processing, such as sky subtraction, bad pixel correction, bad frame removal, or image alignment and star centering (preproc module);
- modeling and subtracting the stellar point spread function (PSF) using state-of-the-art algorithms that leverage observing strategies such as angular differential imaging (ADI), spectral differential imaging (SDI) or reference star differential imaging ([Marois et al., 2006](#); [Racine et al., 1999](#); [Sparks & Ford, 2002](#)), which induce diversity between speckle and authentic astrophysical signals (psfsub module);
- characterizing point sources and extended circumstellar signals through forward modeling (fm module);
- detecting and characterizing point sources through inverse approaches (invprob module);
- assessing the achieved contrast in PSF-subtracted images, automatically detecting point sources, and estimating their significance (metrics module).

The features implemented in VIP as of 2017 are described in Gomez Gonzalez et al. ([2017](#)). Since then, the package has been widely used by the high-contrast imaging community for the discovery of low-mass companions ([Hirsch et al., 2019](#); [Milli et al., 2017](#); [Ubeira-Gabellini et al., 2020](#)), their characterization ([Christiaens et al., 2019, 2018](#); [Delorme et al., 2017](#); [Wertz et al., 2017](#)), the study of planet formation ([Maucó et al., 2020](#); [Reggiani et al., 2018](#); [G. Ruane et al., 2017](#); [Toci et al., 2020](#)), the study of high-mass star formation ([Rainot et al., 2022](#),

2020), or the development of new high-contrast imaging algorithms (Dahlqvist et al., 2020, 2021; Gomez Gonzalez et al., 2018; Pairet et al., 2021). Given the rapid expansion of VIP, we summarize here all novelties that were brought to the package over the past five years.

The rest of this manuscript summarizes all major changes since v0.7.0 (Gomez Gonzalez et al., 2017), that are included in the latest release of VIP (v1.3.0). At a structural level, VIP underwent a major change since version v1.1.0, which aimed to migrate towards a more streamlined and easy-to-use architecture. The package now revolves around five major modules (fm, invprob, metrics, preproc and psfsub, as described above) complemented by four additional modules containing various utility functions (config, fits, stats and var). New Dataset and Frame classes have also been implemented, enabling an object-oriented approach for processing high-contrast imaging datasets and analyzing final images, respectively. Similarly, a HCIPostProcAlgo class and different subclasses inheriting from it have been defined to facilitate an object-oriented use of VIP routines.

Some of the major changes in each module of VIP are summarized below:

- fm:
 - new routines were added to create parametrizable scattered-light disk models and extended signals in ADI cubes, in order to forward-model the effect of ADI post-processing (Christiaens et al., 2019; Milli et al., 2012);
 - the log-likelihood expression used in the negative fake companion (NEGFC) technique was updated, and the default convergence criterion for the NEGFC-MCMC method is now based on auto-correlation (Christiaens et al., 2021);
 - the NEGFC methods are now fully compatible with integral field spectrograph (IFS) input datacubes.
- invprob:
 - a Python implementation of the ANDROMEDA algorithm (Cantalloube et al., 2015) is now available as part of VIP;
 - the FMMF algorithm (Pueyo, 2016) is now also available in the invprob module.
- metrics:
 - calculation of standardized trajectory maps (STIM) is now available (Pairet et al., 2019);
- preproc:
 - the module now boasts several new algorithms for (i) the identification of either isolated bad pixels or clumps of bad pixels, leveraging on iterative sigma filtering (cube_fix_badpix_clump), the circular symmetry of the PSF (cube_fix_badpix_annuli), or the radial expansion of the PSF with increasing wavelength (cube_fix_badpix_ifs), and (ii) the correction of bad pixels based on either median replacement (default) or Gaussian kernel interpolation (cube_fix_badpix_with_kernel);
 - a new algorithm was added for the recentering of coronagraphic image cubes based on the cross-correlation of the speckle pattern, after appropriate filtering and log-scaling of pixel intensities (Garreth Ruane et al., 2019).
- psfsub:
 - all principal component analysis (PCA) based routines (Amara & Quanz, 2012; Soummer et al., 2012) have been re-written for improved efficiency, and are now also compatible with 4D IFS+ADI input cubes to apply SDI-based PSF modeling and subtraction algorithms;
 - an implementation of the Locally Optimal Combination of Images (Lafrenière et al., 2007) was added;
 - an annular version of the non-negative matrix factorization algorithm is now available (Gomez Gonzalez et al., 2017; Lee & Seung, 1999);
 - besides median-ADI, the medsub routine now also supports median-SDI.

We refer the interested reader to release descriptions and GitHub [announcements](#) for a more complete list of all changes, including improvements not mentioned in the above summary.

Two major convention updates are also to be noted in VIP. All image operations (rotation, scaling, resampling and sub-pixel shifts) are now performed using Fourier-Transform (FT) based methods by default. These have been implemented as low-level routines in the preproc module. FT-based methods significantly outperform interpolation-based methods in terms of flux conservation (Larkin et al., 1997). However, given the order of magnitude slower computation of FT-based image rotations, the option to use interpolation-based methods is still available in all relevant VIP functions. The second change of convention concerns the assumed center for even-size images, which is now defined as the top-right pixel among the four central pixels of the image - a change motivated by the new default FT-based methods for image operations. The center convention is unchanged for odd-size images (central pixel).

Finally, a total of nine jupyter notebook tutorials covering most of the available features in VIP were implemented. These tutorials illustrate how to (i) load and post-process an ADI dataset (quick-start tutorial); (ii) pre-process ADI and IFS datasets; (iii) model and subtract the stellar halo with ADI-based algorithms; (iv) calculate metrics such as the S/N ratio (Mawet et al., 2014), STIM maps (Pairet et al., 2019) and contrast curves; (v) find the radial separation, azimuth and flux of a point source; (vi) create and forward model scattered-light disk models; (vii) post-process IFS data and infer the exact astro- and photometry of a given point source; (viii) use FT-based and interpolation-based methods for different image operations, and assess their respective performance; and (ix) use the new object-oriented framework for VIP.

Acknowledgements

An up-to-date list of contributors to VIP is available [here](#). VC acknowledges financial support from the Belgian F.R.S.-FNRS. This project has received funding from the European Research Council (ERC) under the European Union's FP7 and Horizon 2020 research and innovation programmes (grant agreements No 337569 and 819155), and from the Wallonia-Brussels Federation (grant for Concerted Research Actions).

References

- Amara, A., & Quanz, S. P. (2012). PYNPOINT: an image processing package for finding exoplanets. *MNRAS*, 427, 948–955. <https://doi.org/10.1111/j.1365-2966.2012.21918.x>
- Cantalloube, F., Mouillet, D., Mugnier, L. M., Milli, J., Absil, O., Gomez Gonzalez, C. A., Chauvin, G., Beuzit, J.-L., & Cornia, A. (2015). Direct exoplanet detection and characterization using the ANDROMEDA method: Performance on VLT/NaCo data. *Astronomy and Astrophysics*, 582, A89. <https://doi.org/10.1051/0004-6361/201425571>
- Christiaens, V., Casassus, S., Absil, O., Cantalloube, F., Gomez Gonzalez, C., Girard, J., Ramirez, R., Pairet, B., Salinas, V., Price, D. J., Pinte, C., Quanz, S. P., Jordán, A., Mawet, D., & Wahhaj, Z. (2019). Separating extended disc features from the protoplanet in PDS 70 using VLT/SINFONI. *MNRAS*, 486(4), 5819–5837. <https://doi.org/10.1093/mnras/stz1232>
- Christiaens, V., Casassus, S., Absil, O., Kimeswenger, S., Gonzalez, C. A. G., Girard, J., Ramirez, R., Wertz, O., Zurlo, A., Wahhaj, Z., Flores, C., Salinas, V., Jordán, A., & Mawet, D. (2018). Characterization of low-mass companion HD 142527 B. *Astronomy and Astrophysics*, 617, A37. <https://doi.org/10.1051/0004-6361/201629454>
- Christiaens, V., Ubeira-Gabellini, M.-G., Cánovas, H., Delorme, P., Pairet, B., Absil, O., Casassus, S., Girard, J. H., Zurlo, A., Aoyama, Y., Marleau, G.-D., Spina, L., van der Marel, N., Cieza, L., Lodato, G., Pérez, S., Pinte, C., Price, D. J., & Reggiani, M. (2021). A faint companion around CrA-9: protoplanet or obscured binary? *MNRAS*, 502(4), 6117–6139. <https://doi.org/10.1093/mnras/stab480>

- 139 Dahlqvist, C.-H., Cantalloube, F., & Absil, O. (2020). Regime-switching model detection map
140 for direct exoplanet detection in ADI sequences. *Astronomy and Astrophysics*, 633, A95.
141 <https://doi.org/10.1051/0004-6361/201936421>
- 142 Dahlqvist, C.-H., Cantalloube, F., & Absil, O. (2021). Auto-RSM: An automated parameter-
143 selection algorithm for the RSM map exoplanet detection algorithm. 656, A54. <https://doi.org/10.1051/0004-6361/202141446>
- 145 Delorme, P., Schmidt, T., Bonnefoy, M., Desidera, S., Ginski, C., Charnay, B., Lazzoni, C.,
146 Christiaens, V., Messina, S., D'Orazi, V., Milli, J., Schlieder, J. E., Gratton, R., Rodet,
147 L., Lagrange, A.-M., Absil, O., Vigan, A., Galicher, R., Hagelberg, J., ... Wildi, F. (2017).
148 In-depth study of moderately young but extremely red, very dusty substellar companion HD
149 206893B. *Astronomy and Astrophysics*, 608, A79. <https://doi.org/10.1051/0004-6361/201731145>
- 151 Gomez Gonzalez, C. A., Absil, O., & Van Droogenbroeck, M. (2018). Supervised detection
152 of exoplanets in high-contrast imaging sequences. *Astronomy and Astrophysics*, 613, A71.
153 <https://doi.org/10.1051/0004-6361/201731961>
- 154 Gomez Gonzalez, C. A., Wertz, O., Absil, O., Christiaens, V., Defrère, D., Mawet, D., Milli, J.,
155 Absil, P.-A., Van Droogenbroeck, M., Cantalloube, F., Hinz, P. M., Skemer, A. J., Karlsson,
156 M., & Surdej, J. (2017). VIP: Vortex Image Processing Package for High-contrast Direct
157 Imaging. *The Astronomical Journal*, 154, 7. <https://doi.org/10.3847/1538-3881/aa73d7>
- 158 Hirsch, L. A., Ciardi, D. R., Howard, A. W., Marcy, G. W., Ruane, G., Gonzalez, E., Blunt, S.,
159 Crepp, J. R., Fulton, B. J., Isaacson, H., Kosiarek, M., Mawet, D., Sinukoff, E., & Weiss,
160 L. (2019). Discovery of a White Dwarf Companion to HD 159062. *The Astrophysical Journal*,
161 878(1), 50. <https://doi.org/10.3847/1538-4357/ab1b11>
- 162 Lafrenière, D., Marois, C., Doyon, R., Nadeau, D., & Artigau, É. (2007). A New Algorithm
163 for Point-Spread Function Subtraction in High-Contrast Imaging: A Demonstration with
164 Angular Differential Imaging. *The Astrophysical Journal*, 660, 770–780. <https://doi.org/10.1086/513180>
- 166 Larkin, K. G., Oldfield, M. A., & Klemm, H. (1997). Fast Fourier method for the accurate
167 rotation of sampled images. *Optics Communications*, 139(1-3), 99–106. [https://doi.org/10.1016/S0030-4018\(97\)00097-7](https://doi.org/10.1016/S0030-4018(97)00097-7)
- 169 Lee, D. D., & Seung, H. S. (1999). Learning the parts of objects by non-negative matrix
170 factorization. *Nature*, 401(6755), 788–791. <https://doi.org/10.1038/44565>
- 171 Marois, C., Lafrenière, D., Doyon, R., Macintosh, B., & Nadeau, D. (2006). Angular Differential
172 Imaging: A Powerful High-Contrast Imaging Technique. *The Astrophysical Journal*, 641,
173 556–564. <https://doi.org/10.1086/500401>
- 174 Maucó, K., Olofsson, J., Canovas, H., Schreiber, M. R., Christiaens, V., Bayo, A., Zurlo, A.,
175 Cáceres, C., Pinte, C., Villaver, E., Girard, J. H., Cieza, L., & Montesinos, M. (2020). NaCo
176 polarimetric observations of Sz 91 transitional disc: a remarkable case of dust filtering.
177 *MNRAS*, 492(2), 1531–1542. <https://doi.org/10.1093/mnras/stz3380>
- 178 Mawet, D., Milli, J., Wahhaj, Z., Pelat, D., Absil, O., Delacroix, C., Boccaletti, A., Kasper, M.,
179 Kenworthy, M., Marois, C., Mennesson, B., & Pueyo, L. (2014). Fundamental Limitations
180 of High Contrast Imaging Set by Small Sample Statistics. *The Astrophysical Journal*, 792,
181 97. <https://doi.org/10.1088/0004-637X/792/2/97>
- 182 Milli, J., Hiben, P., Christiaens, V., Choquet, É., Bonnefoy, M., Kennedy, G. M., Wyatt,
183 M. C., Absil, O., Gómez González, C. A., del Burgo, C., Matrà, L., Augereau, J.-C.,
184 Boccaletti, A., Delacroix, C., Ertel, S., Dent, W. R. F., Forsberg, P., Fusco, T., Girard,
185 J. H., ... Wahhaj, Z. (2017). Discovery of a low-mass companion inside the debris ring
186 surrounding the F5V star HD 206893. *Astronomy and Astrophysics*, 597, L2. <https://doi.org/10.1051/0004-6361/201629908>

- 188 Milli, J., Mouillet, D., Lagrange, A.-M., Boccaletti, A., Mawet, D., Chauvin, G., & Bonnefoy,
189 M. (2012). Impact of angular differential imaging on circumstellar disk images. *Astronomy*
190 *and Astrophysics*, 545, A111. <https://doi.org/10.1051/0004-6361/201219687>
- 191 Pairet, B., Cantalloube, F., Gomez Gonzalez, C. A., Absil, O., & Jacques, L. (2019). STIM
192 map: detection map for exoplanets imaging beyond asymptotic Gaussian residual speckle
193 noise. *MNRAS*, 487(2), 2262–2277. <https://doi.org/10.1093/mnras/stz1350>
- 194 Pairet, B., Cantalloube, F., & Jacques, L. (2021). MAYONNAISE: a morphological components
195 analysis pipeline for circumstellar discs and exoplanets imaging in the near-infrared. *MNRAS*,
196 503(3), 3724–3742. <https://doi.org/10.1093/mnras/stab607>
- 197 Pueyo, L. (2016). Detection and Characterization of Exoplanets using Projections on Karhunen
198 Loeve Eigenimages: Forward Modeling. 824(2), 117. [https://doi.org/10.3847/0004-637X/](https://doi.org/10.3847/0004-637X/824/2/117)
199 [824/2/117](https://doi.org/10.3847/0004-637X/824/2/117)
- 200 Racine, R., Walker, G. A. H., Nadeau, D., Doyon, R., & Marois, C. (1999). Speckle Noise
201 and the Detection of Faint Companions. *Publications of the Astronomical Society of the*
202 *Pacific*, 111, 587–594. <https://doi.org/10.1086/316367>
- 203 Rainot, A., Reggiani, M., Sana, H., Bodensteiner, J., & Absil, O. (2022). Carina High-contrast
204 Imaging Project for massive Stars (CHIPS). II. O stars in Trumpler 14. *Astronomy and*
205 *Astrophysics*, 658, A198. <https://doi.org/10.1051/0004-6361/202141562>
- 206 Rainot, A., Reggiani, M., Sana, H., Bodensteiner, J., Gomez-Gonzalez, C. A., Absil, O.,
207 Christiaens, V., Delorme, P., Almeida, L. A., Caballero-Nieves, S., De Ridder, J., Kratter,
208 K., Lacour, S., Le Bouquin, J.-B., Pueyo, L., & Zinnecker, H. (2020). Carina High-contrast
209 Imaging Project for massive Stars (CHIPS). I. Methodology and proof of concept on QZ
210 Car (\equiv HD 93206). *Astronomy and Astrophysics*, 640, A15. [https://doi.org/10.1051/](https://doi.org/10.1051/0004-6361/201936448)
211 [0004-6361/201936448](https://doi.org/10.1051/0004-6361/201936448)
- 212 Reggiani, M., Christiaens, V., Absil, O., Mawet, D., Huby, E., Choquet, E., Gomez Gonzalez,
213 C. A., Ruane, G., Femenia, B., Serabyn, E., Matthews, K., Barraza, M., Carlomagno,
214 B., Defrère, D., Delacroix, C., Habraken, S., Jolivet, A., Karlsson, M., Orban de Xivry,
215 G., ... Wertz, O. (2018). Discovery of a point-like source and a third spiral arm in the
216 transition disk around the Herbig Ae star MWC 758. *Astronomy and Astrophysics*, 611,
217 A74. <https://doi.org/10.1051/0004-6361/201732016>
- 218 Ruane, G., Mawet, D., Kastner, J., Meshkat, T., Bottom, M., Femenía Castellá, B., Absil,
219 O., Gomez Gonzalez, C., Huby, E., Zhu, Z., Jensen-Clem, R., Choquet, É., & Serabyn,
220 E. (2017). Deep Imaging Search for Planets Forming in the TW Hya Protoplanetary
221 Disk with the Keck/NIRC2 Vortex Coronagraph. *The Astronomical Journal*, 154, 73.
222 <https://doi.org/10.3847/1538-3881/aa7b81>
- 223 Ruane, Garreth, Ngo, H., Mawet, D., Absil, O., Choquet, É., Cook, T., Gomez Gonzalez, C.,
224 Huby, E., Matthews, K., Meshkat, T., Reggiani, M., Serabyn, E., Wallack, N., & Xuan, W.
225 J. (2019). Reference Star Differential Imaging of Close-in Companions and Circumstellar
226 Disks with the NIRC2 Vortex Coronagraph at the W. M. Keck Observatory. 157(3), 118.
227 <https://doi.org/10.3847/1538-3881/aafef2>
- 228 Soummer, R., Pueyo, L., & Larkin, J. (2012). Detection and Characterization of Exoplanets
229 and Disks Using Projections on Karhunen-Loève Eigenimages. *The Astrophysical Journal*,
230 755(2), L28. <https://doi.org/10.1088/2041-8205/755/2/L28>
- 231 Sparks, W., & Ford, H. (2002). Imaging Spectroscopy for Extrasolar Planet Detection. *The*
232 *Astrophysical Journal*, 578, 543–564. <https://doi.org/10.1086/342401>
- 233 Toci, C., Lodato, G., Christiaens, V., Fedele, D., Pinte, C., Price, D. J., & Testi, L. (2020).
234 Planet migration, resonant locking, and accretion streams in PDS 70: comparing models
235 and data. *MNRAS*, 499(2), 2015–2027. <https://doi.org/10.1093/mnras/staa2933>

- 236 Ubeira-Gabellini, M. G., Christiaens, V., Lodato, G., Ancker, M. van den, Fedele, D., Manara,
237 C. F., & Price, D. J. (2020). Discovery of a Low-mass Companion Embedded in the Disk of
238 the Young Massive Star MWC 297 with VLT/SPHERE. *The Astrophysical Journal*, 890(1),
239 L8. <https://doi.org/10.3847/2041-8213/ab7019>
- 240 Wertz, O., Absil, O., Gómez González, C. A., Milli, J., Girard, J. H., Mawet, D., & Pueyo, L.
241 (2017). VLT/SPHERE robust astrometry of the HR8799 planets at milliarcsecond-level
242 accuracy. Orbital architecture analysis with PyAstrOFit. *Astronomy and Astrophysics*, 598,
243 A83. <https://doi.org/10.1051/0004-6361/201628730>

DRAFT