Coronavirus Self-Checker Decision Tree V65.1

CARE MESSAGES

MSGO. <<Please make a selection so I can help give you care advice.>>
You have not made a selection. Please start again and select options for each question so that I can help give you advice.

MSG1. <<Sounds like you (they) are feeling ok.>>
Learn more about COVID-19 and what you (they) can do to stay safe on the CDC website.

MSG2. [no care message 2]

MSG3. [no care message 3]

MSG4. << Urgent medical attention may be needed. Please call 911 or go to the Emergency

Department.>> Based on your (their) symptoms, you may need urgent medical care. Please call 911 or go to the

Tell the 911 operator or emergency staff if you have had contact with someone with COVID-19.

MSGS. <<Call a medical provider.>>

Sorry you (they) are not feeling well. Your (their) symptoms may be related to COVID-19. You (they)

- also have medical conditions that may put you (them) at risk of becoming more seriously ill.

 Call your (their) medical provider, clinician advice line, or telemedicine provider.

 If you (they) feel worse, and you (they) think it is an emergency, call 911 or seek medical care
- Stay home (keep them home) except to get medical care.
- Do not go to work, school, or public areas including grocery stores, pharmacies, or restaurants. Consider delivery options for food and medicine.

 Do not use public transportation or ride sharing
- Wash your hands often with soap and water Cover your coughs and sneezes with a tissue
- Avoid close contact with other people. Stay at least 6 feet away from other people.

- Avoid close contact with other people. Stay at least o reet aw.
 Wear a mask when around others.
 Consider using telehealth services if available.
 Learn how to take care of yourself or someone else who is sick.
 Take these steps to help protect others from getting sick.

MSG6. ADULT (Age 18 and Up) << Contact the occupational health provider at your (their) workplace

Tell the occupational health provider (or supervisor) in your workplace that you're feeling sick as

Follow any additional guidelines from public health officials

MSG7. <<Contact a medical provider in the care center, nursing home, or homeless shelter where you

(they) live.>>
Tell a caregiver in your (their) facility that you (they) are sick and need to see a medical provider as soon as possible. Living in a long-term care facility or nursing home may put you (them) at a higher risk for severe illness.

Help protect others from getting sick:

- Stay in your room as much as possible except to get medical care.
- Cover your coughs and sneezes with a tissue
 Wash your hands often with soap and water

- was it your names orien with sole pain owner.
 Avoid close contact with other people. Stay at least 6 feet away from other people.
 Wear a mask when around others.
 Clean and disinfect frequently touched surfaces in your room.
 Monitor your health and notify a medical provider if you think you are getting sicker.

MSG8. << Stay home (keep them home) and take care of yourself (them). Call your (their) me

provider if you get worse.>> Sorry you are (or your child is) not feeling well. Your symptoms may be related to COVID-19.

- Sorry you are (or your child is) not feeling well. Your symptoms may be related to COVID-13
 Stay home (leve) them home) except to get medical care.

 Do not go to work, school, or public areas including grocery stores, pharmacies, or
 Do not use public transportation or ride pharing.

 Cover your cought and sneezes with a tissue.

 Washy our hands often with scap and water.

 Avoid close contact with other people. Stay at least 5 feet away from other people.

 West an ansak when around others.

- If you (they) feel worse, and you (they) think it is an emergency, call 911 or seek medical care
- Learn how to take care of yourself or someone else who is sick.
- . Take steps to help protect others from getting sick.

MSG9. << Stay home (keep them home) and take care of yourself (them). Call your (their) medical

video: >> (ii) (they) are not feeling will. Your (their) preparents) may be related to COUD-19. COUD-19. COUD-19. Sign you meet previous development relevance to country of the country o

- · Cover your coughs and sneezes with a tissue Wash your hands often with soap and wate
- Avoid close contact with other people. Stay at least 6 feet away from other people.
- If you (they) feel worse, and you think it is an emergency, call 911 or seek medical care

- Tryou (trey) ret rownes, and you mink it is an entering garry, call of immediately.
 Consider using telehealth services if available.
 Learn how to take care of yourself or someone else who is sick.
 Take steps to help protect others from getting sick.

MSG10. <<Sorry you (they) are feeling sick. Stay home (keep them home) and monitor your (their)

symptoms. Call your (their) medical provider if you (they) get worse...>
Watch for COVID-19 symptoms. If you (they) develop any of these symptoms or if you (they) start to feel worse, call your (their) medical provider, clinician advice line, or telemedicine provider.

- Here are some steps that may help you (them) feel better
- Stay at home and rest.
 Drink plenty of water and other clear liquids to prevent fluid loss (dehydration).
- Cover your coughs and sneezes with a tissue
 Wash your hands often with soap and water.

MSG11. << Please check with your Ministry of Health or local health department for additional

MSG12. Please consent to use the Coronavirus Self-Checker. Refresh the page to start again.

MSG13. Thanks! Your location has its own self-assessment tool. Please click here** to be directed to

** Insert hyperlink to the state's website if they have their own triage tool.

MSG14. If you start to feel sick, tell a medical provider in the care center, nursing home, or shelter

CARE MESSAGES (con't)

MSG15. <<Contact the occupational health provider at your workplace.>> Tell your occupational health provider (or supervisor) that you may have been in contact with

someone with suspected COVID-19. You may be asked to wear a mask over your nose and mouth to protect yourself and those around you.

- Check your temperature twice a day for 14 days.
- Watch for COVID-19 symptoms. Learn more about COVID-19 and how you can protect yourself and others on the CDC website.

MSG16. << Monitor for symptoms. >>
Watch for COVID-19 symptoms. If you (they) develop symptoms, call your (their) medical prov

clinician advice line, or telemedicine provider. Learn more about COVID-19 and steps you (they) can take to protect yourself (themselves) and others on the CDC websit

ASSET 7-chloritor for symptoms, were a mask-2-wheth for COVID-15 symptoms. He you they develop symptoms, call your (their) medical provider, clinician advice line, or telemedicine provider. When around other people, you (they) will be asked to wear a mask over your (their) noise and mouth to protect yourself (themselves) and those around you (them). Masks should not be used for anyone who has trouble breathing, is unconscious, incapacitated, or otherwise unable to remove the mask on their own.

MSG18. << Monitor for symptoms, stay at home.>>

- Stay home for 14 days from the day you (they) last had contact. To determine when to start and end isolation, follow CDC guidance.
 Take your (they) temperature twice a day and watch for symptoms of COVID-19. Practice social
- distancing.
 Signal alea is feet away from others and stay out of crowded places.
 Signal alea is feet away from people who are at higher risk for getting very sick from COVID-19.
 If you (they) develop symptoms, follow CDC guidance.

MSG19. <<Contact a medical provider.>>

This tool is intended for people 2 years or older. Please call the child's medical provider, clinician advice line, or telemedicine provider if your child is less than 2 years old and sick.

15G20. <<Please ask your parent or guardian to help you complete these questions.>>

MSG21. << Please ask your parent or guardian to answer these questions with you.>>

MSG22. << Ask a parent or guardian to assist you, or if taking by yourself, share these results with your

MSG23. <<Contact a medical provider if you (they) get sick.>>

- Help protect others from getting sick:

 Stay in your room as much as possible except to get medical care.
- Cover your coughs and sneezes with a tissue.
 Wash your hands often with soap and water.

- wash your harms our with solp ain aware?
 Avoid close contact with other people. Stay at least 6 feet away from other people.
 Wear a mask when around others.
 Clean and disinted frequently touched surfaces in your room.
 Monitor your health and notify a medical provider if you think you are getting sicker.

MSG24, <<Contact an administrator or nurse at your (their) school or child care as soon as possible.>>

Tell the administrator or nurse at your (their) school or child care that you (they) are feeling sick.

15G25. << Contact a medical provider in the care center, nursing home, or homeless shelter where yo

(they) live.>>
Tell a caregiver in your (their) facility that you (they) may have been in close contact with someone

- Help protect others from getting sick:

 Stay in your room as much as possible except to get medical care
- Cover your coughs and sneezes with a tissue
- Avoid close contact with other people. Stay at least 6 feet away from other people.
 Wear a mask when around others, if possible.
 Monitor your health and notify a medical provider if you start to feel sick.

inistrator or nurse at your (their) school or child care.>> Tell an administrator or nurse at your (their) school or child care that you (they) may have been in contact with someone with suspected COVID-19.

- Wear a mask over your (their) nose (their) and mouth to protect you (they) and those around you

- (mem).

 Check you' (their) temperature twice a day for 14 days.

 Watch for COVID-19 symptoms. Learn more about COVID-19 and how you (they) can protect yourself (themselves) and others on the CDC website.

MSG27. <<If you (they) test positive for SARS-CoV-2 infection:>>

- it has been 10 days since symptoms first appeared and
- If his boers will oak some symptoms insit appeared not have been symptoms or the some symptoms of the some symptoms of COVID-19 are improving "1" class of taste and smell may persist for weeks or months after encovery and need not delay theen of a doubton).
 Please inform your (their) observable some contacts that they have been potentially exposed to SARS-CoV-2. CDC recommends that all dose contacts people with confirmed or probable COVID should:
- CDC recommends that all dose contacts people with confirmed or probable COVID should: get tested and the days from the day of their last exposure, not (they) may also receive a call from a contact tracing professional see this video for more information. Cell cets and soft by whated. Take over-the counter medicines, such as acetaminophen, if needed to help you (them) feel better. Separate you was fittem) from other people. As much as possible, stay in a specific room and
- away from other people and pets in your (their) home.3

- MSG28. <<ii>Kil you (they) test negative for SARS-CoV-2 infection: >>

 It is possible that you (they) were very early in your (their) infection when your (their) sample was collected and that you (they) could test positive lader.
 If your (their) symptoms worsen after testing negative, please contact your (their) healthcare

MSG29. <<While waiting for your (their) results, isolate at home:>>

If you (they) do get tested, you (they) should isolate at home pending test results and follow the
advice of your (their) health care provider or a public health professional.

- - other symptoms of COVID-19 are improving* (*Loss of Taste and smell may persist for weeks or months after recovery and need not delay the end of isolation)

- 16G31. <if you (they) have been in close contact with someone with confirmed COVID-19:>>
 CDC recommends that all close contacts of people with confirmed COVID-19 should:
 quarantine for 14 days from the day of their last exposure. You (they) may also receive a call from a contact tracing professional see this video for more information.
- follow the recommendations of your local public health department. Based on local SARS-CoV-2 testing availability, there may be options to reduce the time people spend in guarantine. See this page for more information.

TESTING MESSAGES

TO. <<No COVID-19 testing needed at this time.>>
Based on the answers given, you (they) do not need to get tested unless recommended or required by your (their) healthcare provider, employer, or public health official.

T1. [No testing message]

72. <</p>
You (they) may be eligible for COVID-19 testing.>>
Visit your health department's website or talk to your medical provider for more information. To find a testing location near you, visit the Hits website.

T2. (for non-U.S. respondents) << You (they) may be eligible for COVID-19 testing.>>

- T3. << You (they) need to be tested for COVID-19.>>

 Based on the answers given, you (they) are a close contact of a person with COVID-19.

 CDC recommends that all close contacts of people with confirmed COVID-19 should2 get tested and
- o get tested and
 o quarantine for 14 days from the day of their last exposure. You (they) may also receive a call
 from a contact tracing professional see this vide for more information.
 o follow the recommendations of your local public health department.

 Based on local 5ARS-CoV-2 testing availability, there may be options to reduce the time people
 spend in quarantine. See this page for more information.

unds like you (they) may have symptoms of COVID-19. You (they) should get tested for

- CDC recommends that anyone with symptoms of COVID-19 should get tested and follow the advice of your (their) healthcare provider. For more information on when to test, visit the CDC
- website. Contact your local or state health department to find a testing location near you.

 If you (they) have symptoms of COVID-19 and are not tested, it is important to stay home. Find out what to do if you (they) are sick
- TS << No further COVID-19 testing needed at this time unless recommended by a provider >>

T50. <<You (they) may want to consider asking your (their) provider about testing and treat

Because some of the symptoms of flu and COVID-19 are similar, it may be hard to tell the differenc between them based on symptoms alone, and testing may be needed to help confirm a diagnosis. See this CDC webpage for more information about COVID-19 and influenza.

APPENDIX


Do not agree to disclaimer message: Your consent is required to use the Self-Checker

Do not consent:

it to use the Self-Checke


Given to every user in their first care message:
Please also see your local area's website: [link to state/territory/city health department website based on their location selection]


For Age 13 to 17 and if assessment is done by Myself then MSG22 at the end.



ADULT - ASYMPTOMATIC PATHWAY







PEDIATRIC - ASYMPTOMATIC PATHWAY



