CDC Coronavirus Self-Checker Decision Tree V66

Final Clearance Date: January 17, 2021

Care and Testing Messages CARE MESSAGES (con't)

CARE MESSAGES

MSGO. <<Please make a selection so I can help give you care advice.>>
MSGO. selection so I can help give you care advice.>> help give you advice.

nelp give you some...

MSG1. <Sounds like you (they) are feeling ok.>>
Learn more about COVID-19 and what you (they) can do to stay safe on the CDC website.

MSG2. [no care message 2]

MSG3. [no care message 3]

MSG4. << Urgent medical attention may be needed. Please call 911 or go to the Emerg

Department.>>
Based on your (their) symptoms, you may need urgent medical care. Please call 911 or go to the

nearest emergency department.
Tell the 911 operator or emergency staff if you have had contact with someone with COVID-19.

MSG5, <<Call a medical provider.>>

- 35. Ceclain a meactar protection.
 Sorry you (they) are not feeling well. Your (their) symptoms may be related to COVID-19. You (they) also have medical conditions that may put you (them) at risk of becoming more seriously iil.
 Call your (their) medical provider, clinician advice line, or telemedicine provider.
 If you (they) feel worse, and you (they) think it is an emergency, call 911 or seek medical care

- immediately.

 Stay home (keep them home) except to get medical care.

 Do not go to work, school, or public areas including grocery stores, pharmacies, or restaurants. Consider delivery options for food and medicine.

 Do not use public transportation or ride sharing
- Wash your hands often with soap and water
- Wash your hands often with soap and water.
 Cover your coughs and senees with a tissue.

 Level your coughs and senees with a tissue.

 Were ar mask when around others.

 Consider using telepheath services if available.

 Learn how to take care of yourself or someone else who is sick.

 Take these steps to help protect others from getting sick.

MSG6, ADULT (Age 18 and Up) <<Contact the occupational health provider at your workplace

mmediately.>>
Tell the occupational health provider (or supervisor) in your workplace that you're feeling sick as

Follow any additional guidelines from public health officials

MSG7. <<Contact a medical provider in the care center, nursing home, or homeless shelter where you

Tell a caregiver in your (their) facility that you (they) are sick and need to see a medical provider as soon as possible. Living in a long-term care facility or nursing home may put you (them) at a higher risk for severe illness.

Help protect others from getting sick:

- relig protect others from getting side:

 Stayin your from an much as possible except to get medical care.

 Cover your coughs and sneezes with a Issue Washy our hands often with soap and water.

 Avoid close contact with other people. Stay at least 6 feet away from other people.

 Wear a mask when around others.

 Clean and disinfect frequently touched surfaces in your room.

 Monitor your family and notify a medical provider if you think you are getting sicker.

MSG8. << Stay home (keep them home) and take care of yourself (them). Call your (their) medical

Sorry you are (or your child is) not feeling well. Your symptoms may be related to COVID-19.

- Sorry you are (or your child is) not feeling well. Your symptoms may be related to COVID-19
 Stay home (leve) them home) except to get medical care.

 b not go to work, school, or public areas including goocary stores, pharmacies, or
 b not go to work, school, or public areas including goocary stores, pharmacies, or
 Do not use peoplic transportation or ride sharing.
 Cover your cought and sneezes with a tissue.
 Cover your cought and sneezes with a tissue.
 Washy your hands often with scap and water.
 Avoid close contact with other people. Stay at least 6 feet away from other people.
 Wear a mask when around other.

- If you (they) feel worse, and you (they) think it is an emergency, call 911 or seek medical care
- Learn how to take care of yourself or someone else who is sick. Take steps to help protect others from getting sick.

MSG9. << Stay home (keep them home) and take care of yourself (them). Call your (their) medical

- Cover your coughs and sneezes with a tissue
 Wash your hands often with soap and water
- Avoid close contact with other people. Stay at least 6 feet away from other people.
 Wear a mask when around others.
 If you (they) feel worse, and you think it is an emergency, call 911 or seek medical care

- immediately.
 Consider using telehealth services if available
- Learn how to take care of yourself or someone else who is sick.
 Take steps to help protect others from getting sick.

MSG10. << Sorry you (they) are feeling sick. Stay home (keep them home) and monitor your (their)

ymptoms. Call your (their) medical provider if you (they) get worse.>>
Watch for CDVID-19 symptoms. If you (they) develop any of these symptoms or if you (they) start to feel worse, call your (their) medical provider, clinician advice line, or telemedicine provider.

Here are some steps that may help you (them) feel better:

- Stay at home and rest.
- Stay at nome and rest.
 Drink plenty of water and other clear liquids to prevent fluid loss (dehydration).
- Cover your coughs and sneezes with a tissue
 Wash your hands often with soap and water

MSG11. << Please check with your Ministry of Health or local health department for additional information and guidelines about COVID-19 in your location.>>

MSG12. Please consent to use the Coronavirus Self-Checker. Refresh the page to start again.

MSG13. Thanks! Your location has its own self-assessment tool. Please click here** to be directed to

** Insert hyperlink to the state's website if they have their own triage tool

MSG14. If you start to feel sick, tell a medical provider in the care center, nursing home, or shelter

MSGIS. <Contact the occupational health provider at your workplace.>>
Tell your occupational health provider for supervisor) that you may have been in contact with
someone with suspected COVID-19. You may be asked to wear a mask over your nose and mouth to protect yourself and those around you.

- Check your temperature twice a day for 14 days.
 Watch for COVID-19 symptoms. Learn more abou and others on the CDC website. a shout COVID-19 and how you can protect yourself

MSG16. << Monitor for symptoms.>>
Watch for COVID-19 symptoms. If you (they) develop symptoms, call your (their) medical provider, clinician advice line, or telemedicine provider.

Learn more about COVID-19 and steps you (they) can take to protect yourself (themselves) and others on the CDC website.

MSG17. << Monitor for symptoms, wear a mask.>>

GLI. C-knowntor for symptoms, wear a mask.>>
Watch for COVID-19 symptoms. If you flethey of evelop symptoms, call your (their) medical provider, clinician advice line, or telemedicine provider. When around other people, you (they) will be asked to wear a mask over your (their) note and month to protect yourself (themselves) and those around you (them). Masks should not be used for anyone who has trouble breathing, is unconscious, incapacitated, or otherwise unable to nemowe the mask on their own.

MSG18, << Monitor for symptoms, stay at home,>>

- Stay home for 14 days from the day you (they) last had contact. To determine when to start and end solation, follow CDC guidance.
 Take your (their) temperature twice a day and watch for symptoms of COVID-19. Practice social
- stancing.

 Stay at least 6 feet away from others and stay out of crowded places.
- If possible, stay away from people who are at higher risk for getting very sick from COVID-19.
 If you (they) develop symptoms, follow CDC guidance.

MSG19. <<Contact a medical provider.>>

This tool is intended for people 2 years or older. Please call the child's medical provider, clinician advice line, or telemedicine provider if your child is less than 2 years old and sick.

MSG20. << Please ask your parent or guardian to help you complete these questions.>

MSG21. << Please ask your parent or guardian to answer these questions with you.>> MSG22. << Ask a parent or guardian to assist you, or if taking by yourself, share these results with you

MSG23, <<Contact a medical provider if you (they) get sick.>>

- Help protect others from getting sick

- Help protect of from getting sick:

 Stay in your rooms a much as possible except to get medical care.

 Cover you coughts and sneezes with a tissue.

 Worsh your facio from with soap and water.

 Audi close contact with other people. Stay at least of feet away from other people.

 Wear a mask when around others.

 Clean and feet frequently fourched surfaces in your room.

 Monitor your four feet frequently touched surfaces in your room.

MSG24. << Contact an administrator or nurse at your (their) school or child care as soon as possible.>>

MSG25. <<Contact a medical provider in the care center, nursing home, or homeless shelter where you (they) live.>>

Y live. 39
Tell a caregiver in your (their) facility that you (they) may have been in close contact with someone who may have COVID-19. They can help prevent infections at your (their) facility or shelter.

- Help protect others from getting sick:
- Stay in your room as much as possible except to get medical care.
 Cover your coughs and sneezes with a tissue.
 Clean your hands often.
- Avoid close contact with other people. Stay at least 6 feet away from other people
 Wear a mask when around others, if possible.
 Monitor your health and notify a medical provider if you start to feel sick.
- MSG26. <<Contact an administrator or nurse at your (their) school or child care.>>

Tell an administrator or nurse at your (their) school or child care that you (they) may have been in contact with someone with suspected COVID-19.

- Wear a mask over your (their) nose (their) and mouth to protect you (they) and those around yo
- (tnem).

 Check your (their) temperature twice a day for 14 days.

 Watch for COVID-19 symptoms. Learn more about COVID-19 and how you (they) can protect yourself (themselves) and others on the CDC website.

- MSG27. <<If you (they) test positive for SARS-CoV-2 infection:>> Stay home and away from others until
- Say home and away from others until its departer and in the chief of t
- Continuents that all code contacts or people with continuents or processes CVVVI should, get tested and a quarantine for 14 days from the day of their last exposure. You (they) may also receive a call from a contact tracing professional see this video for more information.

 Get rest and stay hydrated. Take over-the-counter medicines, such as acetaminophen, if needed

Separate yourself (them) from other people. As much as possible, stay in a specific room and away from other people and pets in your (their) home.3

- MSG28. < cif you (they) test negative for SARS-CoV-2 infection: >>

 It is possible that you (they) were very early in your (their) infection when your (their) sample was collected and that you (they) could test positive later.

 If your (their) symptoms worsen after testing negative, please contact your (their) healthcare

MSG29. << While waiting for your (their) results, isolate at home:>>

You (they) should isolate at home pending test results and follow the advice of your (their) health care provider or a public health professional.

MSG30. << If you do not get tested, you (they) should:>>

- Stay home and away from others until
 it has been 10 days since symptoms first appeared and
 24 hours with no fever without the use of fever-reducing medications and
- other symptoms of COVID-19 are improving* (*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation)

follow the recommendations of your local public health department Based on local SARS-CoV-2 testing availability, there may be options to reduce the time people spend in quarantine. See this page for more information.

TESTING MESSAGES

TO. << No COVID-19 testing needed at this time.>>
Based on the answers given, you (they) do not need to get tested unless recommended or required by your (their) healthcare provider, employer, or public health official.

T2. <<You (they) may be eligible for COVID-19 testing.>>

Visit your health department's website or talk to your medical provider for more information. To find a testing location near you, visit the HHS website.

onal. <<You (they) may be eligible for COVID-19 testing.>

T3. << You (they) need to be tested for COVID-19.>>

- Based on the answers given, you (they) are a close contact of a person with COVID-19. . CDC recommends that all close contacts of people with confirmed COVID-19 should:
 - quaranting for 14 days from the day of their last evocure. You (they) may also receive a call
- o quarantine for 14 days from the day of their last exposure. You (they) may also receive a car from a contact tracing professional—see this vedeo for more information. From a contact tracing professional—see this vedeo for more information. Based on local SASS-CVC/2 testing availability, there may be options to reduce the time people spend in quarantine. See this page for more information. T4. <Sounds like you (they) may have symptoms of COVID-19. You (they) should get tested for COVID-19.>

- CDC recommends that anyone with symptoms of COVID-19 should get tested and follow the
- EUX recommends not anyone wint symptoms or COVIT-3 should get exect and notion wind
 advice of your (their) healthrase provider. For more information on when to test, visit the CDC
 website. Contact your local or state health department to find a testing location near you.
 If you (they) have symptoms of COVID-19 and are not tested, it is important to stay home. Find
 out what to do if you (they) are sick.

T5. << No further COVID-19 testing needed at this time unless recommended by a provider.>>

T6. << Further COVID-19 testing may not be needed at this time, unless recommended by a provider.>>

T50. <<You (they) may want to consider asking your (their) provider about testing and treatment for Jenza.>> Because some of the symptoms of flu and COVID-19 are similar, it may be hard to tell the difference between them based on symptoms alone, and testing may be needed to help confirm a diagnosis. See this CDC webpage for more information about COVID-19 and influenza.

APPENDIX

Do not agree to disclaimer message: Your consent is required to use the Self-Check

Do not consent: Please consent to use the Self-Checker

Given to every user in their first care message:
Please also see your local area's website: [link to state/territory/city health department website based on their locarious selection]

For Age 13 to 17 and if assessment is done by Myself then MSG22 at the end

Notes

Previously used Identifiers (do not reuse):
AS-1
AS-2
PS-9
PS-10
PS-11
PS-12
PS-13
PS-14
PS-15
PS-17
PS-18
PS-19
PS-20
PS-21
PS-22
PS-23
Q32
Q33

Enter Screening



ES-1 MSG12. Please consent to use the Coronavirus Self-Checker. Refresh the page to start again. ENTER SCREENING INTRO messaging: purpose, disclaimer/agree to move forward Q0: Are you in the United States or a U.S. territory right now? MSG11. <<Please check with your Ministry of Health or local health department for additional information and guidelines about COVID-19 in your location.>> ES-4 MSG13. Thanks! Your location has its 'own self-assessment tool. Please click here** to be directed to it. T2-international <<You (they) may be eligible for COVID-19 testing.>> Contact your local emergency services for more information. QOA: Where in the United States or in which U.S. territory are you currently located? If the user fails to answer a question 3X, then stop triage and MSGO: Q2: What is your (their) age?

Younger than 2 years old

2: 4 years

10: 12

13:17

13:17

13:17

13:29

30:39

40:49

50:59

60:64


65:69


70:79

80:1 ES-3
MSGO. << Please make a selection so I can help give you care advice.>> 235. How do you (they) currently describe yourself themselves)? rom, war pickes.
White
Black or African American
American Indian or Alaska Native
Asian
Native Hawaiian or Other Pacific Islander f. I prefer not to say Q1: Do you (they) have any of these life-threatening symptoms?

Bluich lips or face
Severe and constant pain or pressure in the chest
Externe difficulty breathing (such as gasping for air, being
untale to talk without act Go to Adult - Asymptomatic Q3: Are you (they) feeling sick? us (they) have been in close contact if you (they) have been within 6 feet of someone who has COVID-19 for a combined total of 15 minutes or more over a 24 hour violouf or provided care at home to someone who is sick with COVID-19 or had direct physical contact (hugged or hissed) with someone who has COVID-19 or had covered to the covered or been sneezed on or coughed on by someone who has COVID-199 $Symptoms have been labeled as primary (classic COVID-19 \ symptoms) \ and secondary (additional COVID-19 \ symptoms) \ to simplify communication in this decision tree.$ Q31. In the last 10 days, have you (they) tested positive for coronavirus? Go to Adult Symptomatic
Exposed


—Q6 - Yes or I don't kn Yes, tested positive
No, tested negative
No, waiting for results
No, not tested






ADULT - ASYMPTOMATIC PATHWAY














PEDIATRIC - ASYMPTOMATIC PATHWAY



