

## Bot NLTK - Natural Language analysis bot

ChatScript comes with a bot used to analyze documents called NLTK. You build it using `:build nltk` It's still in its infancy.

You start by selecting what you want to do: **tally rootpos** – read documents and list all words in it and their frequencies by root and part of speech. The sentence *I have loved animals since I was a boy* will show

```
2 = I~pro
1 = have~aux
1 = animal~n
1 = since~con
1 = be~v
1 = a~det
1 = boy~n
```

though not necessarily in that order. You can then sort the output log file to find most common words. Note that *I have loved love* will list **love~n** and **love~v** separately since their part of speech usage was different.

**tally root** – read documents and list all words in it and their frequencies by root. No part of speech information is provided so *I have loved love* will display **2 = love**.

**tally raw** – read documents and list all words in it and their frequencies as given. *Swims* and *swim* are two separate listings.

By default it displays all words. If you add **min 2** after some command, then any word displayed must be found at least twice.

**sentiment** – read incoming sentences or documents and display the sentence with a summary of **+** and **-** affect at start and pluss and minuses after words that have affect.

**reset** – turn off existing mode, in preparation for changing to a new mode. For document reading, you would name the file or directory to read like this:

```
:document REGRESS/moby_dick.txt - to read a file relative to top level
ChatScript :document READER/BOOKS/ - to read some directory relative to top
level ChatScript
```

Tallying on a big document can take a moment, so the system outputs a **.** every 1000 sentences it reads.