

## **2 Basics concepts in risk management**

2.1 Risk management for a financial firm

2.2 Modelling value and value change

2.3 Risk measurement

## 2.1 Risk management for a financial firm

### 2.1.1 Assets, liabilities and the balance sheet

A stylized balance sheet for a **bank** is:

Assets Investments of the firm		Liabilities Obligations from fundraising	
Cash (and central bank balance)	£10M	Customer deposits	£80M
Securities	£50M	Bonds issued	
- bonds, stocks, derivatives		- senior bond issues	£25M
Loans and mortgages	£100M	- subordinated bond issues	£15M
- corporates		Short-term borrowing	£30M
- retail and smaller clients		Reserves (for losses on loans)	£20M
- government			
Other assets	£20M	<b>Debt (sum of above)</b>	<b>£170M</b>
- property			
- investments in companies		<b>Equity</b>	<b>£30M</b>
Short-term lending	£20M		
Total	£200M	Total	£200M

A stylized balance sheet for an **insurer** is:

Assets		Liabilities	
Investments		Reserves for policies written (technical provisions)	£80M
- bonds	£50M	Bonds issued	£10M
- stocks	£5M		
- property	£5M		
Investments for unit-linked contracts	£30M	<b>Debt (sum of above)</b>	<b>£90M</b>
Other assets	£10M	<b>Equity</b>	<b>£10M</b>
- property			
Total	£100M	Total	£100M

- Balance sheet equation: **Assets** = **Liabilities** = **Debt** + **Equity**.  
If equity > 0, the company is *solvent*, otherwise *insolvent*.
- **Valuation** of the items on the balance sheet is a **non-trivial** task.
  - ▶ *Amortized cost accounting* values a position a *book value* at its inception and this is carried forward/progressively reduced over time.

- ▶ *Fair-value accounting* values assets at prices they are sold and liabilities at prices that would have to be paid in the market. This can be challenging for non-traded or illiquid assets or liabilities.

There is a tendency in the industry to move towards fair-value accounting. Market consistent valuation in Solvency II follows similar principles.

### 2.1.2 Risks faced by a financial firm

- Decrease in the value of the investments on the asset side of the balance sheet (e.g. losses from securities trading or credit risk)
- *Maturity mismatch* (large parts of the assets are relatively illiquid (long-term) whereas large parts of the liabilities are rather short-term obligations. This can lead to a default of a solvent bank or a bank run).
- The prime risk for an insurer is *insolvency* (risk that claims of policy holders cannot be met). On the asset side, risks are similar to those of a bank. On the liability side, the main risk is that reserves are insufficient

to cover future claim payments. Note that the **liabilities of a life insurer are of a long-term nature** and subject to multiple categories of risk (e.g. interest rate risk, inflation risk and longevity risk).

- So risk is found on **both sides** of the balance sheet and thus RM should not focus on the asset side alone.

### 2.1.3 Capital

- There are different notions of **capital**. One distinguishes:

*Equity capital*

- Value of **assets** — **debt**;
- Measures the firm's value to its shareholders;
- Can be split into *shareholder capital* (initial capital invested in the firm) and *retained earnings* (accumulated earnings not paid out to shareholders).

*Regulatory capital* — Capital required according to **regulatory rules**;

- For European insurance firms: MCR + SCR;
- A regulatory framework also specifies the **capital quality**. One distinguishes *Tier 1 capital* (i.e. shareholder capital + retained earnings; **can act in full as buffer**) and *Tier 2 capital* (includes other positions on the balance sheet).

### *Economic capital*

- Capital required to control the probability of **becoming insolvent** (typically over one year);
- **Internal assessment** of risk capital;
- Aims at a holistic view (assets and liabilities) and works with fair values of balance sheet items.

- **All of these notions** refer to items on the liability side that entail no obligations to outside creditors; they **can thus serve as buffer against losses**.

## 2.2 Modelling value and value change

### 2.2.1 Mapping of risks

We now set up a general mathematical model for (changes in) value caused by financial risks. For this we work on a *probability space*  $(\Omega, \mathcal{F}, \mathbb{P})$  and consider a risk or loss as a *random variable*  $X : \Omega \rightarrow \mathbb{R}$  (or:  $L$ ).

- Consider a *portfolio* of assets and possibly liabilities. The *value* of the portfolio at time  $t$  (*today*) is denoted by  $V_t$  (a random variable; assumed to be known at  $t$ ; its *df* is typically *not trivial to determine!*).
- We consider a given *time horizon*  $\Delta t$  and *assume*:
  - 1) the *portfolio composition remains fixed* over  $\Delta t$ ;
  - 2) there are *no intermediate payments* during  $\Delta t$

$\Rightarrow$  *Fine for small  $\Delta t$  but unlikely to hold for large  $\Delta$ .*

- The *change* in value of the portfolio is then given by

$$\Delta V_{t+1} = V_{t+1} - V_t$$

and we define the (random) *loss* by the *sign-adjusted* value change

$$L_{t+1} = -\Delta V_{t+1}$$

(as QRM is mainly concerned with losses).

### Remark 2.1

- 1) The *distribution of  $L_{t+1}$*  is called *loss distribution* (df  $F_L$  or simply  $F$ ).
- 2) Practitioners often consider the *profit-and-loss (P&L) distribution* which is the distribution of  $-L_{t+1} = \Delta V_{t+1}$ .
- 3) For longer time intervals,  $\Delta V_{t+1} = V_{t+1}/(1 + r) - V_t$  ( $r$  = *risk-free interest rate*) would be more appropriate, but we will *mostly neglect* this issue.



- $V_t$  is typically modelled as a function  $f$  of time  $t$  and a  $d$ -dimensional random vector  $\mathbf{Z} = (Z_{t,1}, \dots, Z_{t,d})$  of risk factors, that is,

$$V_t = f(t, \mathbf{Z}_t) \quad (\text{mapping of risks})$$

for some measurable  $f : \mathbb{R}_+ \times \mathbb{R}^d \rightarrow \mathbb{R}$ . The choice of  $f$  and  $\mathbf{Z}_t$  is problem-specific (but typically known).

- It is often convenient to work with the risk-factor changes

$$\mathbf{X}_{t+1} = \mathbf{Z}_{t+1} - \mathbf{Z}_t.$$

We can rewrite  $L_{t+1}$  in terms of  $\mathbf{X}_t$  via

$$\begin{aligned} L_{t+1} &= -(V_{t+1} - V_t) = -(f(t+1, \mathbf{Z}_{t+1}) - f(t, \mathbf{Z}_t)) \\ &= -(f(t+1, \mathbf{Z}_t + \mathbf{X}_{t+1}) - f(t, \mathbf{Z}_t)). \end{aligned}$$

We see that the loss df is determined by the loss df of  $\mathbf{X}_{t+1}$ . We will thus also write  $L_{t+1} = L(\mathbf{X}_{t+1})$ , where  $L(\mathbf{x}) = -(f(t+1, \mathbf{Z}_t + \mathbf{x}) - f(t, \mathbf{Z}_t))$  is known as loss operator.

- If  $f$  is differentiable, its **first-order (Taylor) approximation** ( $f(\mathbf{y}) \approx f(\mathbf{y}_0) + \nabla f(\mathbf{y}_0)(\mathbf{y} - \mathbf{y}_0)$  for  $\mathbf{y} = (t+1, Z_{t,1} + X_{t+1,1}, \dots, Z_{t,d} + X_{t+1,d})$  and  $\mathbf{y}_0 = (t, Z_{t,1}, \dots, Z_{t,d})$ ) is

$$f(t+1, \mathbf{Z}_t + \mathbf{X}_{t+1}) \approx f(t, \mathbf{Z}_t) + f_t(t, \mathbf{Z}_t) \cdot 1 + \sum_{j=1}^d f_{z_j}(t, \mathbf{Z}_t) \cdot X_{t+1,j}$$

We can thus approximate  $L_{t+1}$  by the **linearized loss**

$$L_{t+1}^{\Delta} = - \left( \underbrace{f_t(t, \mathbf{Z}_t)}_{=: c_t} + \sum_{j=1}^d \underbrace{f_{z_j}(t, \mathbf{Z}_t) X_{t+1,j}}_{=: b_{t,j}} \right) = -(c_t + \mathbf{b}'_t \mathbf{X}_{t+1}),$$

a linear function of  $X_{t+1,1}, \dots, X_{t+1,d}$  (indices denote partial derivatives). The **approximation is best if the risk-factor changes are small in absolute value**.

## Example 2.2 (Stock portfolio)

Consider a **portfolio**  $\mathcal{P}$  of  $d$  **stocks**  $S_{t,1}, \dots, S_{t,d}$  ( $S_{t,j}$  = value of stock  $j$  at time  $t$ ) and denote by  $\lambda_j$  the **number of shares** of stock  $j$  in  $\mathcal{P}$ . In finance and risk management, one typically uses **logarithmic prices as risk factors**, i.e.  $Z_{t,j} = \log S_{t,j}$ ,  $j \in \{1, \dots, d\}$ . Then

$$V_t = f(t, \mathbf{Z}_t) = \sum_{j=1}^d \lambda_j S_{t,j} = \sum_{j=1}^d \lambda_j e^{Z_{t,j}}.$$

- The one-period ahead loss is then given by

$$\begin{aligned} L_{t+1} &= -(V_{t+1} - V_t) = -\sum_{j=1}^d \lambda_j (e^{Z_{t,j} + X_{t+1,j}} - e^{Z_{t,j}}) \\ &= -\sum_{j=1}^d \lambda_j e^{Z_{t,j}} (e^{X_{t+1,j}} - 1) = -\sum_{j=1}^d \underbrace{\lambda_j S_{t,j}}_{=: w_{t,j}} (e^{X_{t+1,j}} - 1) \quad (1) \end{aligned}$$

which is non-linear in  $X_{t+1,j}$  (here:  $L(\mathbf{x}) = -\sum_{j=1}^d w_{t,j} (e^{x_j} - 1)$ ).

- With  $f_{z_j}(t, \mathbf{Z}_t) = \lambda_j e^{Z_{t,j}} = \lambda_j S_{t,j} = w_{t,j}$ , the **linearized loss** is

$$\begin{aligned} L_{t+1}^\Delta &= -\left(f_t(t, \mathbf{Z}_t) + \sum_{j=1}^d f_{z_j}(t, \mathbf{Z}_t) X_{t+1,j}\right) = -\left(0 + \sum_{j=1}^d w_{t,j} X_{t+1,j}\right) \\ &= -\mathbf{w}'_t \mathbf{X}_{t+1}. \end{aligned}$$

- Note that  $L_{t+1}^\Delta = -(c_t + \mathbf{b}'_t \mathbf{X}_{t+1})$  for  $c_t = 0$  and  $\mathbf{b}_t = \mathbf{w}_t$ .
- If  $\boldsymbol{\mu} = \mathbb{E} \mathbf{X}_{t+1}$  and  $\Sigma = \text{cov } \mathbf{X}_{t+1}$  are known, then **expectation** and **variance of the (linearized) one-period ahead loss** are

$$\begin{aligned} \mathbb{E} L_{t+1}^\Delta &= -\sum_{j=1}^d w_{t,j} \mathbb{E}(X_{t+1,j}) = -\mathbf{w}'_t \boldsymbol{\mu}, \\ \text{var } L_{t+1}^\Delta &= \text{var}(\mathbf{w}'_t \mathbf{X}_{t+1}) = \mathbf{w}'_t \text{cov}(\mathbf{X}_{t+1}) \mathbf{w}_t = \mathbf{w}'_t \Sigma \mathbf{w}_t. \end{aligned}$$

### Example 2.3 (European call option)

Consider a portfolio consisting of a European call option on a non-dividend-paying stock  $S_t$  with maturity  $T$  and strike (exercise price)  $K$ . The Black–Scholes formula says that today's value is

$$V_t = C^{\text{BS}}(t, S_t; r, \sigma, K, T) = S_t \Phi(d_1) - K e^{-r(T-t)} \Phi(d_2), \quad (2)$$

where

- $t$  is the time in years;
- $\Phi$  is the df of  $N(0, 1)$ ;
- $r$  is the continuously compounded risk-free interest rate;
- $d_1 = \frac{\log(S_t/K) + (r + \sigma^2/2)(T-t)}{\sigma\sqrt{T-t}}$  and  $d_2 = d_1 - \sigma\sqrt{T-t}$ ; and
- $\sigma$  is the annualized volatility of  $S_t$  (standard deviation).

While (2) assumes  $r, \sigma$  to be constant, this is often not true in real markets. Hence, besides  $\log S_t$ , we consider  $r_t, \sigma_t$  as risk factors, so

$$\mathbf{Z}_t = (\log S_t, r_t, \sigma_t) \Rightarrow \mathbf{X}_{t+1} = (\log(S_{t+1}/S_t), r_{t+1} - r_t, \sigma_{t+1} - \sigma_t).$$

This implies that the mapping  $f$  (in terms of the risk factors) is given by

$$V_t = C^{\text{BS}}(t, e^{Z_{t,1}}; Z_{t,2}, Z_{t,3}, K, T) =: f(t, \mathbf{Z}_t)$$

and the linearized one-day ahead loss (omitting the arguments of  $C^{\text{BS}}$ ) is

$$\begin{aligned} L_{t+1}^{\Delta} &= -\left(f_t(t, \mathbf{Z}_t) + \sum_{j=1}^3 f_{z_j}(t, \mathbf{Z}_t) X_{t+1,j}\right) \\ &= -(C_t^{\text{BS}} \Delta t + C_{S_t}^{\text{BS}} S_t X_{t+1,1} + C_{r_t}^{\text{BS}} X_{t+1,2} + C_{\sigma_t}^{\text{BS}} X_{t+1,3}). \end{aligned}$$

If our risk management horizon is 1d (as opposed to 1y), we need to introduce  $\Delta t := 1/250$  here. Note that the “Greeks” enter ( $C_t^{\text{BS}}$  is the *theta* of the option;  $C_{S_t}^{\text{BS}}$  the *delta*;  $C_{r_t}^{\text{BS}}$  the *rho*;  $C_{\sigma_t}^{\text{BS}}$  the *vega*).

For portfolios of derivatives,  $L_{t+1}^{\Delta}$  can be a rather poor approximation to  $L_{t+1} \Rightarrow$  higher-order (Taylor) approximations such as the *delta-gamma-approximation* (second-order) can be used.

## 2.2.2 Valuation methods

### Fair value accounting

The *fair value* of an asset/liability is an *estimate of the price* which would be *received/paid* on an *active market*. One distinguishes:

- Level 1** *Mark-to-market*. The *fair value* of an investment is *determined from quoted prices* for the *same instrument*; see Example 2.2.
- Level 2** *Mark-to-model with objective inputs*. The *fair value* of an instrument is determined *using quoted prices* in active markets *for similar instruments* or by using valuation techniques/models with inputs based on observable market data; see Example 2.3.
- Level 3** *Mark-to-model with subjective inputs*. The *fair value* of an instrument is determined using valuation techniques/models for which *some inputs are not observable* in the market (e.g. determining default risk of portfolios of loans to companies for which no CDS spreads are available).

## Risk-neutral valuation

- ... is **widely used** for pricing financial products, e.g. derivatives
- **value** of a financial instrument **today** = **expected discounted values of future cash flows**; the expectation is **taken w.r.t. the risk-neutral pricing measure  $Q$**  (also called *equivalent martingale measure (EMM)*; it turns discounted prices into martingales, so fair bets) as opposed to the real world/**physical measure  $\mathbb{P}$** .
- An **risk-neutral pricing measure** is a **probability measure  $Q$**  such that the **expectation of the discounted payoff w.r.t.  $Q$**  equals  $V_0$  (fair bet).
- **Risk-neutral valuation at  $t$  of a claim  $H$  at  $T$**  is done via the **risk-neutral pricing rule**

$$V_0^H = \mathbb{E}_{Q,t}(e^{-r(T-t)}H), \quad t < T,$$

where  $\mathbb{E}_{Q,t}(\cdot)$  denotes expectation w.r.t.  $Q$  given the information up to and including time  $t$ .

- **$\mathbb{P}$  is estimated from historical data**;  **$Q$  is calibrated to market prices**.



## Example 2.4 (European call option continued)

- Suppose that options with strike  $K$  or maturity  $T$  are not traded, but other options on the same stock are.
- Under  $\mathbb{P}$  the stock price  $(S_t)$  is assumed to follow a geometric Brownian motion (GBM) (the so-called *Black–Scholes model*) with dynamics  $dS_t = \mu S_t dt + \sigma S_t dW_t$  for constants  $\mu \in \mathbb{R}$  (drift) and  $\sigma > 0$  (volatility), and a standard Brownian motion  $(W_t)$ .
- Under the EMM  $\mathbb{Q}$ ,  $(e^{-rt}S_t)$  is a martingale and  $S_t$  follows a GBM with drift  $r$  and volatility  $\sigma$ .
- The European call option payoff is  $H = (S_T - K)^+ = \max\{S_T - K, 0\}$  and the risk-neutral valuation formula may be shown to be

$$V_t = E_t^{\mathbb{Q}}(e^{-r(T-t)}(S_T - K)^+) = C^{\text{BS}}(t, S_t; r, \sigma, K, T), \quad t < T; \quad (3)$$

- One typically uses quoted prices  $C^{\text{BS}}(t, S_t; r, \sigma, K^*, T^*)$  (for different  $K^*, T^*$ ) to infer the unknown  $\sigma$ . Then plug this so-called *implied volatility* into (3).

## 2.2.3 Loss distributions

Having determined the mapping  $f$  (may involve *valuation models*, e.g. Black–Scholes, or numerical approximation), we can identify the following **key statistical tasks of QRM**:

- 1) Find a statistical **model for  $\mathbf{X}_{t+1}$**  (typically a model for forecasting  $\mathbf{X}_{t+1}$ , estimated based on historical data);
- 2) Compute/derive the **df  $F_{L_{t+1}}$**  (requires the df of  $f(t+1, \mathbf{Z}_t + \mathbf{X}_{t+1})$ );
- 3) Compute a **risk measure from  $F_{L_{t+1}}$** .

There are **three general methods** to approach these challenges.

### 1) Analytical method

**Idea:** Choose  $F_{\mathbf{X}_{t+1}}$  and  $f$  such that  $F_{L_{t+1}}$  can be determined explicitly.

Prime example: *Variance-covariance method*, see RiskMetrics (1996):

**Assumption 1**  $\mathbf{X}_{t+1} \sim \mathcal{N}(\boldsymbol{\mu}, \Sigma)$  (e.g. if  $(\mathbf{Z}_t)$  is a Brownian motion,  $(S_t)$  a geometric Brownian motion)

**Assumption 2**  $F_{L_{t+1}^\Delta}$  is a good approximation to  $F_{L_{t+1}}$ .

$$L_{t+1}^\Delta = -(c_t + \mathbf{b}'_t \mathbf{X}_{t+1}) \underset{\text{Ass. 1}}{\Rightarrow} L_{t+1}^\Delta \sim \mathcal{N}(-c_t - \mathbf{b}'_t \boldsymbol{\mu}, \mathbf{b}'_t \Sigma \mathbf{b}_t).$$

**Advantages:**

- $F_{L_{t+1}^\Delta}$  explicit ( $\Rightarrow$  typically explicit risk measures)
- Easy to implement

**Drawbacks:** **Assumptions.** Assumption 1 is unlikely to be realistic for daily (probably also weekly/monthly) data. **Stylized facts** about  $\mathbf{X}_{t+1}$  suggest that  $F_{\mathbf{X}_{t+1}}$  is *leptokurtic* (thinner body, heavier tail than  $\mathcal{N}(\boldsymbol{\mu}, \Sigma)$ ). Thus,  $\mathbf{X}_{t+1} \sim \mathcal{N}(\boldsymbol{\mu}, \Sigma)$  underestimates the tail of  $F_{L_{t+1}}$  and thus risk measures such as VaR.

When dynamic models for  $\mathbf{X}_{t+1}$  are considered, different estimation methods are possible depending on whether we focus on conditional distributions  $F_{\mathbf{X}_{t+1} | (\mathbf{X}_s)_{s \leq t}}$  or the equilibrium distribution  $F_{\mathbf{X}}$  in a stationary model.

## 2) Historical simulation

**Idea:** Estimate  $F_{L_{t+1}}$  by its *empirical distribution function (edf)*

$$\hat{F}_{L_{t+1},n}(x) = \frac{1}{n} \sum_{i=1}^n I_{\{\tilde{L}_{t-i+1} \leq x\}}, \quad x \in \mathbb{R}, \quad (4)$$

based on

$$\tilde{L}_k = L(\mathbf{X}_k) = -(f(t+1, \mathbf{Z}_t + \mathbf{X}_k) - f(t, \mathbf{Z}_t)), \quad (5)$$

$k \in \{t-n+1, \dots, t\}$ .  $\tilde{L}_{t-n+1}, \dots, \tilde{L}_t$  show what would happen to the current portfolio if the past  $n$  risk-factor changes were to recur.

**Advantages:** ■ Easy to implement

■ No estimation of the distribution of  $\mathbf{X}_{t+1}$  required

**Drawbacks:** ■ Sufficient data for all risk-factor changes required

■ Only considers past losses (“driving a car by looking in the back mirror”)

### 3) Monte Carlo method

**Idea:** Take any model for  $\mathbf{X}_{t+1}$ , simulate  $\mathbf{X}_{t+1}$ , compute the corresponding losses as in (5) and estimate  $F_{L_{t+1}}$  (typically via edf as in (4)).

**Advantages:** ■ Quite general (applicable to any model of  $\mathbf{X}_{t+1}$  which is easy to sample)

**Drawbacks:** ■ Unclear how to find an appropriate model for  $\mathbf{X}_{t+1}$  (any result is only as good as the chosen  $F_{\mathbf{X}_{t+1}}$ )

■ Computational cost (every simulation requires to evaluate the mapping  $f$ ; expensive, e.g. if the latter contains derivatives which are priced via Monte Carlo themselves  $\Rightarrow$  Nested Monte Carlo simulations)

So-called *economic scenario generators* (i.e. economically motivated dynamic models for the evolution and interaction of risk factors) used in insurance also fall under the heading of Monte Carlo methods.

## 2.3 Risk measurement

- A *risk measure* for a financial position with (random) loss  $L$  is a **real number** which measures the “riskiness of  $L$ ”. In the Basel or Solvency context, it is often interpreted as the amount of **capital required to make a position with loss  $L$  acceptable** to an (internal/external) regulator.
- Some **reasons for using risk measures** in practice:
  - ▶ To **determine the amount of capital to hold** as a buffer against unexpected future losses on a portfolio (in order to satisfy a regulator/manager concerned with the institution’s solvency).
  - ▶ As a **tool for limiting** the amount of **risk of a business unit** (e.g. by requiring that the daily 95% value-at-risk (i.e. the 95%-quantile) of a trader’s position should not exceed a given bound).
  - ▶ To determine the **riskiness** (and **thus fair premium**) of an **insurance contract**.

## 2.3.1 Approaches to risk measurement

Existing approaches to measuring risk can be grouped into three categories:

### 1) Notional-amount approach

- oldest approach
- “standardized approaches” of Basel II (e.g. OpRisk) still use it
- *risk of a portfolio* = summed notational values of the securities times their riskiness factor
- Advantages: ► simplicity
- Drawbacks: ► No differentiation between long and short positions and no netting: the risk of a long position in corporate bonds hedged by an offsetting position in credit default swaps is counted as twice the risk of the unhedged bond position.

- ▶ **No diversification** benefits: risk of a portfolio of loans to many companies = risk of a portfolio where the whole amount is lent to a single company.
- ▶ Problems for **portfolios of derivatives**: **notional** amount of the underlying **can** widely **differ from the economic value** of the derivative position.

## 2) Risk measures based on loss distributions

- Most modern **risk measures are characteristics** of the underlying (conditional or unconditional) **loss distribution** over some predetermined time horizon  $\Delta t$ .
- Examples: variance, **value-at-risk**, **expected shortfall** (see later)
- **Advantages**: ▶ The concept of a loss distribution **makes sense on all levels** (from single portfolios to the overall position of a financial institution).



- ▶ If estimated properly, loss distributions **reflect netting** and **diversification effects**.

**Drawbacks:** ▶ **Estimates** of loss distributions **are** typically **based on past data**.

- ▶ It is **difficult to estimate** loss distributions **accurately** (especially for large portfolios).

⇒ Risk measures should be **complemented by** information from **scenarios** (forward-looking).

### 3) **Scenario-based risk measures**

- Typically considered in **stress testing**.
- One considers **possible future risk-factor changes** (*scenarios*; e.g. a 20% drop in a market index).
- *Risk of a portfolio = maximum (weighted) loss under all scenarios.*

- If  $\mathcal{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_n\}$  denote the risk-factor changes (**scenarios**) with corresponding **weights**  $\mathbf{w} = (w_1, \dots, w_n)$ , the risk is

$$\psi_{\mathcal{X}, \mathbf{w}} = \max_{1 \leq i \leq n} \{w_i L(\mathbf{x}_i)\}, \quad (6)$$

where  $L(\mathbf{x})$  denotes the loss the portfolio would suffer if the hypothetical scenario  $\mathbf{x}$  were to occur. Many risk measures are of the form (6); see *CME SPAN: Standard Portfolio Analysis of Risk* (2010).

- Mathematical interpretation of (6):
  - ▶ Assume  $L(\mathbf{0}) = 0$  (okay if  $\Delta t$  small) and  $w_i \in [0, 1] \ \forall i$ .
  - ▶  $w_i L(\mathbf{x}_i) = w_i L(\mathbf{x}_i) + (1 - w_i) L(\mathbf{0}) = \mathbb{E}_{\mathbb{P}_i}(L(\mathbf{X}_i))$  where  $\mathbf{X}_i \sim \mathbb{P}_i = w_i \delta_{\mathbf{x}_i} + (1 - w_i) \delta_{\mathbf{0}}$  ( $\delta_{\mathbf{x}}$  the Dirac measure at  $\mathbf{x}$ ) is a probability measure on  $\mathbb{R}^d$ .

Therefore,  $\psi_{\mathcal{X}, \mathbf{w}} = \max\{\mathbb{E}_{\mathbb{P}}(L(\mathbf{X})) : \mathbf{X} \sim \mathbb{P} \in \{\mathbb{P}_1, \dots, \mathbb{P}_n\}\}$ . Such a risk measure is known as a **generalized scenario**; they play an important role in the theory of **coherent risk measures**.

- **Advantages:**
  - ▶ Useful for portfolios with few risk factors.
  - ▶ Useful complementary information to risk measures based on loss distributions (past data).
- **Drawbacks:**
  - ▶ Determining scenarios and weights.


## 2.3.2 Value-at-risk

### Definition 2.5 (Value-at-risk)

For a loss  $L \sim F_L$ , *value-at-risk (VaR)* at confidence level  $\alpha \in (0, 1)$  is defined by  $\text{VaR}_\alpha = \text{VaR}_\alpha(L) = F_L^{\leftarrow}(\alpha) = \inf\{x \in \mathbb{R} : F_L(x) \geq \alpha\}$ .

- $\text{VaR}_\alpha$  is simply the  $\alpha$ -quantile of  $F_L$ . As such,  $F_L(x) < \alpha$  for all  $x < \text{VaR}_\alpha(L)$  and  $F_L(\text{VaR}_\alpha(L)) = F_L(F_L^{\leftarrow}(\alpha)) \geq \alpha$ .
- Known since 1994: Weatherstone 4<sup>15</sup> report (J.P. Morgan; RiskMetrics)
- VaR is the most widely used risk measure (by Basel II or Solvency II)

- $\text{VaR}_\alpha(L)$  is **not** a **what if** risk measure: It **does not** provide information about the **severity** of losses which occur with probability  $\leq 1 - \alpha$



### Example 2.6 ( $\text{VaR}_\alpha$ for $N(\mu, \sigma^2)$ and $t_\nu(\mu, \sigma^2)$ )

1) Let  $L \sim N(\mu, \sigma^2)$ . Then

$$F_L(x) = \mathbb{P}(L \leq x) = \mathbb{P}((L - \mu)/\sigma \leq (x - \mu)/\sigma) = \Phi((x - \mu)/\sigma).$$

This implies that

$$\text{VaR}_\alpha(L) = F_L^{\leftarrow}(\alpha) = F_L^{-1}(\alpha) = \mu + \sigma\Phi^{-1}(\alpha).$$

Check:  $F_L(\text{VaR}_\alpha(L)) = \Phi(((\mu + \sigma\Phi^{-1}(\alpha)) - \mu)/\sigma) = \alpha$ .

2) Let  $L \sim t_\nu(\mu, \sigma^2)$ , so  $(L - \mu)/\sigma \sim t_\nu$  and thus, as above,

$$\text{VaR}_\alpha(L) = \mu + \sigma t_\nu^{-1}(\alpha).$$

Note that  $X \sim t_\nu = t_\nu(0, 1)$  has density

$$f_X(x) = \frac{\Gamma((\nu + 1)/2)}{\sqrt{\nu\pi}\Gamma(\nu/2)} (1 + x^2/\nu)^{-\frac{\nu+1}{2}}.$$

Furthermore, if  $\nu > 1$ ,  $\mathbb{E}X$  exists and  $\mathbb{E}X = 0$ ; and if  $\nu > 2$ ,  $\text{var } X$  exists and  $\text{var } X = \frac{\nu}{\nu-2}$ .

## Choices of parameters $\Delta t, \alpha$ :

- $\Delta t$  should reflect the time period over which the portfolio is held (unchanged) (e.g. insurance contracts:  $\Delta t = 1 \text{ y}$ )
- $\Delta t$  should be relatively small (more risk-factor change data is available).
- Typical choices:
  - ▶ For limiting traders:  $\alpha = 0.95$ ,  $\Delta t = 1 \text{ d}$
  - ▶ According to Basel II:
    - Market risk:  $\alpha = 0.99$ ,  $\Delta t = 10 \text{ d}$  (2 trading weeks)
    - Credit risk and operational risk:  $\alpha = 0.999$ ,  $\Delta t = 1 \text{ y}$
  - ▶ According to Solvency II:  $\alpha = 0.995$ ,  $\Delta t = 1 \text{ y}$
- Backtesting often needs to be carried out at lower confidence levels in order to have sufficient statistical power to detect poor models.
- Be cautious with strictly interpreting  $\text{VaR}_\alpha(L)$  (and other risk measure) estimates, there is typically considerable model/liquidity risk behind.

## Interlude: Generalized inverses

$T \nearrow$  means that  $T$  is *increasing*, i.e.  $T(x) \leq T(y)$  for all  $x < y$ .  $T \uparrow$  means that  $T$  is *strictly increasing*, i.e.  $T(x) < T(y)$  for all  $x < y$ .

### Definition 2.7 (Generalized inverse)


For any increasing function  $T : \mathbb{R} \rightarrow \mathbb{R}$ , with  $T(-\infty) = \lim_{x \downarrow -\infty} T(x)$  and  $T(\infty) = \lim_{x \uparrow \infty} T(x)$ , the *generalized inverse*  $T^{\leftarrow} : \mathbb{R} \rightarrow \bar{\mathbb{R}} = [-\infty, \infty]$  of  $T$  is defined by

$$T^{\leftarrow}(y) = \inf\{x \in \mathbb{R} : T(x) \geq y\}, \quad y \in \mathbb{R},$$

with the convention that  $\inf \emptyset = \infty$ . If  $T$  is a df,  $T^{\leftarrow} : [0, 1] \rightarrow \bar{\mathbb{R}}$  is the *quantile function* of  $T$ .

- If  $T$  is *continuous and  $\uparrow$* , then  $T^{\leftarrow} \equiv T^{-1}$  (ordinary inverse).
- There are *rules for working with  $T^{\leftarrow}$*  (similar to  $T^{-1}$ ); see Proposition A.15.

How to determine  $F_L^{\leftarrow}$  from  $F_L$ :



$\Rightarrow$  Flat parts of  $F_L$  correspond to jumps of  $F_L^{\leftarrow}$ ; Jumps of  $F_L$  correspond to flat parts of  $F_L^{\leftarrow}$ .



## 2.3.3 VaR in risk capital calculations

### 1) VaR in regulatory capital calculations for the trading book

For banks using the *internal model (IM)* approach for market risk in Basel II, the daily risk capital formula is

$$RC^t = \max \left\{ VaR_{0.99}^{t,10}, \frac{k}{60} \sum_{i=1}^{60} VaR_{0.99}^{t-i+1,10} \right\} + c.$$

- $VaR_{\alpha}^{s,10}$  denotes the 10-day  $VaR_{\alpha}$  calculated at day  $s$  ( $t = \text{today}$ ).
- $k \in [3, 4]$  is a multiplier (or *stress factor*).
- $c = \text{stressed VaR charge}$  (calculated from data from a volatile market period) + *incremental risk charge (IRC;*  $VaR_{0.999}$ -estimate of the annual distribution of losses due to defaults and downgrades) + *charges for specific risks.*

The averaging tends to lead to smooth changes in the capital charge over time unless  $VaR_{0.99}^{t,10}$  is very large.

## 2) The Solvency Capital Requirement in Solvency II

The *Solvency Capital Requirement (SCR)* is the amount of capital that enables the insurer to meet its obligations over  $\Delta t = 1$  y with  $\alpha = 0.995$ . Let  $V_t = A_t - B_t$  denote the equity capital. The insurer wants to determine the minimum amount of extra capital  $x_0$  to put aside to be solvent in  $\Delta t$  with probability  $(\geq)\alpha$ . So

$$\begin{aligned}x_0 &= \inf\{x \in \mathbb{R} : \mathbb{P}(V_{t+1} + x(1+r) \geq 0) \geq \alpha\} \\&= \inf\left\{x \in \mathbb{R} : \mathbb{P}\left(-\left(\frac{V_{t+1}}{1+r} - V_t\right) \leq x + V_t\right) \geq \alpha\right\} \\&= \inf\{x \in \mathbb{R} : \mathbb{P}(L_{t+1} \leq x + V_t) \geq \alpha\} \\&= \inf\{x \in \mathbb{R} : F_{L_{t+1}}(x + V_t) \geq \alpha\} \\&= \inf\{z - V_t \in \mathbb{R} : F_{L_{t+1}}(z) \geq \alpha\} = \text{VaR}_\alpha(L_{t+1}) - V_t\end{aligned}$$

and thus  $\text{SCR} = V_t + x_0 = \text{VaR}_\alpha(L_{t+1})$  (available capital now + capital required to be solvent in  $\Delta t$  with probability  $(\geq)\alpha$ ). If  $x_0 < 0$ , the company is already well capitalized.

## 2.3.4 Other risk measures based on loss distributions

### 1) Variance (or standard deviation)

- $\text{var}_\alpha(L)$  (or standard deviation) has a long history as a risk measure in finance (due to Markowitz).
- Drawbacks:
  - ▶  $\mathbb{E}(L^2) < \infty$  required (not justifiable for non-life insurance or operational risk)
  - ▶ no distinction between positive/negative deviations from the mean (var, or standard deviation, is only a good risk measure if  $F_L$  is roughly symmetric around  $\mathbb{E}L$ , but  $F_L$  is typically skewed in credit and operational risk)

### 2) Expected shortfall

## Definition 2.8 (Expected shortfall)

For a loss  $L \sim F_L$  with  $\mathbb{E}|L| < \infty$ , *expected shortfall (ES)* at confidence level  $\alpha \in (0, 1)$  is defined by

$$\text{ES}_\alpha = \text{ES}_\alpha(L) = \frac{1}{1 - \alpha} \int_\alpha^1 \text{VaR}_u(L) du. \quad (7)$$

- $\text{ES}_\alpha$  is the **average over  $\text{VaR}_u$**  for all  $u \geq \alpha$  (if  $F_L$  is continuous,  $\text{ES}_\alpha$  is the average loss beyond  $\text{VaR}_\alpha$ )  $\Rightarrow \text{ES}_\alpha \geq \text{VaR}_\alpha$
- Besides VaR, ES is the **most important risk measure** in practice.
- $\text{ES}_\alpha$  **looks further into the tail** of  $F_L$ , it is a “what if” risk measure ( $\text{VaR}_\alpha$  is **frequency**-based;  $\text{ES}_\alpha$  is **severity**-based).
- $\text{ES}_\alpha$  **is more difficult to estimate and backtest** than  $\text{VaR}_\alpha$  (the variance of estimators is typically larger; larger sample size required).
- $\text{ES}_\alpha(L) < \infty$  **requires  $\mathbb{E}|L| < \infty$** .
- **Subadditivity** and **elicitability** (see the appendix). One can show:

- ▶ In contrast to  $\text{VaR}_\alpha$ ,  $\text{ES}_\alpha$  is subadditive (see later).
- ▶ In contrast to  $\text{ES}_\alpha$  (see Gneiting (2011) or Kou and Peng (2014)),  $\text{VaR}_\alpha$  exists if  $\mathbb{E}|L| = \infty$  and is elicitable (see also the appendix).


### Example 2.9 (A comparison of VaR and ES for stock returns)

- Consider Example 2.2 with a portfolio consisting of a single stock  $V_t = S_t = 10\,000$ . In this case,  $L_{t+1}^\Delta = -S_t X_{t+1}$ , where  $X_{t+1} = \log(S_{t+1}/S_t)$ .
- Let  $\sigma = 0.2/\sqrt{250}$  (annualized volatility of 20%) and assume
  - 1)  $X_{t+1} \sim N(0, \sigma^2) \Rightarrow L_{t+1}^\Delta \sim N(0, S_t^2 \sigma^2)$ ;
  - 2)  $X_{t+1} \sim t_\nu(0, \sigma^2 \frac{\nu-2}{\nu})$ ,  $\nu > 2$  (so that  $\text{var } X_{t+1}$  is also  $\sigma^2$ ). Then

$$X_{t+1} = \sqrt{\sigma^2 \frac{\nu-2}{\nu}} Y \quad \text{for } Y \sim t_\nu.$$

$$\Rightarrow L_{t+1}^\Delta = -S_t \sqrt{\sigma^2 \frac{\nu-2}{\nu}} Y \sim t_\nu(0, S_t^2 \sigma^2 \frac{\nu-2}{\nu}) \quad (\text{var}(L_{t+1}^\Delta) = S_t^2 \sigma^2).$$

Consider  $\nu = 4$  and note that  $\text{VaR}_\alpha^{t_4} \geq \text{VaR}_\alpha^{\text{normal}}$  and  $\text{ES}_\alpha^{t_4} \geq \text{ES}_\alpha^{\text{normal}}$  only hold for sufficiently large  $\alpha$ .



$\Rightarrow$  The  $t_4$  model is not always “riskier” than the normal model.

**Example 2.10 (Example 2.6 continued;  $\text{ES}_\alpha$  for  $N(\mu, \sigma^2)$  and  $t_\nu(\mu, \sigma^2)$ )**

1) Let  $\tilde{L} \sim N(0, 1)$ . Then  $\text{VaR}_\alpha(\tilde{L}) = 0 + 1 \cdot \Phi^{-1}(\alpha)$  and thus

$$\text{ES}_\alpha(\tilde{L}) = \frac{1}{1 - \alpha} \int_\alpha^1 \Phi^{-1}(u) du \stackrel{x = \Phi^{-1}(u)}{=} \frac{1}{1 - \alpha} \int_{\Phi^{-1}(\alpha)}^\infty x \varphi(x) dx,$$

where  $\varphi(x) = \Phi'(x) = \exp(-x^2/2)/\sqrt{2\pi}$ . Note that  $x\varphi(x) = -\varphi'(x)$ , so that

$$\text{ES}_\alpha(\tilde{L}) = \frac{-[\varphi(x)]_{\Phi^{-1}(\alpha)}^\infty}{1 - \alpha} = \frac{-(0 - \varphi(\Phi^{-1}(\alpha)))}{1 - \alpha} = \frac{\varphi(\Phi^{-1}(\alpha))}{1 - \alpha}.$$

This implies that  $L \sim N(\mu, \sigma^2)$  has expected shortfall

$$\text{ES}_\alpha(L) = \mu + \sigma \text{ES}_\alpha(\tilde{L}) = \mu + \sigma \frac{\varphi(\Phi^{-1}(\alpha))}{1 - \alpha}.$$

2) Let  $L \sim t_\nu(\mu, \sigma^2)$ ,  $\nu > 1$ . Similarly as above, one obtains that

$$\text{ES}_\alpha(L) = \mu + \sigma \frac{f_{t_\nu}(t_\nu^{-1}(\alpha))(\nu + t_\nu^{-1}(\alpha)^2)}{(1 - \alpha)(\nu - 1)},$$

where  $f_{t_\nu}$  denotes the density of  $t_\nu$ ; see Example 2.6.

By l'Hôpital's Rule (case "0/0"), one can show that

$$1 \leq \lim_{\alpha \uparrow 1} \frac{\text{ES}_\alpha(L)}{\text{VaR}_\alpha(L)} = \frac{\nu}{\nu - 1}.$$

- In finance, often  $\nu \in (3, 5)$ . With  $\nu = 3$ ,  $\text{ES}_\alpha(L)$  is 50% larger than  $\text{VaR}_\alpha(L)$  (in the limit for large  $\alpha$ ).
- For  $\nu \uparrow \infty$ ,  $\lim_{\alpha \uparrow 1} \frac{\text{ES}_\alpha(L)}{\text{VaR}_\alpha(L)} \downarrow 1$ ; for  $\nu \downarrow 1$ ,  $\lim_{\alpha \uparrow 1} \frac{\text{ES}_\alpha(L)}{\text{VaR}_\alpha(L)} \uparrow \infty$ .

### Conclusion:

For losses with *heavy tails* (power-like), the difference between using VaR and ES as risk measures for computing risk capital can be huge (for large  $\alpha$  as required by Basel II).

#### Proposition 2.11 ( $\text{ES}_\alpha(L)$ under continuity)

If  $F_L$  is continuous,  $\text{ES}_\alpha(L) = \mathbb{E}(L \mid L > \text{VaR}_\alpha(L))$ .



*Proof.* If  $F_L$  is continuous, we know that

$$\begin{aligned}
 F_{L|L > \text{VaR}_\alpha(L)}(x) &= \mathbb{P}(L \leq x \mid L > \text{VaR}_\alpha(L)) \\
 &= \frac{\mathbb{P}(L \leq x, L > \text{VaR}_\alpha(L))}{\mathbb{P}(L > \text{VaR}_\alpha(L))} = \frac{\mathbb{P}(\text{VaR}_\alpha(L) < L \leq x)}{\mathbb{P}(L > \text{VaR}_\alpha(L))} \\
 &= \frac{F_L(x) - F_L(\text{VaR}_\alpha(L))}{1 - F_L(\text{VaR}_\alpha(L))} I_{\{x \geq \text{VaR}_\alpha(L)\}} \\
 &\stackrel{\text{(Gl4)}}{=} \frac{F_L(x) - \alpha}{1 - \alpha} I_{\{x \geq \text{VaR}_\alpha(L)\}} \quad \text{for all } \alpha \in (0, 1)
 \end{aligned}$$

and thus, since  $dF_{L|L > \text{VaR}_\alpha(L)}(x) = dF_L(x)/(1 - \alpha)$ ,

$$\begin{aligned}
 \mathbb{E}(L \mid L > \text{VaR}_\alpha(L)) &= \int_{\text{VaR}_\alpha(L)}^{\infty} x dF_{L|L > \text{VaR}_\alpha(L)}(x) = \frac{1}{1 - \alpha} \int_{\text{VaR}_\alpha(L)}^{\infty} x dF_L(x) \\
 &= \frac{1}{1 - \alpha} \int_{\alpha}^1 \text{VaR}_z(L) dz = \text{ES}_\alpha(L),
 \end{aligned}$$

where we used the substitution  $x = \text{VaR}_z(L)$  ( $F_L(x) = z$ ,  $dF_L(x) = dz$ ). □

## 2.3.5 Coherent and convex risk measures

- Artzner et al. (1999) (coherent risk measures) and Föllmer and Schied (2002) (convex risk measures) propose **axioms of a good risk measure**.
- Assume that **risk measures**  $\varrho$  are defined on a **linear space of random variables**  $\mathcal{M}$  (including constants; we can thus add rvs, multiply them with constants etc.), so  $\varrho : \mathcal{M} \rightarrow \mathbb{R}$ .
- There are **two possible interpretations** of elements of  $\mathcal{M}$ :
  - 1) **Elements of  $\mathcal{M}$  are random variables**  $V_{t+1}$ :  $\tilde{\varrho}(V_{t+1})$  denotes the amount of **additional capital** that needs to be added to a position with future value  $V_{t+1}$  to make it acceptable to a regulator.
  - 2) **Elements of  $\mathcal{M}$  are losses**  $L_{t+1} = -(V_{t+1} - V_t)$ :  $\varrho(L_{t+1})$  denotes the **total amount of capital** necessary to back a position with loss  $L$ .
- 1) and 2) are **related via**  $\varrho(L_{t+1}) = V_t + \tilde{\varrho}(V_{t+1})$  (total capital = available capital + additional capital). **We focus on 2) and drop “ $t + 1$ ”.**

## Axioms of coherence

**Axiom 1** (**monotonicity**)  $L_1, L_2 \in \mathcal{M}$ ,  $L_1 \leq L_2$  (a.s., i.e. almost surely)  
 $\Rightarrow \varrho(L_1) \leq \varrho(L_2)$

**Interpr.:** Positions which lead to a higher loss in every state of the world require more risk capital.

**Criticism:** none

**Axiom 2** (**translation invar.**)  $\varrho(L + l) = \varrho(L) + l$  for all  $L \in \mathcal{M}$ ,  $l \in \mathbb{R}$

**Interpr.:**

- By adding  $l \in \mathbb{R}$  to a position with loss  $L$ , we alter the capital requirements accordingly.
- If  $\varrho(L) > 0$ , and  $l = -\varrho(L)$ , then  $\varrho(L - \varrho(L)) = \varrho(L + l) = \varrho(L) + l = 0$  so that adding  $\varrho(L)$  to a position with loss  $L$  makes it acceptable.

**Criticism:** Most people believe this to be reasonable.

**Axiom 3** (**subadditivity**)  $\varrho(L_1 + L_2) \leq \varrho(L_1) + \varrho(L_2)$  for all  $L_1, L_2 \in \mathcal{M}$

- Interpr.:**
- Reflects the idea of **diversification**
  - Using a non-subadditive (that is, a **superadditive**)  $\varrho$  encourages institutions to legally break up into subsidiaries to reduce regulatory capital requirements.
  - Subadditivity makes decentralization possible: Assume  $L = L_1 + L_2$  and that we want to bound  $\varrho(L)$  by  $M$ . Choose  $M_j$  such that  $\varrho(L_j) \leq M_j$ ,  $j \in \{1, 2\}$ , and  $M_1 + M_2 \leq M$ . Then  $\varrho(L) \leq_{\text{subadd.}} \varrho(L_1) + \varrho(L_2) \leq M_1 + M_2 \leq M$ .

**Criticism:** **VaR is ruled out** under certain scenarios (see later).  
**VaR is monotone, translation invariant, and positive homogeneous**, but in general **not subadditive**.

**Axiom 4** (**positive homogeneity**)  $\varrho(\lambda L) = \lambda \varrho(L)$  for all  $L \in \mathcal{M}$ ,  $\lambda > 0$

**Interpr.:** (or motivation):  $\lambda = n \in \mathbb{N}$  and subadditivity imply  $\varrho(nL) \leq n\varrho(L)$ , but  $n$  times the same loss  $L$  means **no diversification**, so equality should hold.

**Criticism:** If  $\lambda > 0$  is large, **liquidity risk plays a role** and one should rather have  $\varrho(\lambda L) > \lambda \varrho(L)$  (also to penalize concentration or risk), but this **contradicts subadditivity**. This has led to convex risk measures (see later), i.e. risk measures  $\varrho$  satisfying

$$\varrho(\lambda L_1 + (1 - \lambda)L_2) \leq \lambda \varrho(L_1) + (1 - \lambda)\varrho(L_2)$$

for all  $L_1, L_2 \in \mathcal{M}$ ,  $0 \leq \lambda \leq 1$ .

### **Definition 2.12 (Coherent risk measure)**

A risk measure  $\varrho$  which satisfies Axioms 1–4 is called **coherent**.

### Example 2.13 (Generalized scenario risk measures)

Let  $L(x)$  denote the hypothetical loss under scenario  $x$  (risk-factor change).

The generalized scenario risk measure

$$\psi_{\mathcal{X},w}(L) = \max\{\mathbb{E}_{\mathbb{P}}(L(\mathbf{X})) : \mathbf{X} \sim \mathbb{P} \in \{\mathbb{P}_1, \dots, \mathbb{P}_n\}\}$$

is coherent. Monotonicity, translation invariance, positive homogeneity are clear (by monotonicity and linearity of  $\mathbb{E}_{\mathbb{P}}(\cdot)$ ); for subadditivity, note that

$$\begin{aligned}\psi_{\mathcal{X},w}(L_1 + L_2) &= \max\{\underbrace{\mathbb{E}_{\mathbb{P}}(L_1(\mathbf{X}) + L_2(\mathbf{X}))}_{=\mathbb{E}_{\mathbb{P}}(L_1(\mathbf{X})) + \mathbb{E}_{\mathbb{P}}(L_2(\mathbf{X}))} : \mathbf{X} \sim \mathbb{P} \in \{\mathbb{P}_1, \dots, \mathbb{P}_n\}\} \\ &\leq \psi_{\mathcal{X},w}(L_1) + \psi_{\mathcal{X},w}(L_2).\end{aligned}$$

One can show that all coherent risk measures can be represented as generalized scenarios via

$$\varrho(L) = \sup\{\mathbb{E}_{\mathbb{P}}(L) : \mathbb{P} \in \mathcal{P}\}$$

for a suitable set  $\mathcal{P}$  of probability measures.

### Definition 2.14 (Convex risk measure)

A risk measure  $\rho$  which is **monotone**, **translation invariant** and **convex** is called a **convex risk measure**.

- Justification: Again diversification but they don't have to be positive homogeneous.
- Any coherent risk measure is also a convex risk measure. The **converse is not true in general**, but for positive homogeneous risk measures, convexity and subadditivity are equivalent.

### Theorem 2.15 (Coherence of ES)

**ES is a coherent risk measure.**

*Proof.* **Monotonicity**, **translation invariance** and **positive homogeneity** follow from VaR. **Subadditivity** is more involved but can be shown in various ways; see later. □

## Superadditivity scenarios for VaR

Under the following scenarios,  $\text{VaR}_\alpha$  is typically **superadditive**:

- 1)  $L_1, L_2$  have **skewed** distributions;
- 2) **Independent, light-tailed**  $L_1, L_2$  and **small**  $\alpha$ ;
- 3)  $L_1, L_2$  have **special dependence**;
- 4)  $L_1, L_2$  have **heavy tailed** distributions.



### Exercise 2.16 (Skewed loss distributions)

Consider a portfolio of two independently defaultable zero-coupon bonds (maturity  $T = 1y$ , nominal/face value 100, paid interest of 5%, default probability  $p = 0.009$ , no recovery). The loss of bond  $j$  (from the money lender's/investor's perspective) is thus

$$L_j = \begin{cases} -5, & \text{with prob. } 1 - p = 0.991, \\ 100, & \text{with prob. } p = 0.009, \end{cases} \quad j \in \{1, 2\}.$$

Set  $\alpha = 0.99$ . Then  $\text{VaR}_\alpha(L_j) = -5$ ,  $j \in \{1, 2\}$ .


The loss  $L_1 + L_2$  is given by

$$L_1 + L_2 = \begin{cases} -10, & \text{with prob. } (1 - p)^2 = 0.982081, \\ 95, & \text{with prob. } 2p(1 - p) = 0.017838, \\ 200, & \text{with prob. } p^2 = 0.000081. \end{cases}$$

Therefore,  $\text{VaR}_\alpha(L_1 + L_2) = 95 > -10 = \text{VaR}_\alpha(L_1) + \text{VaR}_\alpha(L_2)$ . Hence  $\text{VaR}_\alpha$  is superadditive.

## Exercise 2.17 (Independent, light-tailed $L_1, L_2$ and small $\alpha$ )

If  $L_1, L_2 \stackrel{\text{ind.}}{\sim} \text{Exp}(1)$ ,  $\text{VaR}_\alpha$  is superadditive  $\iff \alpha < 0.71$ .



### Exercise 2.18 (Special dependence)

Let  $\alpha \in (0, 1)$ ,  $L_1 \sim U(0, 1)$  and define  $L_2 \stackrel{\text{a.s.}}{=} \begin{cases} L_1, & \text{if } L_1 < \alpha, \\ 1 + \alpha - L_1, & \text{if } L_1 \geq \alpha. \end{cases}$

One can show that  $L_2 \sim U(0, 1)$ . Also,  $L_1 + L_2 = \begin{cases} 2L_1, & \text{if } L_1 < \alpha, \\ 1 + \alpha, & \text{if } L_1 \geq \alpha, \end{cases}$   
from which one can show that

$$F_{L_1+L_2}(x) = \begin{cases} 0, & \text{if } x < 0, \\ x/2, & \text{if } x \in [0, 2\alpha), \\ \alpha, & \text{if } x \in [2\alpha, 1 + \alpha), \\ 1, & \text{if } x \geq 1 + \alpha. \end{cases}$$

For all  $\varepsilon \in (0, \frac{1-\alpha}{2})$ , we thus obtain that

$$\text{VaR}_{\alpha+\varepsilon}(L_1 + L_2) = 1 + \alpha > \underset{\varepsilon \in (0, \frac{1-\alpha}{2})}{2(\alpha + \varepsilon)} = \text{VaR}_{\alpha+\varepsilon}(L_1) + \text{VaR}_{\alpha+\varepsilon}(L_2).$$

## Remark 2.19 (Special case of comonotone risks; elliptical risks)

- Note that  $L_1 \stackrel{\text{a.s.}}{=} L_2$  does not lead to the largest  $\text{VaR}_\alpha(L_1 + L_2)$  since

$$\text{VaR}_\alpha(L_1 + L_2) \stackrel[\text{hom.}]{\text{pos.}} 2 \text{VaR}_\alpha(L_1) = \text{VaR}_\alpha(L_1) + \text{VaR}_\alpha(L_2),$$

so “only” equality.

- $\text{VaR}_\alpha$  is subadditive and thus coherent for a certain class of multivariate distributions (strictly including the multivariate normal and  $t$ ); see later.

## Exercise 2.20 (Heavy tailed loss distributions)

Let  $L_1, L_2 \stackrel{\text{ind.}}{\sim} F(x) = 1 - x^{-1/2}$ ,  $x \in [1, \infty)$ . By deriving the distribution function

$$F_{L_1+L_2}(x) = 1 - 2\sqrt{x-1}/x, \quad x \geq 2,$$

of  $L_1 + L_2$  (via the density convolution formula; tedious), one can show (via solving a quadratic equation) that  $\text{VaR}_\alpha$  is superadditive for all  $\alpha \in (0, 1)$ .