## Appendices

Dep. Variable:	sw_p		R-square	ed:	0.039	
Model:	$\overline{\rm OLS}$		Adj. R-squared		: 0.038	
Method:	Least Squares		F-statist	ic:	34.19	
Date:	Tue, 30 Nov 2021		Prob (F-	statisti	<b>c</b> ): 1.19e-21	
Time:	14:30:14		Log-Like	lihood:	-1632.7	
No. Observations:	2517		AIC:		3273.	
Df Residuals:	2513		BIC:		3297.	
Df Model:	3					
	coef	std err	· t	$P> \mathbf{t} $	[0.025	0.975]
Intercept	0.2290	0.115	1.995	0.046	0.004	0.454
$\log\_contributions\_FIRE$	0.0033	0.010	0.350	0.726	-0.015	0.022
bill_complexity	0.0204	0.008	2.670	0.008	0.005	0.035
$\mathbf{tight}$	-0.3406	0.038	-9.066	0.000	-0.414	-0.267
Omnibus:	14413.723	Durbin-Watson:			1.885	
Prob(Omnibus):	0.000	Jarque-Bera (JB):			404.919	
Skew:	0.603	Prob(JB):			1.18e-88	
Kurtosis:	1.449	Cond	l. No.		157.	_

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Dep. Variable:	sw p		R-square	ed:	0.043	
Model:	OLS		Adj. R-s			
Method:	Least Squares		F-statistic:		22.51	
Date:	Tue, 30 Nov 2021		Prob (F-	statisti	ic): 3.82e-22	
Time:	14:30:14		Log-Like	lihood:	-1627.9	
No. Observations:	2517		AIC:		3268.	
Df Residuals:	2511		BIC:		3303.	
Df Model:	5					
	coef	std err	t	P> t	[0.025	0.975]
Intercept	-0.2967	0.224	-1.327	0.185	-0.735	0.142
log contributions FIRI	$\Xi = 0.0488$	0.019	2.632	0.009	0.012	0.085
$mov\_past$	0.0135	0.005	2.946	0.003	0.005	0.022
${ m mov\_contr\_int}$	-0.0012	0.000	-3.023	0.003	-0.002	-0.000
bill_complexity	0.0203	0.008	2.666	0.008	0.005	0.035
$\operatorname{tight}$	-0.3422	0.038	-9.117	0.000	-0.416	-0.269
Omnibus:	14833.066	Durbin-Watson:			1.886	
Prob(Omnibus):	0.000	<b>Jarque-Bera</b> ( <b>JB</b> ): 399.670				
Skew:	0.601	<b>Prob(JB):</b> 1.63				
Kurtosis:	1.463	Cond. No. 1.32e+04				_

## Notes:

- [1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
- [2] The condition number is large, 1.32e+04. This might indicate that there are strong multicollinearity or other numerical problems.

Dep. Variable:	$sw_p$		R-se	quared:		0.046
Model:	$\overline{\rm OLS}$		$\operatorname{Adj}$	. R-squa	ared:	0.044
Method:	Least Squares		F-st	atistic:		28.44
Date:	Tue, 30 Nov 2021		1 Pro	b (F-sta	tistic):	5.85e-18
Time:	14:30:14		Log	-Likelih	ood:	-1169.9
No. Observations:		1774		<b>:</b> :		2348.
Df Residuals:	1770		BIC	<b>:</b> :		2370.
Df Model:		3				
	coef	$\operatorname{std}$ err	t	$\mathbf{P}> \mathbf{t} $	[0.025]	0.975]
Intercept	0.2349	0.046	5.056	0.000	0.144	0.326
${ m congruence\_dc}$	-0.0031	0.049	-0.063	0.950	-0.099	0.093
bill_complexity	0.0332	0.009	3.646	0.000	0.015	0.051
$\operatorname{tight}$	-0.3527	0.046	-7.673	0.000	-0.443	-0.263
Omnibus:	881	1.624 <b>D</b>	urbin-V	Vatson:	1.9	903
Prob(Omnibu	$(\mathbf{s}): 0.$	000 <b>J</b> a	arque-B	era (JB	): 274.	.469
Skew:	0.	501 <b>P</b>	rob(JB)	<b>)</b> :	2.51	e-60
Kurtosis:	1.	355 C	ond. No	0.	25	5.0

## Notes:

<sup>[1]</sup> Standard Errors assume that the covariance matrix of the errors is correctly specified.

## References