

DBMS LAB TEST

Group : 5

Group members : M. JoshaSree(19BCS069)
P. Chitti Babu(19BCS081)
P. Goutham(19BCS085)
P. Ghana Shyam(19BCS086)
P. Lalithanjale(19BCS087)
S. Ajay Kumar(19BCS101)
S. Pranay Sai Teja(19BCS102)
M. Anupama(19BCS123)
R. Mounika(19BCS124)

Write SQL Query for the above database Schema

1)Query:

```
SELECT E.* FROM Employee E  
WHERE E.Eno IN (SELECT D.Eno FROM Dependent D  
WHERE D.Eno =E.Eno AND D.Sex =E.Sex);
```

2) Query:

```
SELECT P.Pno, P.Pname, COUNT (P.*) FROM Project P, Works_no W  
WHERE W. Pno = P. Pno GROUP BY P.Pno, P.Pname  
HAVING COUNT (P.*) > 2;
```

3) Query:

```
SELECT D.Dno, COUNT (D.*) FROM Department D, Employee E  
WHERE D.Dno =E.Dno AND E.Salary > 50000 AND D.Dno IN
```

```
(SELECT E1.Dno FROM Employee E1 GROUP BY E1.Dno  
HAVING COUNT (E1.*) > 3) GROUP BY D.Dno;
```

4)Query:

```
SELECT E.*,D.* FROM Employee E, Dependent D, Department D1  
WHERE E.Eno=D.Eno AND D.Dep_name=D1.Dname GROUP BY  
D1.Mgreno HAVING COUNT (D1.Mgreno)>1 AND COUNT(E.Eno)>10
```

5)Query:

```
SELECT D.*  
FROM Department D, Project P  
WHERE D.Dno=P.Dnum group by P.Pno  
having count(P.Pno) > 1 AND count(P.Plocation) > 1
```

2)Normalization

Universal relation contains:

Plot(PropertyId, CountryName,Plot, Area, Price, TaxRate)

Functional Dependencies:

Propertyid -> {CountryName,Plot,Area,TaxRate}

{CountryName,Plot} ->{Propertyid,Area,Price,TaxRate}

CountryName -> TaxRate

Area -> Price

Propertyid* = Propertyid, CountryName, Plot,Area, Price, TaxRate

CountryName* = CountryName,TaxRate

Plot* = Plot

Area* = Price,Area

Price* = Price

TaxRate* = Tax

Key={Propertyid}

Prime Attributes={Propertyid}

Non-Prime attributes={CountryName,Plot,Area,Price,TaxRate}

The table is in already 1NF as there are no multivalued attributes.

The table is also in 2NF as there are no partial dependencies.

But the table is not in 3NF because there are transitive dependencies.

To Convert into 3NF we divide Table as follows:

CountryName,Price → Propertyid,Area,Price,TaxRate

CountryName → TaxRate

Area → Price

Are there 3 transitive dependencies.

i) {Area,Price}

Area* → Price,Area

Key = Area

So it is in **3NF**

ii) {CountryName,TaxRate}

CountryName* → TaxRate

Key = CountryName

So, now it is in 3NF

iii) {CountryName,Plot,Propertyid,Area}

Propertyid* ->Plot,CountryName,Area

Plot*,CountryName*->Area,Propertyid

Keys={Propertyid}{Plot,CountryName}

So, it is in **3NF**.