

TITLE

AUTHOR1, AUTHOR2

2022-06-07

1. greeting
2. topic

Outline

Content

2022-06-07

Outline

Outline

Outline

1. ??

Content

Outline

Options

There are several boolean flags set if one includes/imports/inputs various files in “/tex/conf/”. Some default constellations are available via the default main files:

Notes: show notes on second half of the slides.

Long: include/exclude with `\iflong{}`, `\ifnotlong{}`

Theme: set in “/tex/conf/theme.tex”

Language: English default (`\ifger{de text}{en text}`, for bilingual)

Alignment:

2022-06-07

Content

- Content
 - Options

Options

Options

There are several boolean flags set if one includes/imports/inputs various files in “/tex/conf/”. Some default constellations are available via the default main files:
Notes: show notes on second half of the slides.
Long: include/exclude with `\iflong{}`, `\ifnotlong{}`
Theme: set in “/tex/conf/theme.tex”
Language: English default (`\ifger{de text}{en text}`, for bilingual)
Alignment:

[illegible]

Folien-Überschrift


Hier kommt Text!

Ein “normaler” Block

Inhalt hier.

itemize und enumerate:

- ▶ Ein Punkt
 - ▶ Ein Unterpunkt
 - ▶ Noch ein Punkt
1. Ein Punkt
 - 1.1 Ein Unterpunkt
 2. Noch ein Punkt



Hier kommt Text!

Ein “normaler” Block

Inhalt hier.

itemize und enumerate:


- ▶ Ein Punkt
 - ▶ Ein Unterpunkt
 - ▶ Noch ein Punkt
1. Ein Punkt
 - 1.1 Ein Unterpunkt
 2. Noch ein Punkt

Ein Alert-Block

Ein Folien-Untertitel

Achtung!

Hier kommt Rot ins Spiel!



Achtung!

Hier kommt Rot ins Spiel!

Cite

- ▶ Only cite arxiv: [arXiv: hep-ph/0011222],[arXiv: hep-ph/0201036]
- ▶ Footnote cite:¹
- ▶ Default cite: [2]

Print bibliography:

1. Catani, S., Dittmaier, S. & Trocsanyi, Z. One loop singular behavior of QCD and SUSY QCD amplitudes with massive partons. *Phys. Lett. B* **500**, 149–160. arXiv: hep-ph/0011222 (2001).
2. Catani, S., Dittmaier, S., Seymour, M. H. & Trocsanyi, Z. The Dipole formalism for next-to-leading order QCD calculations with massive partons. *Nucl. Phys. B* **627**, 189–265. arXiv: hep-ph/0201036 (2002).

¹Catani, S. et al. *Nucl. Phys. B* **627**, 189–265. arXiv: hep-ph/0201036 (2002).

2022-06-07

Content
└─Content
└─Cite
└─

Cite

Cite


▶ Only cite arxiv: [arXiv: hep-ph/0011222],[arXiv: hep-ph/0201036]
▶ Footnote cite:¹
▶ Default cite: [2]
Print bibliography:
1. Catani, S., Dittmaier, S. & Trocsanyi, Z. One loop singular behavior of QCD and SUSY QCD amplitudes with massive partons. *Phys. Lett. B* **500**, 149–160. arXiv: hep-ph/0011222 (2001).
2. Catani, S., Dittmaier, S., Seymour, M. H. & Trocsanyi, Z. The Dipole formalism for next-to-leading order QCD calculations with massive partons. *Nucl. Phys. B* **627**, 189–265. arXiv: hep-ph/0201036 (2002).

¹Catani, S. et al. *Nucl. Phys. B* **627**, 189–265. arXiv: hep-ph/0201036 (2002).

Ein Example-Block

Beispiel

Hier kommt Grün ins Spiel!



Ein Example-Block

Beispiel

Hier kommt Grün ins Spiel!

SUBSECTION

framesubtitle

The iframe environment automatically uses the section as frametitle.
Then the structure is preserved in the toc.

2022-06-07

Content

└─Content

└─SUBSECTION

└─

SUBSECTION

The iframe environment automatically uses the section as frametitle.
Then the structure is preserved in the toc.

SUBSECTION

Here is left and here is right
negative vspace removes the space otherwise used by frame titles

2022-06-07

Content

Content

SUBSECTION

SUBSECTION

SUBSECTION

Here is left
negative vspace removes the space otherwise used by frame titles

and here is right

1. spectator contains informations on color and spin correlations to the Real correction (from LO)
2. upper vs lower index indicates in vs out

Thank you!