





# **הנדסת תוכנה** 6. בקרת תצורה git / github

#### **Pragmatic Programmer Tip:**

Always Use Source Code Control

Source code control is a time machine for your work—you can go back.

#### השבוע

- Version Control דקרת תצורה \ קוד
  - git / github כלים:
    - משימה אישית 3
      - ZFR סקר •
  - פרויקט: תחילת סבבים סבב MVP 1
    - תרגיל סקר ZFR (+ השלמת back-end)



## בקרת גרסאות קוד - מקורות

- Sink, Version Control by Example
- Google Tech Talk: <u>Linus Torvalds on git</u>
- Spolsky, Hg Init: a Mercurial tutorial http://hginit.com
- Sink, Source Control HOWTO
   <a href="http://www.ericsink.com/scm/source\_control.html">http://www.ericsink.com/scm/source\_control.html</a>
- Intro to Distributed Version Control <u>http://betterexplained.com/articles/intro-to-distributed-version-control-illustrated/</u>

### VCS Links

- Eric Raymond on vcs
- The 10 commandments of good source control management, blog 2011
- FogBugz and Kiln <u>video</u>, 2011
  - DVCS University Slides (\*)
- Spolsky, Hg Init: a Mercurial tutorial
- Azad, <u>A Visual Guide to Version Control</u>
  - Intro to Distributed Version Control (Illustrated)
- Eric Sink, Source Control HOWTO

### Git Links

- http://git-scm.com/ (getting started)
- Set Up Git (Win), <u>ssh issues</u>
   <a href="http://help.github.com/win-set-up-git/">http://help.github.com/win-set-up-git/</a>
- Windows client list, O'Reilly Webcast:
   Git in One Hour

se15b-ya<mark>g</mark>el


### More Git / Github Links

- Git branching with git-flow, Heb. Video, 2013
- Videos: Git For Ages 4 And Up, Git Going(oredev'12), Think like a Git
- <u>learn.github.com/</u>, <u>try.github.com/</u>
   <u>Gitflow</u>
- saastv: <u>Using Branches with Git</u>
- no branches at flickr
- Insider Guide to GitHub (video)
- Articles: <u>article</u> (including .gitignore), <u>post</u>, <u>difficulties</u>,



## איפה אנחנו בפרויקט (בקורס)?

- למה? בעיה (פלט: הצעת פרויקט\חזון\SOW)
- מי? צוות (Inception, אתחול\תכנון פרויקט)
  - מה? דרישות (SRS)
  - איך? תיכון (ארכיטקטורה) (SDS)
    - מתי? תכנון וניהול – (ZFR)
      - בניה (סבבי פיתוח)



## בקרת תצורה (SCM)

- לפרויקט תוכנה תוצרים שונים:
- מסמכי דרישות ותיכון, קוד, executables, מדריכי שימוש, בדיקות,...
  - פרויקט תוכנה משתמש בכלים שונים:
  - ..., עורכים, צד ג', שת"פ, (מ"ה), .... מהדרים, עורכים, צד ג', שת

## בקרת תצורה

- מבחינת תהליך זה אלו נקראים CI – Configuration Items
- לכל אחד יכולים להיות גרסאות ועותקים שונים
- אנו צריכים יכולת לזהות, לעקוב ולאחסן אותם
  - נתמקד בנושא של גרסאות

## Version Control – בקרת גרסאות

- איך (האם?) אתם שומרים את תוצרי העבודה
   שלכם?
  - ? האם אפשר לשפר
- האם יש הבדל בין מפתח בודד לחברה גדולה?
  - שמות שונים:
  - בקרת תצורה
  - Revision Control -
  - Software Configuration Management –
  - Source-Code/Version Control System -

## Joel Test (~2000 / stackoverflow)

#### 1. Do you use source control?

וגם היום...

"You've just spent twenty minutes doing a presentation for your teammates on adopting source control. Yeah, they don't do source control at all. Yep, not at all—it's as if the last 20 years of computer science never happened. But better late than never, and frankly any source control is better than none, because disaster is one errant delete away."

- "Driving Technical Change: Why People on Your Team Don't Act on Good Ideas, and How to Convince Them They Should", chap. The Cynic

## בקרת גרסאות – בשביל מה? יעדים



- איסוף כל הגרסאות ומעקב אחרי שינויים
  - חזרה לגרסה מסוימת, השוואה
    - מאפשר מחיקת קוד
  - ניהול מספר גרסאות במקביל
    - גיבוי והצלה
- שיתוף מספר מפתחים (מרוחקים) בו זמנית
  - טיפול בסתירות
  - מאגר מעודכן של תוצרי הפרויקט
    - ר∖daily build במיוחד עם –

בפרויקט תדרשו להדגים את בקרת התצורה שלכם

## פעולות נדרשות

- בקרת שינויים
- זיהוי ותיעוד (למשל מי משנה, הסיבה, זמן וכדו')
  - ניתוח והערכה (של שינוי)
    - אישור ∖ דחיה
    - אימות, מימש ושחרור
      - בקרת גרסאות
        - מאגר –
      - הכנסה והוצאה
      - ענפים ומיזוגים
        - תיוג –



## <u>כלים: היסטוריה</u> (<u>השוואה</u>)

Generation	Networking	Operations	Concurrency	Examples
1	None	One file at a time	Locks	RCS, SCCS
2	Centralized	Multi-file	Merge before commit	CVS, SourceSafe, Subversion, Team Foundation Server, IBM Rational ClearCase
3	Distributed	Changesets	Commit before merge	Bazaar, Git, Mercurial

### 40 Years of Version Control









Image © TheSun.au

### Git

Successful open source project

https://git.wiki.kernel.org/index.php/GitProjects
https://github.com/google, microsoft, facebook, twitter...
http://stackoverflow.com/research/developer-survey-2015#tech-sourcecontrol

Usability issues!

### משל גיט

- Tom Preston-Werner

   <a href="http://tom.preston-werner.com/2009/05/19/the-git-parable.html">http://tom.preston-werner.com/2009/05/19/the-git-parable.html</a>
- Herland,

   http://www.infoq.com/presentations/git-details,
   slides:
   https://github.com/jherland/git\_parable

Johan Herland

johan@herland.net

se15b-yagel


18

- Shamelessly stolen from Tom Preston-Werner
   http://tom.preston-werner.com/2009/05/19/the-git-parable.html
- I'm lazy...
- Also: Best introduction to Git I've found so far


• Git - simple & powerful

20


• Git - simple & powerful



• Git - simple & powerful




• Git - simple & powerful




• Git - simple & powerful



• Git - simple & powerful



• Git - simple & powerful



### The Parable

- A simple computer
  - A text editor
  - A few filesystem commands



## The Parable

Write a large software program




#### The Parable


- Write a large software program
- Invent some method to keep track of versions
  - retrieve code that you changed/deleted



Alfred, the photographer



Alfred, the photographer






- Alfred, the photographer
- Hazel and her daughter





- Alfred, the photographer
- Hazel and her daughter
  - Remember what the daughter was like at each different stage







- Alfred, the photographer
- Hazel and her daughter
  - Remember what the daughter was like at each different stage


















# Snapshots






# Snapshots







## **Snapshots**










se15b-yagel

Introduced a new foo, and reset the bar to xyzzy.








































































46





48







#### **Branch Names**







































































2009-05-22 12:12:12 parent: snapshot-113 author: Me <me@me.me>

Blarfle, a cool new feature; extends the existing blorg.

se15b-yagel



parent: snapshot-113 author: Zoe <zoe@z.oe>

Introduced a new foo, and reset the bar to 64 xyzzy.

# 8ba3441b6b89cad23387ee875f2ae55069291f4b SHA1

2009-05-22 12:12:12 parent: snapshot-113 author: Me <me@me.me>

message


Blarfle, a cool new feature; extends the existing blorg.


#### Distributed


mes tage


2009-05-21 23:45:01
parent: snapshot-113
author: Zoe <zoe@z.oe>


Introduced a new foo, 65
and reset the bar to
xyzzy.














#### Offline






70


# Offline




## (simpler drawings)




## (simpler drawings)




## (simpler drawings)



## Merges








### Merges math math master master v1.0-maint v1.0-maint v1.0.1 v1.0.1 v1.0 v1.0 se15b-yagel


### Merges math math master master v1.0-maint v1.0-maint v1.0.1 v1.0.1 v1.0 v1.0 se15b-yagel


### Merges math math master master v1.0-maint v1.0-maint v1.0.1 v1.0.1 v1.0 v1.0 se15b-yagel

































# Staging Area









# Staging Area





# Staging Area





94








































































# **Compressing Blobs**



#### The True Git



- . TADAA!
- This is pretty much Git
- Nicer command line tools for all these operations


Many, many other tools

#### Commands: Getting Started

- First, tell Git who you are:
  - git config --global user.name "My Name"
  - git config --global user.email "my@email.address"
- Get help:
  - git <command> -h
  - git help <command>
- Start a new Git repository:
  - git init

121

#### Commands: Making snapshots



git commit -a

Add the simple scripts I used to do a me
Merge the new object model thing from I
[PATCH] Switch implementations of merge [PATCH] Port fsck-cache to use parsing function IPATCH] Implementations of parsing function IPATCH] Header files for object parsing IPATCH] fix bug in read-cache.c which lo IPATCH] Fix confusing behaviour of upda Make "commit-tree" check the input object Make "parse\_commit" return the "st1/2/2" Do a very simple "merge-base" that finds Make "rev-tree.c" use the new-and-impro

gith

#### Commands: Diffing



#### Commands: Branches & Tags

- git branch
- git branch <br/>branch>

git checkout -b ...

- git checkout <br/>branch>
- git tag -l

#### Commands: Fetching & Merging

• git remote add <name> <URL>


• git fetch <name>



git pull

• git merge <name>/<branch>

#### Conclusion



v1.0

- Keep this parable in mind
- Git is simple and powerful

One more thing:

git reflog

#### Where to go next?

- Git homepage: <a href="http://git-scm.com">http://git-scm.com</a>
- Pro Git: <a href="http://git-scm.com/book">http://git-scm.com/book</a>
- Git Reference: <a href="http://gitref.org">http://gitref.org</a>
- GitHub: <a href="http://github.com">http://github.com</a>
- Gitorious: <a href="http://gitorious.org">http://gitorious.org</a>

#### Questions?

Thanks for your attention!

 These slides are available at: <u>https://github.com/jherland/git\_parable</u>

Reach me at <<u>johan@herland.net</u>>



#### אחר: בקרת גרסאות תוצרת בית

- Jim Weirich
- https://github.com/jimweirich/presentation\_ source\_control
- http://pragprog.com/screencasts/vjwsceasy/source-control-made-easy (promo)

# Git makes more sense when you understand [...]



finally figuring out that git commands are strangely named graph manipulation commands--creati @tabqwerty moving pointers ar chi wai lau



"git gets easier once you get the basic idea that branches are homeomorphic endofunctors mapping submanifolds of a Hilbert space."

9 Mar via web grand Unfavorite 13 Undo Retweet sheet

# Git Clients (Windows)

- CLI Shell: Git Bash
- Windows Explorer Shell
- Github for Windows (+powershell)
- Bitbucket SourceTree
- IDE Integration
  - Visual Studio (VS2013 native)
  - Eclipse Egit
  - IntelliJ, PyCharm embedded

## <u>הדגמה</u> \ שב- טיפים

- http://gitimmersion.com/
- <a href="http://learn.github.com/">http://learn.github.com/</a> (education.. free student account)
- http://help.github.com/create-a-repo/ Local user settings: git config user.name <user> git config user.email user@example.com
- git pull
- git add: add / stage
- git commit –a == add+commit

#### Git Flow - שיטות

- !ימלץ <u>Pull request</u>
- למשל בפרויקטי קוד פתוח
  - Git (hub) flow •
- :Nuget דוגמא: תהליך העבודה בפרויקט Contributing a Bug Fix or Feature
  - קישורים נוספים בויקי

#### בפעם הבאה

- פרויקט: פיתוח בסבבים
- בדיקות, פיתוח מונחה מפרטים
- שעה שלישית מעבדה (משימה אישית 4, להביא מחשבים)
  - בהמשך
  - git תרחישים נוספים עם ? ? בקרת גרסאות
    - המשך בדיקות
- משימה אישית מס' 3 חלקים ב+ג (בכל שבוע עוד חלק)

#### לסיכום

- תהליך: בקרת תצורה וגרסאות
  - git / github :כלים •
  - git flow שיטות: למשל •