NAME: Aravindan S G REG NO: 230701031

EXNO: 12

DATE:26.11.20

WORKING WITH CURSOR, PROCEDURES AND FUNCTION

```
Program 1
FACTORIAL OF A NUMBER USING FUNCTION
CREATE OR REPLACE FUNCTION itfact (a NUMBER) RETURN NUMBER IS fact NUMBER
  := 1; b NUMBER;
BEGIN b
  := a;
  WHILE b > 0 LOOP fact
    := fact * b; b
    := b - 1;
  END LOOP;
  RETURN fact;
END;
Function created.
DECLARE result NUMBER;
BEGIN
  result := itfact(7); -- Call the function with 7 as input
  DBMS_OUTPUT.PUT_LINE('The factorial of 7 is ' || result); END;
```

```
The factorial of 7 is 5040
Statement processed.
Program 2
```

```
Write a PL/SQL program using Procedures IN, INOUT, OUT parameters to retrieve the
corresponding book information in library
```

```
-- Create a simple table for the library books
CREATE TABLE library (book_id INT
 PRIMARY KEY, book_name VARCHAR2(100),
     author_name
 VARCHAR2(100)
);
-- Sample data insertion
INSERT INTO library VALUES (1, 'Introduction to PL/SQL', 'John Doe'); INSERT INTO
library VALUES (2, 'Advanced SQL', 'Jane Smith');
-- Procedure to retrieve book information
CREATE OR REPLACE PROCEDURE get_book_info ( p_book_id
  IN INT, p_book_name IN OUT
  VARCHAR2, p_author_name OUT VARCHAR2
) IS
BEGIN
  -- Retrieve book information based on the book_id
  SELECT book_name, author_name
  INTO p_book_name, p_author_name
  FROM library
  WHERE book id = p book id;
  -- Modify book_name if needed (optional, based on INOUT) p_book_name
:= p_book_name || ' - Updated'; END;
```

```
-- Test the procedure

DECLARE v_book_name
    VARCHAR2(100); v_author_name
    VARCHAR2(100);

BEGIN v_book_name := 'Sample Book'; -- Initial
    value
    get_book_info(1, v_book_name, v_author_name); -- Fetch book info for ID 1

DBMS_OUTPUT.PUT_LINE('Book Name: ' || v_book_name); -- Output modified book name
    DBMS_OUTPUT.PUT_LINE('Author Name: ' || v_author_name); -- Output author name

END;

/

Book Name: Introduction to PL/SQL - Updated
Author Name: John Doe

Statement processed.
```