

ICPSR 34792

## **Health Behavior in School-Aged Children (HBSC), 2009-2010**

Ronald J. Iannotti

*United States Department of Health and Human  
Services. National Institutes of Health. Eunice  
Kennedy Shriver National Institute of Child  
Health and Human Development*

Codebook: Student Survey

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34792/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

# **Health Behavior in School-Aged Children (HBSC) 2009-2010**

## **INTRODUCTION**

The United States became a participant in the Health Behavior in School-Aged Children (HBSC) survey, performed in collaboration with the World Health Organization (WHO-Euro) in 1996. The study included 42 other participating nations in the 2009-2010 cycle. The international HBSC study looks at 11-, 13-, and 15-year-old children's attitudes and experiences concerning a wide range of health-related behaviors and lifestyle issues. It represents a significant opportunity to analyze similarities and differences in health-related behavior for the early- to mid-adolescent age group across the majority of developed countries. Further information on the HBSC study protocol and access to international data files is available at: <http://www.hbsc.org>. In order to provide age-specific survey data for the international study, the U.S. also completed a nationally representative survey of students in grades five through ten during the 2009-2010 school year. Public use data for the U.S. grade-based study are provided and described in the following sections.

The study's findings are of crucial importance for the development of timely and relevant health promotion and health education initiatives. The information is helpful to U.S. policy makers in designing a variety of local, state, and national programs. International studies assist us to learn from each other by examining how we are doing comparatively and by determining what accounts for differences that might be found. A number of in depth research studies, based on the HBSC data, have been conducted to assist in understanding and improving the health of U.S. youth, and similar investigations are planned for the 2009-2010 survey data.

The remaining sections provide general information on the history and purpose of the survey, sampling procedures, data collection procedures, response rates, editing procedures, weighting procedures, and variance estimation procedures.

The codebook provides the un-weighted nationally representative sample of students in grades five through ten. In addition to the student survey, a school administrator was asked very brief questions about the school environment on special health-related topics. The school administrator's responses can be appended to each student record for higher level analyses.

## **HBSC HISTORY**

The HBSC study was initiated by researchers from Finland, Norway and England (United Kingdom) in 1982; shortly afterwards, it became affiliated with World Health Organization (WHO) as a WHO collaborative study. The first survey was carried out in the founder countries and Austria in 1983-84; since 1985, surveys have been conducted at four-year intervals in a growing number of countries. The 2009-2010 HBSC cycle was conducted successfully in 42 countries in addition to the United States. The data available in this Public Use File is for the

complete 2009-2010 U.S. sample only.

The international HBSC research project aims to gain new insight into and increase understanding of health behavior, lifestyles and their context in young people. The study also aims to inform and influence health promotion and health education policy, programs and practice aimed at school-aged children at the national and international levels.

The HBSC survey collects data on a wide range of health behaviors and health indicators, and factors that may influence them. These predictors are primarily characteristics of the children themselves, such as their psychological attributes and personal circumstances, and of their perceived social environment, including their family relationships, peer-group associations, school climate and perceived socioeconomic status.

## **SAMPLING**

The sampling plan was designed to support three overlapping study probability sample designs and target populations, each with different sampling requirements. One U.S. sample employs methods that produced a self-weighting sample of students at each of three target age levels (11, 13, and 15) for inclusion only with the 42-country international data file. This age-based non-weighted sample is embedded within a grade-based fully-weighted sample design that was enlarged to include both the age-based sample plus supplemental nationally representative samples of minority students. Both the age-based and grade-based samples were designed to provide precision estimates of  $\pm 3$  percent at 95 percent confidence for student characteristics of either individual age groups (11.5, 13.5, and 15.5 years) or each individual grade (5 - 10). Precision estimates for the minority over-sample required a precision within 5 percent at 90 percent confidence for estimating African American and Hispanic student characteristics. *The remaining descriptions are pertinent only to the grade-based fully-weighted U.S. survey, including student records from the minority over-sample as provided in the PUF. However the Respondent Universe and Sampling Methodology can be understood only if the age-based and minority over-sample requirements are considered.*

### ***Respondent Universe***

The universe consisted of public, Catholic and other private school students in grades 5, 6, 7, 8, 9, and 10 or their equivalent in the 50 states and the District of Columbia.

Requests for completion of auxiliary questionnaires were made of school administrators in schools whose students completed the survey.

### ***Sampling Methodology***

Sampling was conducted over three stages: districts, schools, and classes. In the first stage of sampling Primary Sampling Units (PSUs) were stratified within each Census Division. These PSUs are comprised of one or more school districts of public schools. The districts were classified as urban or rural using a comprehensive list of schools from Quality Education Data,

Inc. (QED). Generally, PSUs were formed by grouping rural school districts within a county ensuring that the PSU had at least 10 schools. School districts with very large enrollments were considered as separate PSUs. It was also ensured that the urban primary sampling units had at least 10 schools. A total of 1,302 PSUs were created. A sample of 94 PSUs was selected. The total sample of PSUs was allocated to each Census Division in proportion to the total enrollment in the Census Division.

A list of private and Catholic schools was also obtained from the QED. These schools were assigned, based on their location to the 1,302 PSUs created for the selection of public schools. All private and Catholic schools were eligible for inclusion into the sample of the 94 sampled PSUs. The probability of selecting a private or Catholic school was the same as the probability of selecting a public school during this first stage of sampling.

In the second stage of selection schools were selected from the sampled PSUs (districts). In the end there were 314 schools who participated in the study.

Finally, in the third stage of sampling classes were selected from the schools designated for sampling students from a specific grade. For example, in a school in which grade 6 students are to be sampled, a class was selected at random, and all the students in that class were included in the sample. Most schools had two classes selected for participation. But the range of classes selected could range between one and four.

## **DATA COLLECTION**

The 2009-2010 HBSC survey asked questions about nutrition, physical activity, violence, bullying, relationships with family and friends, perceptions of school as a supportive environment, and alcohol, tobacco, marijuana, and other drug use. The student survey, which took approximately 45 minutes to complete, was administered in a regular classroom setting to participating students by a school representative (e.g., teacher, nurse, guidance counselor, etc.). The school representatives read scripts that explained the survey procedures. Three versions of the self-report questionnaire were administered: one for 5<sup>th</sup> and 6<sup>th</sup> graders, one for students in 7<sup>th</sup>, 8<sup>th</sup>, and 9<sup>th</sup> grade, and one for students in 10<sup>th</sup> grade. The 10<sup>th</sup> grade questionnaire contained the complete set of questions asked. Please refer to the crosswalk that is included in the available questionnaire that outlines the differences between the three versions.

An auxiliary questionnaire was sent to a school administrator in the responding schools to obtain school level information on the health-related topics, with a special focus on nutrition, meal services, physical activity programs, and violence prevention and security practices employed by the school. This questionnaire was designed to take no more than 15 minutes for completion.

## **THE DATA FILE**

The following section details the organization of the file and changes made to the raw data files to clean and protect the data and enhance the utility of the data.

### ***Organization***

The study is available in two parts. The first part contains the data for student responses. The second part contains the data from the school administrator survey. For analysis that involves both student and administrator survey data the two parts can be merged together. This can be done by appending the school administrator survey to the student survey using the variable SCHL\_ID.

### ***Data Cleaning***

Individual variables were reviewed for consistency and edited as necessary. Changes were made to cases that were illogical or inconsistent with previous responses. For example, in the school administrator survey, question #3 asks if the school has certain facilities. These questions are have a follow-up question which asks if the students have access to the facility during unstructured school time. If the school administrator answered question the main question with “No” but then said “Yes” to the follow-up question then that case would be recoded to “Yes” for the main question. Also, where the answer was a valid “No” for question #3 the follow-up question would be coded to “Not Applicable” even if they person left the item blank or marked “No”.

Other examples of data cleaning involved questions that were only applicable to one gender. In the student survey question #39 stated that it was for girls only. The question asked whether or not she had begun to menstruate. If the gender for that case was coded as “Male” then this question was automatically coded as “Not Applicable” regardless of what the answer entered in was.

### ***Confidentiality Protection***

Some variables were modified or removed to protect the confidentiality of the students or of the school. A brief description is provided below of these changes. Each description contains the variable name in reference.

- Survey Administration Date – The exact date of the survey’s administration was removed. The information was recoded (SURVDATE).
- Birth Month and Year – These two questions were removed. But an exact age (Q3B) variable was computed using the information along with the survey administration date.
- Height and Weight – Questions were asked for students to provide their specific weight (Q33) and height (Q34). These questions were recoded to missing if the response was

unreasonable based upon the student's age.

- Number Eligible for Free and Reduced Priced Meals – The school administrator's survey asked how many students were eligible to receive free or reduced priced meals (A11). This question was categorized into groups.

### ***Computed New Variables***

The student file contains numerous variables that have been computed from the existing data to enhance the overall utility of the dataset. Each variable that was computed has been designated in the data file by the variable name including the ending of “\_COMP” and / or the variable label containing the word “COMPUTED” at the end. Some examples of these computed variables include:

- Average hours the student plays computer or video games per day (Q9\_COMP)
- Average hours the student uses a computer per day (Q10\_COMP)
- The adult who is responsible for the care of the student (RESPADLT)
- The BMI of the student calculated by their height and weight (BMI)
- The total number of different drugs taken in the past 12 months (Q82\_COMP2)

### ***Reverse Coding***

The student file contains two variables (Q48C and Q48D) that were reverse coded by the Principal Investigator so that all items in that main question could be analyzed in the same manner. This reverse coding is mentioned in the variable label for these two variables.

### **RESPONSE RATES**

Due to the lack of State and local infrastructure to support the HBSC in the U.S., a relatively low school participation rate was anticipated. In order to achieve the requisite number of participants by sub-population, a low, conservative participation rate was assumed.

In the original sample frame, 475 schools were deemed eligible. Of those 475 schools, 161 schools did not participate. Of the 314 schools which participated there were 31 that did not complete an administrator questionnaire.

Within the 314 participating schools 14,627 students were found to be eligible to participate. About 2% of the students refused to consent to the survey. On the day of the survey administration there were 675 students absent. However, a total of 301 of these absent students completed the questionnaire within a couple of days. The final sample size yielded 12,642. This yielded a response rate of just over 90% of those students who originally consented.

## **WEIGHTING**

Sampling weights were computed as the reciprocal of the probabilities of selection at each sampling stage, and then adjusted for school non-response and for student non-response. School non-response adjustments used the strata as weighting classes. These adjustments forced the sum of the weights for participating schools in each stratum to match the sum of the weights for all selected schools in the stratum, participants and non-participants combined.

To adjust for student non-response, post-stratification adjustments were made that capitalize on known enrollment totals for post-strata. These adjustments force the sum of the weights in each post-stratum cell to match the known enrollment total in the cell. For the private school data, post-strata were the four Census regions; for the public school data, post-strata were defined by race/ethnicity and by grade. Post-stratification adjustments were performed separately for the main sample and for the supplement sample.



## **ICPSR 34792**

### **Health Behavior in School-Aged Children (HBSC), 2009-2010**

#### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

**ICPSR has an FAQ on [copyright and survey instruments](#).**

# Student Survey

---

## CASEID: CASE IDENTIFICATION NUMBER

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 1-5 (width: 5; decimal: 0)

*Variable Type:* numeric

---

## SCHL\_ID: UNIQUE SCHOOL ID

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 6-10 (width: 5; decimal: 0)

*Variable Type:* numeric

---

## DIST\_ID: UNIQUE DISTRICT ID (PSU / CLUSTER ID)

Based upon 12,420 valid cases out of 12,642 total cases.

*Location:* 11-13 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## DIVISION: CENSUS DIVISION - RANDOMIZED (STRATUM ID)

Value	Label	Unweighted Frequency	%
1	-	2238	17.7 %
2	-	2303	18.2 %
3	-	460	3.6 %
4	-	1582	12.5 %
5	-	619	4.9 %
6	-	1284	10.2 %
7	-	978	7.7 %
8	-	2166	17.1 %
9	-	1012	8.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 14-14 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## STU\_WT: FINAL STUDENT WEIGHT

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 15-22 (width: 8; decimal: 2)

*Variable Type:* numeric

---

## SCHL\_WT: FINAL SCHOOL WEIGHT

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 23-30 (width: 8; decimal: 2)

Variable Type: numeric

---

## FORM: QUESTIONNAIRE VERSION USED

Value	Label	Unweighted Frequency	%
1	5th / 6th Grade Version	3768	29.8 %
2	7th / 8th / 9th Grade Version	6976	55.2 %
3	10th Grade Version	1898	15.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

---

## SURVDATE: SURVEY DATE ADMINISTRATION

Value	Label	Unweighted Frequency	%
1	2009: October to December	10539	83.4 %
2	2010: January to May	2096	16.6 %
	<b>Missing Data</b>		
-9	Missing	7	0.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,635 valid cases out of 12,642 total cases.

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## MODE: MODE OF DATA COLLECTION

Value	Label	Unweighted Frequency	%
1	Paper	3664	29.0 %
2	Web	7830	61.9 %
	<b>Missing Data</b>		
-9	Missing	1148	9.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,494 valid cases out of 12,642 total cases.

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## OVERSAMP: STUDENT FROM MINORITY OVERSAMPLED SCHOOL

Value	Label	Unweighted Frequency	%
0	No	11981	94.8 %
1	Yes	661	5.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 36-36 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## PCTMISS: PRECENTAGE OF MISSING VARIABLES BY CASE

Based upon 12,642 valid cases out of 12,642 total cases.

- Mean: 4.22
- Minimum: 0
- Maximum: 78
- Standard Deviation: 9.44

*Location:* 37-44 (width: 8; decimal: 2)

*Variable Type:* numeric

---

## METRO3: BROAD RESIDENCE CLASSIFICATION

Value	Label	Unweighted Frequency	%
0	Unclassified	982	7.8 %
1	Urban	3837	30.4 %
2	Suburban	4576	36.2 %
3	Rural	3247	25.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 45-45 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## METRO7: MORE SPECIFIC RESIDENCE CLASSIFICATION

Value	Label	Unweighted Frequency	%
0	Unclassified	982	7.8 %
1	Large central city	2734	21.6 %
2	Mid size city	1103	8.7 %
3	Urban fringe of large city	3270	25.9 %
4	Urban fringe of mid size city	810	6.4 %
5	Large town	72	0.6 %
6	Small town	424	3.4 %
7	Rural	3247	25.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

---

## Q1: GENDER

Are you a boy or a girl?

Value	Label	Unweighted Frequency	%
1	Male	6502	51.4 %
2	Female	6136	48.5 %
	<b>Missing Data</b>		
-9	Missing	4	0.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,638 valid cases out of 12,642 total cases.

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q3B: AGE

How old are you? (Computed by PI based off student's month and year of birth and the date the survey was completed).

Value	Label	Unweighted Frequency	%
10	10 or Younger	1157	9.2 %
11	-	1828	14.5 %
12	-	2229	17.6 %
13	-	2473	19.6 %
14	-	2143	17.0 %
15	-	1888	14.9 %
16	-	772	6.1 %
17	17 or Older	133	1.1 %
	<b>Missing Data</b>		
-9	Missing	19	0.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,623 valid cases out of 12,642 total cases.

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q4: GRADE IN SCHOOL

What grade are you in?

Value	Label	Unweighted Frequency	%
5	Grade 5	1717	13.6 %
6	Grade 6	2050	16.2 %
7	Grade 7	2421	19.2 %
8	Grade 8	2475	19.6 %
9	Grade 9	2072	16.4 %
10	Grade 10	1907	15.1 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q5: HISPANIC ETHNICITY

What do you consider your ethnicity to be?

Value	Label	Unweighted Frequency	%
1	Hispanic or Latino	3407	26.9 %
2	Not Hispanic or Latino	8464	67.0 %
	<b>Missing Data</b>		
-9	Missing	771	6.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,871 valid cases out of 12,642 total cases.

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q6\_1: RACE: BLACK OR AFRICAN AMERICAN

What do you consider your race to be? (Mark all that apply) Black or African American

Value	Label	Unweighted Frequency	%
0	Not Marked	10080	79.7 %
1	Marked	2562	20.3 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q6\_2: RACE: WHITE

What do you consider your race to be? (Mark all that apply) White

Value	Label	Unweighted Frequency	%
0	Not Marked	6061	47.9 %
1	Marked	6581	52.1 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### Q6\_3: RACE: ASIAN

What do you consider your race to be? (Mark all that apply) Asian

Value	Label	Unweighted Frequency	%
0	Not Marked	11961	94.6 %
1	Marked	681	5.4 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### Q6\_4: RACE: AMERICAN INDIAN OR ALASKA NATIVE

What do you consider your race to be? (Mark all that apply) American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	Not Marked	11994	94.9 %
1	Marked	648	5.1 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

### Q6\_5: RACE: NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER

What do you consider your race to be? (Mark all that apply) Native Hawaiian or Other Pacific Islander

Value	Label	Unweighted Frequency	%
0	Not Marked	12417	98.2 %
1	Marked	225	1.8 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q6\_COMP: RACE: COMBINED - COMPUTED

What do you consider your race to be? (Computed variable combining Q65 to Q6\_5).

Value	Label	Unweighted Frequency	%
1	Black or African American	2164	17.1 %
2	White	5903	46.7 %
3	Asian	469	3.7 %
4	Amerian Indian or Alaska Native	222	1.8 %
5	Native Hawaiian or Other Pacific Islander	111	0.9 %
6	Two or More Races	828	6.5 %
7	Hispanic	2392	18.9 %
	<b>Missing Data</b>		
-9	Missing	553	4.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,089 valid cases out of 12,642 total cases.

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q7: LIFE SATISFACTION SCALE

Here is a picture of a ladder. The top of the ladder '10' is the best possible life for you and the bottom '0' is the worst possible life for you. In general, where on the ladder do you feel you stand at the moment? (Mark the circle next to the number that best describes where you stand.)

Value	Label	Unweighted Frequency	%
0	0 - Worst Possible Life	63	0.5 %
1	-	53	0.4 %
2	-	134	1.1 %
3	-	255	2.0 %
4	-	474	3.7 %
5	-	1141	9.0 %
6	-	1167	9.2 %



Value	Label	Unweighted Frequency	%
7	-	2079	16.4 %
8	-	2872	22.7 %
9	-	2061	16.3 %
10	10 - Best Possible Life	2123	16.8 %
	<b>Missing Data</b>		
-9	Missing	220	1.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,422 valid cases out of 12,642 total cases.

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q8: YOUR THOUGHTS ON YOUR BODY

Do you think your body is . . . ?

Value	Label	Unweighted Frequency	%
1	Much too thin	244	1.9 %
2	A bit too thin	1247	9.9 %
3	About the right size	7503	59.3 %
4	A bit too fat	3084	24.4 %
5	Much too fat	387	3.1 %
	<b>Missing Data</b>		
-9	Missing	177	1.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,465 valid cases out of 12,642 total cases.

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q9\_1: HOURS PLAY COMPUTER / VIDEO GAMES, WEEKDAYS

About how many hours a day do you usually play games on a computer or games console (Playstation, Xbox, GameCube, etc.) in your free time on WEEKDAYS?

Value	Label	Unweighted Frequency	%
1	None at all	4581	36.2 %
2	About half an hour a day	2746	21.7 %
3	About 1 hour a day	1969	15.6 %
4	About 2 hours a day	1438	11.4 %
5	About 3 hours a day	762	6.0 %
6	About 4 hours a day	408	3.2 %
7	About 5 hours a day	209	1.7 %

Value	Label	Unweighted Frequency	%
8	About 6 hours a day	85	0.7 %
9	About 7 hours or more a day	273	2.2 %
	<b>Missing Data</b>		
-9	Missing	171	1.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,471 valid cases out of 12,642 total cases.

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q9\_2: HOURS PLAY COMPUTER / VIDEO GAMES, WEEKENDS

About how many hours a day do you usually play games on a computer or games console (Playstation, Xbox, GameCube, etc.) in your free time on WEEKENDS?

Value	Label	Unweighted Frequency	%
1	None at all	2707	21.4 %
2	About half an hour a day	2374	18.8 %
3	About 1 hour a day	1814	14.3 %
4	About 2 hours a day	1595	12.6 %
5	About 3 hours a day	1176	9.3 %
6	About 4 hours a day	798	6.3 %
7	About 5 hours a day	585	4.6 %
8	About 6 hours a day	299	2.4 %
9	About 7 hours or more a day	959	7.6 %
	<b>Missing Data</b>		
-9	Missing	335	2.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,307 valid cases out of 12,642 total cases.

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q9\_COMP: DAILY AVERAGE: HOURS PLAY COMPUTER / VIDEO GAMES - COMPUTED

About how many hours a day do you usually play games on a computer or games console (Playstation, Xbox, GameCube, etc.) in your free time?

(Computed variable combining responses from Q9\_1 and Q9\_2 to create an average of the number of hours a day the respondent plays computer or video games in their free time on both weekdays and weekends. Respondents with a missing value on either Q9\_1 or Q9\_2 did not have an average computed and were labeled as missing.)

Value	Label	Unweighted Frequency	%
1	None at all	2211	17.5 %
2	Less Than 1 Hour	4785	37.9 %
3	1 to 1.99 Hours	2075	16.4 %
4	2 to 2.99 Hours	1465	11.6 %
5	3 to 3.99 Hours	657	5.2 %
6	4 to 4.99 Hours	510	4.0 %
7	5 to 5.99 Hours	204	1.6 %
8	6 to 6.99 Hours	93	0.7 %
9	7 or More Hours	206	1.6 %
	<b>Missing Data</b>		
-9	Missing	436	3.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,206 valid cases out of 12,642 total cases.

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q10\_1: HOURS USE COMPUTER, WEEKDAYS

About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework, etc. in your free time on WEEKDAYS?

Value	Label	Unweighted Frequency	%
1	None at all	3012	23.8 %
2	About half an an hour a day	3242	25.6 %
3	About 1 hour a day	2485	19.7 %
4	About 2 hours a day	1629	12.9 %
5	About 3 hours a day	907	7.2 %
6	About 4 hours a day	514	4.1 %
7	About 5 hours a day	271	2.1 %
8	About 6 hours a day	134	1.1 %
9	About 7 or more hours a day	318	2.5 %
	<b>Missing Data</b>		
-9	Missing	130	1.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,512 valid cases out of 12,642 total cases.

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q10\_2: HOURS USE COMPUTER, WEEKENDS

About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework, etc. in your free time on WEEKENDS?

Value	Label	Unweighted Frequency	%
1	None at all	2732	21.6 %
2	About half an an hour a day	2590	20.5 %
3	About 1 hour a day	2124	16.8 %
4	About 2 hours a day	1567	12.4 %
5	About 3 hours a day	1083	8.6 %
6	About 4 hours a day	699	5.5 %
7	About 5 hours a day	456	3.6 %
8	About 6 hours a day	291	2.3 %
9	About 7 or more hours a day	701	5.5 %
	<b>Missing Data</b>		
-9	Missing	399	3.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,243 valid cases out of 12,642 total cases.

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## Q10\_COMP: DAILY AVERAGE: HOURS USE COMPUTER - COMPUTED

About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework, etc. in your free time?

(Computed variable combining responses from Q10\_1 and Q10\_2 to create an average of the number of hours a day the respondent uses a computer in their free time on both weekdays and weekends. Respondents with a missing value on either Q10\_1 or Q10\_2 did not have an average computed and were labeled as missing.)

Value	Label	Unweighted Frequency	%
1	None at all	1967	15.6 %
2	Less Than 1 Hour	0	0.0 %
3	1 to 1.99 Hours	1385	11.0 %
4	2 to 2.99 Hours	3182	25.2 %
5	3 to 3.99 Hours	2292	18.1 %
6	4 to 4.99 Hours	1424	11.3 %
7	5 to 5.99 Hours	810	6.4 %
8	6 to 6.99 Hours	503	4.0 %
9	7 or More Hours	607	4.8 %
	<b>Missing Data</b>		
-9	Missing	472	3.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,170 valid cases out of 12,642 total cases.

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q11: FAMILY WELL OFF

How well off do you think your family is?

Value	Label	Unweighted Frequency	%
1	Very well off	2130	16.8 %
2	Quite well off	2833	22.4 %
3	Average	5582	44.2 %
4	Not very well off	1028	8.1 %
5	Not at all well off	303	2.4 %
<b>Missing Data</b>			
-9	Missing	766	6.1 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,876 valid cases out of 12,642 total cases.

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q12: NUMBER OF COMPUTERS FAMILY OWNS

How many computers does your family own?

Value	Label	Unweighted Frequency	%
1	None	693	5.5 %
2	One	4339	34.3 %
3	Two	3665	29.0 %
4	More than two	3909	30.9 %
<b>Missing Data</b>			
-9	Missing	36	0.3 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,606 valid cases out of 12,642 total cases.

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q13: DO YOU HAVE YOUR OWN BEDROOM

Do you have your own bedroom for yourself?

Value	Label	Unweighted Frequency	%
1	No	3612	28.6 %

Value	Label	Unweighted Frequency	%
2	Yes	8959	70.9 %
	<b>Missing Data</b>		
-9	Missing	71	0.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,571 valid cases out of 12,642 total cases.

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q14: DOES YOUR FAMILY OWN A VEHICLE

Does your family own a car, van or truck?

Value	Label	Unweighted Frequency	%
1	No	488	3.9 %
2	Yes, one	2582	20.4 %
3	Yes, two or more	9529	75.4 %
	<b>Missing Data</b>		
-9	Missing	43	0.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,599 valid cases out of 12,642 total cases.

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q15: NUMBER OF FAMILY VACATIONS PAST 12 MONTHS

During the past 12 months, how many times did you travel away on vacation with your family?

Value	Label	Unweighted Frequency	%
1	Not at all	2708	21.4 %
2	Once	3208	25.4 %
3	Twice	2763	21.9 %
4	More than twice	3870	30.6 %
	<b>Missing Data</b>		
-9	Missing	93	0.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,549 valid cases out of 12,642 total cases.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## AFFLUENT: FAMILY AFFLUENCE SCALE - COMPUTED

Family Affluence Scale (Computed by PI based on Q11 to Q15).

Value	Label	Unweighted Frequency	%
0	0 - Low	33	0.3 %
1	-	165	1.3 %
2	-	442	3.5 %
3	-	883	7.0 %
4	-	1504	11.9 %
5	-	1972	15.6 %
6	-	2215	17.5 %
7	-	2368	18.7 %
8	-	1686	13.3 %
9	9 - High	1189	9.4 %
	<b>Missing Data</b>		
-9	Missing	185	1.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,457 valid cases out of 12,642 total cases.

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q16\_1: MAIN HOME: MOTHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.

Mother

Value	Label	Unweighted Frequency	%
1	Marked	11242	88.9 %
2	Not Marked	1400	11.1 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q16\_2: MAIN HOME: FATHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live

with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.

Father

Value	Label	Unweighted Frequency	%
1	Marked	7903	62.5 %
2	Not Marked	4739	37.5 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 97-98 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### Q16\_3: MAIN HOME: STEPMOTHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.

Stepmother (or father's girlfriend)

Value	Label	Unweighted Frequency	%
1	Marked	435	3.4 %
2	Not Marked	12207	96.6 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### Q16\_4: MAIN HOME: STEPFATHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.



Stepfather (or mother's boyfriend)

Value	Label	Unweighted Frequency	%
1	Marked	1551	12.3 %
2	Not Marked	11091	87.7 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 101-102 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q16\_5: MAIN HOME: GRANDMOTHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.

Grandmother

Value	Label	Unweighted Frequency	%
1	Marked	1236	9.8 %
2	Not Marked	11406	90.2 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 103-104 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q16\_6: MAIN HOME: GRANDFATHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.

Grandfather

Value	Label	Unweighted Frequency	%
1	Marked	626	5.0 %

Value	Label	Unweighted Frequency	%
2	Not Marked	12016	95.0 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 105-106 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q16\_7: MAIN HOME: LIVING IN FOSTER HOME / CHILD CARE

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.

I live in a foster home or children's home

Value	Label	Unweighted Frequency	%
1	Marked	56	0.4 %
2	Not Marked	12586	99.6 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q16\_8: MAIN HOME: LIVING WITH SOMEONE ELSE

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please answer this question for the home where you live all or most of the time and check all the people who live there.

Someone else or somewhere else

Value	Label	Unweighted Frequency	%
1	Marked	1035	8.2 %
2	Not Marked	11607	91.8 %
	<b>Missing Data</b>		
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,642 valid cases out of 12,642 total cases.

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q16\_9: MAIN HOME: NUMBER OF BROTHERS

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please say how many brothers and sisters live here (including half, step or foster brothers and sisters).

Please write in the number zero (0) if there are none.

Brothers

Value	Label	Unweighted Frequency	%
0	None	4095	32.4 %
1	-	4815	38.1 %
2	-	2160	17.1 %
3	-	784	6.2 %
4	-	279	2.2 %
5	-	120	0.9 %
6	-	47	0.4 %
7	-	26	0.2 %
8	-	13	0.1 %
9	-	7	0.1 %
10	-	4	0.0 %
11	11 or More	5	0.0 %
	<b>Missing Data</b>		
-9	Missing	287	2.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,355 valid cases out of 12,642 total cases.

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q16\_10: MAIN HOME: NUMBER OF SISTERS

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Please say how many brothers and sisters live here (including half, step or foster brothers and sisters).

Please write in the number zero (0) if there are none.

## Sisters

Value	Label	Unweighted Frequency	%
0	None	4243	33.6 %
1	-	4748	37.6 %
2	-	2142	16.9 %
3	-	690	5.5 %
4	-	298	2.4 %
5	-	107	0.8 %
6	-	44	0.3 %
7	-	30	0.2 %
8	-	9	0.1 %
9	-	6	0.0 %
10	-	2	0.0 %
11	11 or More	6	0.0 %
<b>Missing Data</b>			
-9	Missing	317	2.5 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,325 valid cases out of 12,642 total cases.

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## RESPADLT: ADULT RESPONSIBLE FOR YOUR CARE (MAIN HOME) - COMPUTED

Identifies the adult(s) primarily responsible for the respondent's care in the main home. It was derived from the Q16 series.

Value	Label	Unweighted Frequency	%
1	Both mother and father	7103	56.2 %
2	Mother only	2631	20.8 %
3	Father only	396	3.1 %
4	Mother / Stepfather	1387	11.0 %
5	Father / Stepmother	304	2.4 %
6	Grandparent(s)	220	1.7 %
7	Other arrangement	411	3.3 %
<b>Missing Data</b>			
-9	Missing	190	1.5 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,452 valid cases out of 12,642 total cases.

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q17: HAVE A SECOND HOME

Do you have another home or another family such as the case when your parents are separated or divorced?

If No --> Skip to Question 18

Value	Label	Unweighted Frequency	%
1	No	7860	62.2 %
2	Yes	4580	36.2 %
<b>Missing Data</b>			
-9	Missing	202	1.6 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,440 valid cases out of 12,642 total cases.

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q17A: HOW OFTEN STAY AT SECOND HOME

How often do you stay there?

Value	Label	Unweighted Frequency	%
1	Half the time	465	3.7 %
2	Regularly, but less than half the time	1171	9.3 %
3	At weekends	754	6.0 %
4	Sometimes	853	6.7 %
5	Hardly ever	0	0.0 %
<b>Missing Data</b>			
-9	Missing	1337	10.6 %
-8	Not applicable	8062	63.8 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 3,243 valid cases out of 12,642 total cases.

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q17\_1: SECOND HOME: MOTHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

Mother

Value	Label	Unweighted Frequency	%
1	Marked	1749	13.8 %
2	Not Marked	2831	22.4 %
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

## Q17\_2: SECOND HOME: FATHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

Father

Value	Label	Unweighted Frequency	%
1	Marked	2564	20.3 %
2	Not Marked	2016	15.9 %
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

## Q17\_3: SECOND HOME: STEPMOTHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

Stepmother (or father's girlfriend)

Value	Label	Unweighted Frequency	%
1	Marked	1052	8.3 %
2	Not Marked	3528	27.9 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

## Q17\_4: SECOND HOME: STEPFATHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

Stepfather (or mother's boyfriend)

Value	Label	Unweighted Frequency	%
1	Marked	422	3.3 %
2	Not Marked	4158	32.9 %
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

## Q17\_5: SECOND HOME: GRANDMOTHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

Grandmother

Value	Label	Unweighted Frequency	%
1	Marked	708	5.6 %
2	Not Marked	3872	30.6 %
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

## Q17\_6: SECOND HOME: GRANDFATHER

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

Grandfather

Value	Label	Unweighted Frequency	%
1	Marked	400	3.2 %
2	Not Marked	4180	33.1 %
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

## Q17\_7: SECOND HOME: LIVING IN FOSTER HOME / CHILD CARE

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

I live in a foster home or children's home

Value	Label	Unweighted Frequency	%
1	Marked	14	0.1 %
2	Not Marked	4566	36.1 %
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.



Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q17\_8: SECOND HOME: LIVING WITH SOMEONE ELSE

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please mark all the people who live there.

Someone else or somewhere else

Value	Label	Unweighted Frequency	%
1	Marked	528	4.2 %
2	Not Marked	4052	32.1 %
	<b>Missing Data</b>		
-8	Not Applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,580 valid cases out of 12,642 total cases.

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q17\_9: SECOND HOME: NUMBER OF BROTHERS

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please say how many brothers live here (including half, step, or foster brothers).

Please write in the number or write 0 (zero) if there are none.

Value	Label	Unweighted Frequency	%
0	None	1900	15.0 %
1	-	1366	10.8 %
2	-	634	5.0 %
3	-	240	1.9 %
4	-	95	0.8 %
5	-	41	0.3 %
6	-	15	0.1 %
7	-	10	0.1 %
8	-	6	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %

Value	Label	Unweighted Frequency	%
11	11 or more	6	0.0 %
	<b>Missing Data</b>		
-9	Missing	263	2.1 %
-8	Not applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,317 valid cases out of 12,642 total cases.

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q17\_10: SECOND HOME: NUMBER OF SISTERS

All families are different (for example, not everyone lives with both their parents. Sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours.

Second home: Please say how many sisters live here (including half, step, or foster sisters).

Please write in the number or write 0 (zero) if there are none.

Value	Label	Unweighted Frequency	%
0	None	1916	15.2 %
1	-	1405	11.1 %
2	-	608	4.8 %
3	-	218	1.7 %
4	-	76	0.6 %
5	-	40	0.3 %
6	-	17	0.1 %
7	-	17	0.1 %
8	-	2	0.0 %
9	-	4	0.0 %
10	-	1	0.0 %
11	11 or more	5	0.0 %
	<b>Missing Data</b>		
-9	Missing	271	2.1 %
-8	Not applicable	8062	63.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 4,309 valid cases out of 12,642 total cases.

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q18\_1: HOURS WATCH TELEVISION, WEEKDAYS

About how many hours a day to you usually watch television (including videos and DVDs) in your free time on WEEKDAYS?

Value	Label	Unweighted Frequency	%
1	None at all	1032	8.2 %
2	About half an hour a day	2036	16.1 %
3	About 1 hour a day	2542	20.1 %
4	About 2 hours a day	2594	20.5 %
5	About 3 hours a day	1711	13.5 %
6	About 4 hours a day	1034	8.2 %
7	About 5 hours a day	586	4.6 %
8	About 6 hours a day	266	2.1 %
9	About 7 or more hours a day	698	5.5 %
	<b>Missing Data</b>		
-9	Missing	143	1.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,499 valid cases out of 12,642 total cases.

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q18\_2: HOURS WATCH TELEVISION, WEEKEND

About how many hours a day to you usually watch television (including videos and DVDs) in your free time on WEEKENDS?

Value	Label	Unweighted Frequency	%
1	None at all	545	4.3 %
2	About half an hour a day	1290	10.2 %
3	About 1 hour a day	1810	14.3 %
4	About 2 hours a day	2260	17.9 %
5	About 3 hours a day	1854	14.7 %
6	About 4 hours a day	1410	11.2 %
7	About 5 hours a day	956	7.6 %
8	About 6 hours a day	591	4.7 %
9	About 7 or more hours a day	1485	11.7 %
	<b>Missing Data</b>		
-9	Missing	441	3.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,201 valid cases out of 12,642 total cases.

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q18\_COMP: DAILY AVERAGE: HOURS WATCH TELEVISION - COMPUTED

About how many hours a day do you usually watch television (including videos and DVDs) in your free time?

(Computed variable combining responses from Q18\_1 and Q18\_2 to create an average of the number of hours a day the respondent watches television in their free time on both weekdays and weekends. Respondents with a missing value on either Q18\_1 or Q18\_2 did not have an average computed and were labeled as missing.)

Value	Label	Unweighted Frequency	%
1	None at all	260	2.1 %
2	Less Than 1 Hour	2774	21.9 %
3	1 to 1.99 Hours	2707	21.4 %
4	2 to 2.99 Hours	2472	19.6 %
5	3 to 3.99 Hours	1547	12.2 %
6	4 to 4.99 Hours	1039	8.2 %
7	5 to 5.99 Hours	539	4.3 %
8	6 to 6.99 Hours	264	2.1 %
9	7 or More Hours	549	4.3 %
	<b>Missing Data</b>		
-9	Missing	491	3.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,151 valid cases out of 12,642 total cases.

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q19: NUMBER OF DAYS PHYSICALLY ACTIVE PAST WEEK

Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, school activities, playing with friends, or walking to school.

Some examples of physical activity are running, brisk walking, rollerblading, biking, dancing, skateboarding, swimming, soccer, basketball, football, and surfing. For this next question, add up all the time you spend in physical activity each day.

Over the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Value	Label	Unweighted Frequency	%
0	0 days	780	6.2 %
1	1 day	799	6.3 %
2	2 days	1093	8.6 %
3	3 days	1566	12.4 %
4	4 days	1507	11.9 %
5	5 days	2104	16.6 %
6	6 days	1174	9.3 %

Value	Label	Unweighted Frequency	%
7	7 days	3356	26.5 %
	<b>Missing Data</b>		
-9	Missing	263	2.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,379 valid cases out of 12,642 total cases.

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q20: HOW OFTEN EXERCISE SO YOU'RE OUT OF BREATH, FREE TIME

OUTSIDE SCHOOL HOURS: How OFTEN do you usually exercise in your free time so much that you get out of breath or sweat?

Value	Label	Unweighted Frequency	%
1	Everday	3088	24.4 %
2	4 to 6 times a week	2876	22.7 %
3	2 to 3 times a week	3362	26.6 %
4	Once a week	1521	12.0 %
5	One a month	388	3.1 %
6	Less than once a month	482	3.8 %
7	Never	772	6.1 %
	<b>Missing Data</b>		
-9	Missing	153	1.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,489 valid cases out of 12,642 total cases.

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q21: HOURS PER WEEK EXERCISE SO YOU'RE OUT OF BREATH, FREE TIME

OUTSIDE SCHOOL HOURS: How many HOURS a week do you usually exercise in your free time so much that you get out of breath or sweat?

Value	Label	Unweighted Frequency	%
1	None	1385	11.0 %
2	About half an hour	2382	18.8 %
3	About 1 hour	2893	22.9 %
4	About 2 to 3 hours	3201	25.3 %
5	About 4 to 6 hours	1337	10.6 %
6	7 hours or more	1244	9.8 %
	<b>Missing Data</b>		
-9	Missing	200	1.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,442 valid cases out of 12,642 total cases.

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q22: TIME TO TRAVEL TO SCHOOL

How long does it usually take you to travel to school from your home?

Value	Label	Unweighted Frequency	%
1	Less than 5 minutes	2684	21.2 %
2	5-15 minutes	5982	47.3 %
3	15-30 minutes	2624	20.8 %
4	30 minutes to 1 hour	917	7.3 %
5	More than 1 hour	281	2.2 %
	<b>Missing Data</b>		
-9	Missing	154	1.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,488 valid cases out of 12,642 total cases.

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q23: MODE OF TRAVEL TO SCHOOL

On a typical day is the MAIN part of your trip TO school made by . . . ?

Value	Label	Unweighted Frequency	%
1	Walking	1642	13.0 %
2	Bicycle	168	1.3 %
3	Bus, Train, Tram, Metro, Subway, Boat	4873	38.5 %
4	Car, Motorcycle, Moped, Scooter	5569	44.1 %
5	Other means	225	1.8 %
	<b>Missing Data</b>		
-9	Missing	165	1.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,477 valid cases out of 12,642 total cases.

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q24: MODE OF TRAVEL FROM SCHOOL

On a typical day is the MAIN part of your trip FROM school made by . . . ?

Value	Label	Unweighted Frequency	%
1	Walking	2262	17.9 %
2	Bicycle	163	1.3 %
3	Bus, Train, Tram, Metro, Subway, Boat	5205	41.2 %
4	Car, Motorcycle, Moped, Scooter	4587	36.3 %
5	Other means	225	1.8 %
	<b>Missing Data</b>		
-9	Missing	200	1.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,442 valid cases out of 12,642 total cases.

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q25\_1: HOW OFTEN EAT BREAKFAST, WEEKDAYS

How often do you usually have breakfast (more than a glass of milk or fruit juice) on WEEKDAYS?

Value	Label	Unweighted Frequency	%
1	I never have breakfast during the weekdays	2089	16.5 %
2	One day	1058	8.4 %
3	Two days	1048	8.3 %
4	Three days	1172	9.3 %
5	Four days	785	6.2 %
6	Five days	6319	50.0 %
	<b>Missing Data</b>		
-9	Missing	171	1.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,471 valid cases out of 12,642 total cases.

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q25\_2: HOW OFTEN EAT BREAKFAST, WEEKENDS

How often do you usually have breakfast (more than a glass of milk or fruit juice) on WEEKENDS?

1. I never have breakfast during the weekend
2. I usually have breakfast on only one day of the weekend (Saturday OR Sunday)
3. I usually have breakfast on both weekend days (Saturday AND Sunday)

Value	Label	Unweighted Frequency	%
1	I never have breakfast during the weekend	885	7.0 %
2	I usually have breakfast on only one day of the weekend	2571	20.3 %
3	I usually have breakfast on both days of the weekend	8660	68.5 %
<b>Missing Data</b>			
-9	Missing	526	4.2 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,116 valid cases out of 12,642 total cases.

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q26A: HOW OFTEN EAT / DRINK PER WEEK: FRUITS

How many times a week do you usually eat or drink . . .

A. . . . fruits?

Value	Label	Unweighted Frequency	%
1	Never	375	3.0 %
2	Less than once a week	877	6.9 %
3	Once a week	1126	8.9 %
4	2-4 days a week	2709	21.4 %
5	5-6 days a week	1637	12.9 %
6	Once a day, every day	2132	16.9 %
7	Every day, more than once	3165	25.0 %
<b>Missing Data</b>			
-9	Missing	621	4.9 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,021 valid cases out of 12,642 total cases.

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q26B: HOW OFTEN EAT / DRINK PER WEEK: VEGETABLES

How many times a week do you usually eat or drink . . .

B. . . . vegetables?

Value	Label	Unweighted Frequency	%
1	Never	848	6.7 %



Value	Label	Unweighted Frequency	%
2	Less than once a week	1107	8.8 %
3	Once a week	1362	10.8 %
4	2-4 days a week	2380	18.8 %
5	5-6 days a week	1762	13.9 %
6	Once a day, every day	2282	18.1 %
7	Every day, more than once	2100	16.6 %
<b>Missing Data</b>			
-9	Missing	801	6.3 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,841 valid cases out of 12,642 total cases.

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q26C: HOW OFTEN EAT / DRINK PER WEEK: SWEETS

How many times a week do you usually eat or drink . . .

C. . . . sweets (candy or chocolates)?

Value	Label	Unweighted Frequency	%
1	Never	490	3.9 %
2	Less than once a week	2274	18.0 %
3	Once a week	2104	16.6 %
4	2-4 days a week	2638	20.9 %
5	5-6 days a week	1357	10.7 %
6	Once a day, every day	1279	10.1 %
7	Every day, more than once	1662	13.1 %
<b>Missing Data</b>			
-9	Missing	838	6.6 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,804 valid cases out of 12,642 total cases.

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q26D: HOW OFTEN EAT / DRINK PER WEEK: SOFT DRINKS

How many times a week do you usually eat or drink . . .

D. . . . Coke or other soft drinks that contain sugar?

Value	Label	Unweighted Frequency	%
1	Never	1076	8.5 %
2	Less than once a week	2151	17.0 %
3	Once a week	1641	13.0 %
4	2-4 days a week	2160	17.1 %
5	5-6 days a week	1284	10.2 %
6	Once a day, every day	1328	10.5 %
7	Every day, more than once	2309	18.3 %
	<b>Missing Data</b>		
-9	Missing	693	5.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,949 valid cases out of 12,642 total cases.

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q27: HOW OFTEN EAT BREAKFAST W/ PARENT(S)

How often do you have breakfast together with your mother or father?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Never	2669	21.1 %
2	Less than once a week	1396	11.0 %
3	1-2 days a week	2398	19.0 %
4	3-4 days a week	814	6.4 %
5	5-6 days a week	395	3.1 %
6	Every day	1007	8.0 %
	<b>Missing Data</b>		
-9	Missing	195	1.5 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,679 valid cases out of 12,642 total cases.

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7)

---

## Q28: HOW OFTEN EAT EVENING MEAL W/ PARENT(S)

How often do you have an evening meal together with your mother or father?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Never	1260	10.0 %
2	Less than once a week	667	5.3 %
3	1-2 days a week	1068	8.4 %
4	3-4 days a week	1264	10.0 %
5	5-6 days a week	1210	9.6 %
6	Every day	3325	26.3 %
	<b>Missing Data</b>		
-9	Missing	80	0.6 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,794 valid cases out of 12,642 total cases.

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q29\_1: EAT MIDDAY MEAL: AT SCHOOL

Where do you usually eat your mid-day meal on school days?

At school

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Marked	6335	50.1 %
2	Not Marked	2539	20.1 %
	<b>Missing Data</b>		
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,874 valid cases out of 12,642 total cases.

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q29\_2: EAT MIDDAY MEAL: AT HOME

Where do you usually eat your mid-day meal on school days?

At home

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Marked	1867	14.8 %
2	Not Marked	7007	55.4 %
	<b>Missing Data</b>		
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,874 valid cases out of 12,642 total cases.

*Location:* 177-178 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7

---

### Q29\_3: EAT MIDDAY MEAL: AT SOMEONE ELSE'S HOME

Where do you usually eat your mid-day meal on school days?

At someone else's home

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Marked	105	0.8 %
2	Not Marked	8769	69.4 %
	<b>Missing Data</b>		
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,874 valid cases out of 12,642 total cases.

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7

---

### Q29\_4: EAT MIDDAY MEAL: IN SNACK-BAR / RESTAURANT

Where do you usually eat your mid-day meal on school days?

In a snack-bar, fast food restaurant, cafe

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Marked	207	1.6 %
2	Not Marked	8667	68.6 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,874 valid cases out of 12,642 total cases.

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7

---

## Q29\_5: EAT MIDDAY MEAL: SOMEWHERE ELSE

Where do you usually eat your mid-day meal on school days?

Somewhere else

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Marked	106	0.8 %
2	Not Marked	8768	69.4 %
	<b>Missing Data</b>		
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,874 valid cases out of 12,642 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7

---

## Q29\_6: EAT MIDDAY MEAL: NEVER

Where do you usually eat your mid-day meal on school days?

I never eat a mid-day meal

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Marked	276	2.2 %
2	Not Marked	8598	68.0 %
	<b>Missing Data</b>		
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,874 valid cases out of 12,642 total cases.

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7

---

### Q30A: HOW OFTEN SNACK WHILE: WATCH T.V.

How often do you snack while you . . . ?

A. . . . watch TV (including videos and DVDs)?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Never	761	6.0 %
2	Less than once a week	1380	10.9 %
3	1-2 days a week	1987	15.7 %
4	3-4 days a week	1522	12.0 %
5	5-6 days a week	856	6.8 %
6	Every day	2129	16.8 %
	<b>Missing Data</b>		
-9	Missing	239	1.9 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,635 valid cases out of 12,642 total cases.

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7

---

### Q30B: HOW OFTEN SNACK WHILE: USE COMPUTER / OTHER GAMING SYSTEM

How often do you snack while you . . . ?

B. . . . work or play on a computer or games console?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Never	2160	17.1 %
2	Less than once a week	1540	12.2 %
3	1-2 days a week	1531	12.1 %
4	3-4 days a week	1122	8.9 %
5	5-6 days a week	778	6.2 %
6	Every day	1426	11.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	Missing	317	2.5 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,557 valid cases out of 12,642 total cases.

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7

---

## Q31: HOW OFTEN EAT FAST FOOD

How often do you eat in a fast food restaurant (for example, McDonalds, KFC, Pizza Hut, Taco Bell)?

Value	Label	Unweighted Frequency	%
1	Never	358	2.8 %
2	Rarely (less than once a month)	2760	21.8 %
3	Once a month	1301	10.3 %
4	2-3 times a month	3799	30.1 %
5	Once a week	2357	18.6 %
6	2-4 days a week	1485	11.7 %
7	5 or more days a week	414	3.3 %
	<b>Missing Data</b>		
-9	Missing	168	1.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,474 valid cases out of 12,642 total cases.

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q32: HOW OFTEN GO TO SCHOOL / BED HUNGRY

Some young people go to school or to bed hungry because there is not enough food at home. How often does this happen to you?

Value	Label	Unweighted Frequency	%
1	Always	216	1.7 %
2	Often	506	4.0 %
3	Sometimes	2712	21.5 %
4	Never	8963	70.9 %
	<b>Missing Data</b>		
-9	Missing	245	1.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,397 valid cases out of 12,642 total cases.

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### **Q33: HOW MUCH DO YOU WEIGH (IN POUNDS)**

How much do you weigh without clothes? (In pounds)

Based upon 11,030 valid cases out of 12,642 total cases.

- Mean: 120.41
- Median: 114.76
- Mode: 119.75
- Minimum: 45
- Maximum: 252
- Standard Deviation: 34.22

*Location:* 195-200 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00

---

### **Q34: HOW TALL ARE YOU (IN INCHES)**

How tall are you without shoes? (Total Inches)

Based upon 10,944 valid cases out of 12,642 total cases.

- Mean: 62.14
- Median: 62.00
- Mode: 62.00
- Minimum: 46
- Maximum: 77
- Standard Deviation: 4.87

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### **BMI: BODY MASS INDEX (BMI) - COMPUTED**

BMI was computed by the P.I. based on the respondent's weight and height using the following formula.

$$[\text{Weight (lbs)} / [\text{Height (inches)} * \text{Height (inches)}]] * 703$$

Based upon 10,164 valid cases out of 12,642 total cases.

- Mean: 21.24
- Minimum: 11
- Maximum: 49
- Standard Deviation: 4.61

*Location:* 203-208 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.00

---

### **BMI\_COMP: BMI-FOR-AGE WEIGHT STATUS CATEGORIES - COMPUTED**



BMI for children is computed with the same formula as it is for adults. However, a correct interpretation of a child's BMI requires factoring in the child's gender and age. This then places the child into a percentile and subsequent categorization. Coding was done based on percentiles from the year 2000 from the Centers for Disease Control. Please consult the BMI-for-age charts within the pdf codebook to obtain percentiles.

Value	Label	Unweighted Frequency	%
1	Underweight - less than 5th percentile	432	3.4 %
2	Healthy weight - between 5th and 85th percentile	6465	51.1 %
3	At Risk of Overweight - between 85th and 95th percentile	1855	14.7 %
4	Overweight - greater than 95th percentile	1408	11.1 %
	<b>Missing Data</b>		
-9	Missing	2482	19.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 10,160 valid cases out of 12,642 total cases.

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q35: WHEN DID YOU LAST WEIGH YOURSELF

When did you last weigh yourself?

Value	Label	Unweighted Frequency	%
1	Within the last week	5244	41.5 %
2	Within the last month	4429	35.0 %
3	Within the last 6 months	1814	14.3 %
4	More than 6 months ago	845	6.7 %
	<b>Missing Data</b>		
-9	Missing	310	2.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,332 valid cases out of 12,642 total cases.

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q36: WHEN DID YOU LAST MEASURE YOUR HEIGHT

When did you last measure your height?

Value	Label	Unweighted Frequency	%
1	Within the last week	3066	24.3 %
2	Within the last month	5145	40.7 %
3	Within the last 6 months	2777	22.0 %
4	More than 6 months ago	1325	10.5 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	Missing	329	2.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,313 valid cases out of 12,642 total cases.

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q37: PRESENTLY ON A DIET TO LOSE WEIGHT

At present, are you on a diet or doing something else to lose weight?

Value	Label	Unweighted Frequency	%
1	No, my weight is fine	6276	49.6 %
2	No, but I should lose some weight	2728	21.6 %
3	No, because I need to put on some weight	1062	8.4 %
4	Yes	2320	18.4 %
	<b>Missing Data</b>		
-9	Missing	256	2.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,386 valid cases out of 12,642 total cases.

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q38A: FEELINGS ABOUT BODY: FRUSTRATED W/ APPEARANCE

Here are some statements about one's feelings of his/her body. There are no right or wrong answers. We would like to know what your feelings of your body are. Please evaluate how the statements relate to you by checking the degree to which you agree or disagree with each one.

A. I am frustrated with my physical appearance.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	4018	31.8 %
2	Disagree	3064	24.2 %
3	Neither agree or disagree	2288	18.1 %
4	Agree	1651	13.1 %
5	Strongly agree	828	6.5 %
	<b>Missing Data</b>		
-9	Missing	793	6.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,849 valid cases out of 12,642 total cases.

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q38B: FEELINGS ABOUT BODY: SATISFIED W/ APPEARANCE

Here are some statements about one's feelings of his/her body. There are no right or wrong answers. We would like to know what your feelings of your body are. Please evaluate how the statements relate to you by checking the degree to which you agree or disagree with each one.

B. I am satisfied with my appearance.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	826	6.5 %
2	Disagree	1514	12.0 %
3	Neither agree or disagree	2292	18.1 %
4	Agree	4230	33.5 %
5	Strongly agree	2952	23.4 %
	<b>Missing Data</b>		
-9	Missing	828	6.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,814 valid cases out of 12,642 total cases.

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q38C: FEELINGS ABOUT BODY: HATE MY BODY

Here are some statements about one's feelings of his/her body. There are no right or wrong answers. We would like to know what your feelings of your body are. Please evaluate how the statements relate to you by checking the degree to which you agree or disagree with each one.

C. I hate my body.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	6442	51.0 %
2	Disagree	2492	19.7 %
3	Neither agree or disagree	1530	12.1 %
4	Agree	771	6.1 %
5	Strongly agree	538	4.3 %
	<b>Missing Data</b>		
-9	Missing	869	6.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,773 valid cases out of 12,642 total cases.

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q38D: FEELINGS ABOUT BODY: FEEL COMFORTABLE W/ BODY

Here are some statements about one's feelings of his/her body. There are no right or wrong answers. We would like to know what your feelings of your body are. Please evaluate how the statements relate to you by checking the degree to which you agree or disagree with each one.

D. I feel comfortable with my body.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	827	6.5 %
2	Disagree	1325	10.5 %
3	Neither agree or disagree	1894	15.0 %
4	Agree	4155	32.9 %
5	Strongly agree	3635	28.8 %
	<b>Missing Data</b>		
-9	Missing	806	6.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,836 valid cases out of 12,642 total cases.

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q38E: FEELINGS ABOUT BODY: FEEL ANGER TOWARD BODY

Here are some statements about one's feelings of his/her body. There are no right or wrong answers. We would like to know what your feelings of your body are. Please evaluate how the statements relate to you by checking the degree to which you agree or disagree with each one.

E. I feel anger toward my body.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	6382	50.5 %
2	Disagree	2561	20.3 %
3	Neither agree or disagree	1572	12.4 %
4	Agree	714	5.6 %
5	Strongly agree	447	3.5 %
	<b>Missing Data</b>		
-9	Missing	966	7.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,676 valid cases out of 12,642 total cases.

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q38F: FEELINGS ABOUT BODY: LIKE APPEARANCE IN SPITE OF FLAWS

Here are some statements about one's feelings of his/her body. There are no right or wrong answers. We would like to know what your feelings of your body are. Please evaluate how the statements relate to you by checking the degree to which you agree or disagree with each one.

F. I like my appearance in spite of its imperfections.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1004	7.9 %
2	Disagree	1002	7.9 %
3	Neither agree or disagree	2530	20.0 %
4	Agree	3865	30.6 %
5	Strongly agree	3319	26.3 %
	<b>Missing Data</b>		
-9	Missing	922	7.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,720 valid cases out of 12,642 total cases.

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q39\_1: HAVE YOU BEGUN TO MENSTRUATE (GIRLS ONLY)

[GIRLS ONLY] Have you begun to menstruate (have periods)?

Value	Label	Unweighted Frequency	%
1	No	1843	14.6 %
2	Yes	3817	30.2 %
	<b>Missing Data</b>		
-9	Missing	480	3.8 %
-8	Not Applicable	6502	51.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 5,660 valid cases out of 12,642 total cases.

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q39\_2: AGE WHEN YOU BEGAN MENSTRUATION - MONTHS (GIRLS ONLY)

[GIRLS ONLY] If yes, I began to menstruate at the age of \_\_\_\_\_ months.

Based upon 3,801 valid cases out of 12,642 total cases.

- Mean: 144.80
- Median: 146.00
- Mode: 144.00
- Minimum: 84
- Maximum: 194
- Standard Deviation: 15.35

*Location:* 231-233 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -6

## Q40: HAVE YOU BEGUN TO GROW FACIAL HAIR (BOYS ONLY)

[BOYS ONLY] Have you begun to grow hair on your face?

Value	Label	Unweighted Frequency	%
1	Not yet started	1459	11.5 %
2	Barely started	2893	22.9 %
3	Definitely underway	1671	13.2 %
4	Seems completed	345	2.7 %
	<b>Missing Data</b>		
-9	Missing	138	1.1 %
-8	Not Applicable	6136	48.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 6,368 valid cases out of 12,642 total cases.

*Location:* 234-235 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

## Q41: HOW OFTEN DO YOU BRUSH YOUR TEETH

How often do you brush your teeth?

Value	Label	Unweighted Frequency	%
1	More than once a day	8323	65.8 %
2	Once a day	3518	27.8 %
3	At least once a week but not daily	391	3.1 %
4	Less than once a week	98	0.8 %
5	Never	72	0.6 %
	<b>Missing Data</b>		
-9	Missing	240	1.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,402 valid cases out of 12,642 total cases.

*Location:* 236-237 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## Q42A: PAST 6 MONTHS HOW OFTEN HAD: HEADACHES

In the last 6 months how often have you had the following . . . ?

A. Headache

Value	Label	Unweighted Frequency	%
1	About every day	980	7.8 %
2	More than once a week	1406	11.1 %
3	About every week	1590	12.6 %
4	About every month	2868	22.7 %
5	Rarely or never	5348	42.3 %
	<b>Missing Data</b>		
-9	Missing	450	3.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,192 valid cases out of 12,642 total cases.

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q42B: PAST 6 MONTHS HOW OFTEN HAD: STOMACHACHES

In the last 6 months how often have you had the following . . . ?

B. Stomachache

Value	Label	Unweighted Frequency	%
1	About every day	541	4.3 %
2	More than once a week	951	7.5 %
3	About every week	1362	10.8 %
4	About every month	3443	27.2 %
5	Rarely or never	5838	46.2 %
	<b>Missing Data</b>		
-9	Missing	507	4.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,135 valid cases out of 12,642 total cases.

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q42C: PAST 6 MONTHS HOW OFTEN HAD: BACKACHES

In the last 6 months how often have you had the following . . . ?

C. Backache

Value	Label	Unweighted Frequency	%
1	About every day	951	7.5 %
2	More than once a week	886	7.0 %
3	About every week	1106	8.7 %
4	About every month	2012	15.9 %
5	Rarely or never	7114	56.3 %
	<b>Missing Data</b>		
-9	Missing	573	4.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,069 valid cases out of 12,642 total cases.

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q42D: PAST 6 MONTHS HOW OFTEN HAD: FEELING LOW

In the last 6 months how often have you had the following . . . ?

D. Feeling low

Value	Label	Unweighted Frequency	%
1	About every day	905	7.2 %
2	More than once a week	959	7.6 %
3	About every week	1164	9.2 %
4	About every month	2179	17.2 %
5	Rarely or never	6791	53.7 %
	<b>Missing Data</b>		
-9	Missing	644	5.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,998 valid cases out of 12,642 total cases.

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q42E: PAST 6 MONTHS HOW OFTEN HAD: IRRITABILITY

In the last 6 months how often have you had the following . . . ?



E. Irritability or bad temper

Value	Label	Unweighted Frequency	%
1	About every day	1393	11.0 %
2	More than once a week	1391	11.0 %
3	About every week	1673	13.2 %
4	About every month	2723	21.5 %
5	Rarely or never	4918	38.9 %
<b>Missing Data</b>			
-9	Missing	544	4.3 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,098 valid cases out of 12,642 total cases.

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q42F: PAST 6 MONTHS HOW OFTEN HAD: FEELING NERVOUS

In the last 6 months how often have you had the following . . . ?

F. Feeling nervous

Value	Label	Unweighted Frequency	%
1	About every day	1173	9.3 %
2	More than once a week	1338	10.6 %
3	About every week	2017	16.0 %
4	About every month	2694	21.3 %
5	Rarely or never	4785	37.9 %
<b>Missing Data</b>			
-9	Missing	635	5.0 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,007 valid cases out of 12,642 total cases.

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q42G: PAST 6 MONTHS HOW OFTEN HAD: DIFFICULTIES SLEEPING

In the last 6 months how often have you had the following . . . ?

G. Difficulties in getting to sleep

Value	Label	Unweighted Frequency	%
1	About every day	1779	14.1 %
2	More than once a week	1163	9.2 %
3	About every week	1251	9.9 %
4	About every month	1875	14.8 %
5	Rarely or never	6051	47.9 %
	<b>Missing Data</b>		
-9	Missing	523	4.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,119 valid cases out of 12,642 total cases.

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q42H: PAST 6 MONTHS HOW OFTEN HAD: FEELING DIZZY

In the last 6 months how often have you had the following . . . ?

H. Feeling dizzy

Value	Label	Unweighted Frequency	%
1	About every day	685	5.4 %
2	More than once a week	788	6.2 %
3	About every week	839	6.6 %
4	About every month	1738	13.7 %
5	Rarely or never	8063	63.8 %
	<b>Missing Data</b>		
-9	Missing	529	4.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,113 valid cases out of 12,642 total cases.

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q43A: PAST MONTH TAKEN MEDICINE FOR: HEADACHES

During the last month have you taken any medicine or tablets for the following?

A. Headache

Value	Label	Unweighted Frequency	%
1	No	6286	49.7 %

Value	Label	Unweighted Frequency	%
2	Yes, once	3383	26.8 %
3	Yes, more than once	2487	19.7 %
	<b>Missing Data</b>		
-9	Missing	486	3.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,156 valid cases out of 12,642 total cases.

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q43B: PAST MONTH TAKEN MEDICINE FOR: STOMACHACHES

During the last month have you taken any medicine or tablets for the following?

B. Stomachache

Value	Label	Unweighted Frequency	%
1	No	8943	70.7 %
2	Yes, once	1985	15.7 %
3	Yes, more than once	1052	8.3 %
	<b>Missing Data</b>		
-9	Missing	662	5.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,980 valid cases out of 12,642 total cases.

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q43C: PAST MONTH TAKEN MEDICINE FOR: DIFFICULTIES SLEEPING

During the last month have you taken any medicine or tablets for the following?

C. Difficulties in getting to sleep

Value	Label	Unweighted Frequency	%
1	No	10605	83.9 %
2	Yes, once	699	5.5 %
3	Yes, more than once	694	5.5 %
	<b>Missing Data</b>		
-9	Missing	644	5.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,998 valid cases out of 12,642 total cases.

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q43D: PAST MONTH TAKEN MEDICINE FOR: NERVOUSNESS

During the last month have you taken any medicine or tablets for the following?

D. Nervousness

Value	Label	Unweighted Frequency	%
1	No	11135	88.1 %
2	Yes, once	417	3.3 %
3	Yes, more than once	309	2.4 %
	<b>Missing Data</b>		
-9	Missing	781	6.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,861 valid cases out of 12,642 total cases.

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q43E: PAST MONTH TAKEN MEDICINE FOR: ALLERGY

During the last month have you taken any medicine or tablets for the following?

E. Allergy

Value	Label	Unweighted Frequency	%
1	No	8477	67.1 %
2	Yes, once	1663	13.2 %
3	Yes, more than once	1864	14.7 %
	<b>Missing Data</b>		
-9	Missing	638	5.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,004 valid cases out of 12,642 total cases.

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q43F: PAST MONTH TAKEN MEDICINE FOR: SOMETHING ELSE

During the last month have you taken any medicine or tablets for the following?

F. Something else

Value	Label	Unweighted Frequency	%
1	No	7846	62.1 %
2	Yes, once	1675	13.2 %
3	Yes, more than once	2496	19.7 %
	<b>Missing Data</b>		
-9	Missing	625	4.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,017 valid cases out of 12,642 total cases.

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q44: OVERALL HEALTH RATING

Would you say your health is . . . ?

Value	Label	Unweighted Frequency	%
1	Excellent	3305	26.1 %
2	Good	6461	51.1 %
3	Fair	2321	18.4 %
4	Poor	382	3.0 %
	<b>Missing Data</b>		
-9	Missing	173	1.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,469 valid cases out of 12,642 total cases.

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q45: HAVE LONG TERM ILLNESS / DISABILITY / CONDITION DIAGNOSED BY A DOCTOR

Do you have a long-term illness, disability, or medical condition (like diabetes, arthritis, asthma, allergy, ADHD, or cerebral palsy) that has been diagnosed by a doctor?

Value	Label	Unweighted Frequency	%
1	Yes	5227	41.3 %
2	No	7224	57.1 %
	<b>Missing Data</b>		
-9	Missing	191	1.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,451 valid cases out of 12,642 total cases.

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q46: TAKE MEDICINE FOR LONG TERM ILLNESS / DISABILITY / CONDITION

Do you take medicine for your long-term illness, disability, or medical condition?

Value	Label	Unweighted Frequency	%
1	I do not have a long-term illness, disability, or medical condition	7224	57.1 %
2	Yes	2116	16.7 %
3	No	3045	24.1 %
	<b>Missing Data</b>		
-9	Missing	257	2.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,385 valid cases out of 12,642 total cases.

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q47: LONG TERM ILLNESS AFFECT SCHOOL ATTENDANCE / PERFORMANCE

Does your long-term illness, disability, or medical condition affect your attendance and participation in school?

Value	Label	Unweighted Frequency	%
1	I do not have a long-term illness, disability, or medical condition	7224	57.1 %
2	Yes	895	7.1 %
3	No	4256	33.7 %
	<b>Missing Data</b>		
-9	Missing	267	2.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,375 valid cases out of 12,642 total cases.

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q48A: FEELING PAST WEEK: FIT AND WELL

Thinking about last week . . .

A. . . . Have you felt fit and well?

Value	Label	Unweighted Frequency	%
1	Never	639	5.1 %
2	Seldom	1654	13.1 %
3	Quite often	2741	21.7 %
4	Very often	3235	25.6 %
5	Always	3868	30.6 %
<b>Missing Data</b>			
-9	Missing	505	4.0 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,137 valid cases out of 12,642 total cases.

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48B: FEELING PAST WEEK: FULL OF ENERGY

Thinking about last week . . .

B. . . . Have you felt full of energy?

Value	Label	Unweighted Frequency	%
1	Never	473	3.7 %
2	Seldom	1328	10.5 %
3	Quite often	2598	20.6 %
4	Very often	3703	29.3 %
5	Always	4032	31.9 %
<b>Missing Data</b>			
-9	Missing	508	4.0 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,134 valid cases out of 12,642 total cases.

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48C: FEELING PAST WEEK: SAD (REVERSE CODED)

Thinking about last week . . .

C. . . . Have you felt sad?

[Responses were reverse coded by the P.I.]

Value	Label	Unweighted Frequency	%
1	Never	778	6.2 %
2	Seldom	1399	11.1 %
3	Quite often	2026	16.0 %
4	Very often	4995	39.5 %
5	Always	2900	22.9 %
	<b>Missing Data</b>		
-9	Missing	544	4.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,098 valid cases out of 12,642 total cases.

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48D: FEELING PAST WEEK: LONELY (REVERSE CODED)

Thinking about last week . . .

D. . . . Have you felt lonely?

[Responses were reverse coded by the P.I.]

Value	Label	Unweighted Frequency	%
1	Never	860	6.8 %
2	Seldom	985	7.8 %
3	Quite often	1329	10.5 %
4	Very often	2868	22.7 %
5	Always	5848	46.3 %
	<b>Missing Data</b>		
-9	Missing	752	5.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,890 valid cases out of 12,642 total cases.

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48E: FEELING PAST WEEK: HAD ENOUGH TIME FOR YOURSELF

Thinking about last week . . .



E. . . . Have you had enough time for yourself?

Value	Label	Unweighted Frequency	%
1	Never	1078	8.5 %
2	Seldom	1775	14.0 %
3	Quite often	2542	20.1 %
4	Very often	2781	22.0 %
5	Always	3918	31.0 %
	<b>Missing Data</b>		
-9	Missing	548	4.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,094 valid cases out of 12,642 total cases.

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48F: FEELING PAST WEEK: ABLE TO DO WANTED THINGS IN FREE TIME

Thinking about last week . . .

F. . . . Have you been able to do the things that you want to do in your free time?

Value	Label	Unweighted Frequency	%
1	Never	1269	10.0 %
2	Seldom	2018	16.0 %
3	Quite often	2421	19.2 %
4	Very often	2902	23.0 %
5	Always	3523	27.9 %
	<b>Missing Data</b>		
-9	Missing	509	4.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,133 valid cases out of 12,642 total cases.

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48G: FEELING PAST WEEK: PARENTS TREATED YOU FAIRLY

Thinking about last week . . .

G. . . . Have your parent(s) treated you fairly?

Value	Label	Unweighted Frequency	%
1	Never	554	4.4 %
2	Seldom	991	7.8 %
3	Quite often	1720	13.6 %
4	Very often	2355	18.6 %
5	Always	6449	51.0 %
	<b>Missing Data</b>		
-9	Missing	573	4.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,069 valid cases out of 12,642 total cases.

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48H: FEELING PAST WEEK: HAD FUN WITH FRIENDS

Thinking about last week . . .

H. . . . Have you had fun with your friends?

Value	Label	Unweighted Frequency	%
1	Never	452	3.6 %
2	Seldom	857	6.8 %
3	Quite often	1377	10.9 %
4	Very often	2573	20.4 %
5	Always	6770	53.6 %
	<b>Missing Data</b>		
-9	Missing	613	4.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,029 valid cases out of 12,642 total cases.

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q48I: FEELING PAST WEEK: GOT ON WELL AT SCHOOL

Thinking about last week . . .

I. . . . Have you got on well at school?

Value	Label	Unweighted Frequency	%
1	Never	389	3.1 %

Value	Label	Unweighted Frequency	%
2	Seldom	805	6.4 %
3	Quite often	2113	16.7 %
4	Very often	3418	27.0 %
5	Always	5278	41.7 %
	<b>Missing Data</b>		
-9	Missing	639	5.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,003 valid cases out of 12,642 total cases.

*Location:* 290-291 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q48J: FEELING PAST WEEK: ABLE TO PAY ATTENTION

Thinking about last week . . .

J. . . . Have you been able to pay attention?

Value	Label	Unweighted Frequency	%
1	Never	419	3.3 %
2	Seldom	1110	8.8 %
3	Quite often	2272	18.0 %
4	Very often	3597	28.5 %
5	Always	4716	37.3 %
	<b>Missing Data</b>		
-9	Missing	528	4.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,114 valid cases out of 12,642 total cases.

*Location:* 292-293 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q49: PAST 12 MONTHS: INJURED AND TREATED BY A DOCTOR

Many young people get hurt or injured from activities such as playing sports or fighting with others at different places such as the street or home. Injuries can include being poisoned or burned. Injuries do not include illnesses such as Measles or the Flu. The following question is about injuries you may have had during the past 12 months.

During the past 12 months, how many times were you injured and had to be treated by a doctor or nurse?

Value	Label	Unweighted Frequency	%
1	I was not injured in the past 12 months	6635	52.5 %
2	1 time	2853	22.6 %
3	2 times	1554	12.3 %
4	3 times	656	5.2 %
5	4 times or more	678	5.4 %
	<b>Missing Data</b>		
-9	Missing	266	2.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,376 valid cases out of 12,642 total cases.

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q50A: EASY TO TALK W/ OTHERS ON PROBLEMS: FATHER

How easy is it for you to talk to the following persons about things that really bother you?

A. Father

Value	Label	Unweighted Frequency	%
1	Very easy	2995	23.7 %
2	Easy	3143	24.9 %
3	Difficult	2295	18.2 %
4	Very difficult	1865	14.8 %
5	Don't have or see this person	1694	13.4 %
	<b>Missing Data</b>		
-9	Missing	650	5.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,992 valid cases out of 12,642 total cases.

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q50B: EASY TO TALK W/ OTHERS ON PROBLEMS: STEPFATHER

How easy is it for you to talk to the following persons about things that really bother you?

B. Stepfather (or mother's boyfriend)

Value	Label	Unweighted Frequency	%
1	Very easy	576	4.6 %

Value	Label	Unweighted Frequency	%
2	Easy	756	6.0 %
3	Difficult	651	5.1 %
4	Very difficult	914	7.2 %
5	Don't have or see this person	8080	63.9 %
	<b>Missing Data</b>		
-9	Missing	1665	13.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 10,977 valid cases out of 12,642 total cases.

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q50C: EASY TO TALK W/ OTHERS ON PROBLEMS: MOTHER

How easy is it for you to talk to the following persons about things that really bother you?

C. Mother

Value	Label	Unweighted Frequency	%
1	Very easy	4953	39.2 %
2	Easy	3479	27.5 %
3	Difficult	1877	14.8 %
4	Very difficult	1159	9.2 %
5	Don't have or see this person	457	3.6 %
	<b>Missing Data</b>		
-9	Missing	717	5.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,925 valid cases out of 12,642 total cases.

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q50D: EASY TO TALK W/ OTHERS ON PROBLEMS: STEPMOTHER

How easy is it for you to talk to the following persons about things that really bother you?

D. Stepmother (or father's girlfriend)

Value	Label	Unweighted Frequency	%
1	Very easy	521	4.1 %
2	Easy	564	4.5 %

Value	Label	Unweighted Frequency	%
3	Difficult	464	3.7 %
4	Very difficult	559	4.4 %
5	Don't have or see this person	8802	69.6 %
<b>Missing Data</b>			
-9	Missing	1732	13.7 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 10,910 valid cases out of 12,642 total cases.

*Location:* 302-303 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q50E: EASY TO TALK W/ OTHERS ON PROBLEMS: ELDER BROTHER

How easy is it for you to talk to the following persons about things that really bother you?

E. Elder brother(s)

Value	Label	Unweighted Frequency	%
1	Very easy	1800	14.2 %
2	Easy	1568	12.4 %
3	Difficult	1110	8.8 %
4	Very difficult	1108	8.8 %
5	Don't have or see this person	5849	46.3 %
<b>Missing Data</b>			
-9	Missing	1207	9.5 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,435 valid cases out of 12,642 total cases.

*Location:* 304-305 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q50F: EASY TO TALK W/ OTHERS ON PROBLEMS: ELDER SISTER

How easy is it for you to talk to the following persons about things that really bother you?

F. Elder sister(s)

Value	Label	Unweighted Frequency	%
1	Very easy	2139	16.9 %
2	Easy	1718	13.6 %
3	Difficult	906	7.2 %

Value	Label	Unweighted Frequency	%
4	Very difficult	843	6.7 %
5	Don't have or see this person	5734	45.4 %
	<b>Missing Data</b>		
-9	Missing	1302	10.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,340 valid cases out of 12,642 total cases.

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q50G: EASY TO TALK W/ OTHERS ON PROBLEMS: BEST FRIEND

How easy is it for you to talk to the following persons about things that really bother you?

G. Best friend

Value	Label	Unweighted Frequency	%
1	Very easy	6173	48.8 %
2	Easy	3492	27.6 %
3	Difficult	1032	8.2 %
4	Very difficult	610	4.8 %
5	Don't have or see this person	533	4.2 %
	<b>Missing Data</b>		
-9	Missing	802	6.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,840 valid cases out of 12,642 total cases.

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q50H: EASY TO TALK W/ OTHERS ON PROBLEMS: SAME SEX FRIENDS

How easy is it for you to talk to the following persons about things that really bother you?

H. Friends of the same sex

Value	Label	Unweighted Frequency	%
1	Very easy	4693	37.1 %
2	Easy	4225	33.4 %
3	Difficult	1380	10.9 %
4	Very difficult	858	6.8 %

Value	Label	Unweighted Frequency	%
5	Don't have or see this person	645	5.1 %
	<b>Missing Data</b>		
-9	Missing	841	6.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,801 valid cases out of 12,642 total cases.

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q50I: EASY TO TALK W/ OTHERS ON PROBLEMS: OPPOSITE SEX FRIENDS

How easy is it for you to talk to the following persons about things that really bother you?

I. Friends of the opposite sex

Value	Label	Unweighted Frequency	%
1	Very easy	3189	25.2 %
2	Easy	3610	28.6 %
3	Difficult	2227	17.6 %
4	Very difficult	1643	13.0 %
5	Don't have or see this person	1143	9.0 %
	<b>Missing Data</b>		
-9	Missing	830	6.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,812 valid cases out of 12,642 total cases.

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q51A: MOTHER KNOWS: WHO YOUR FRIENDS ARE

How much does your mother (or female guardian) really know about . . .

A. . . . who your friends are?

Value	Label	Unweighted Frequency	%
1	She knows a lot	7252	57.4 %
2	She knows a little	4082	32.3 %
3	She doesn't know anything	651	5.1 %
4	Don't have/see mother/guardian	177	1.4 %
	<b>Missing Data</b>		



Value	Label	Unweighted Frequency	%
-9	Missing	480	3.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,162 valid cases out of 12,642 total cases.

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q51B: MOTHER KNOWS: HOW YOU SPEND MONEY

How much does your mother (or female guardian) really know about . . .

B. . . . how you spend your money?

Value	Label	Unweighted Frequency	%
1	She knows a lot	7678	60.7 %
2	She knows a little	3078	24.3 %
3	She doesn't know anything	1098	8.7 %
4	Don't have/see mother/guardian	226	1.8 %
	<b>Missing Data</b>		
-9	Missing	562	4.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,080 valid cases out of 12,642 total cases.

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q51C: MOTHER KNOWS: WHERE YOU ARE AFTER SCHOOL

How much does your mother (or female guardian) really know about . . .

C. . . . Where you are after school?

Value	Label	Unweighted Frequency	%
1	She knows a lot	9609	76.0 %
2	She knows a little	1660	13.1 %
3	She doesn't know anything	594	4.7 %
4	Don't have/see mother/guardian	200	1.6 %
	<b>Missing Data</b>		
-9	Missing	579	4.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,063 valid cases out of 12,642 total cases.

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q51D: MOTHER KNOWS: WHERE YOU GO AT NIGHT

How much does your mother (or female guardian) really know about . . .

D. . . . Where you go at night?

Value	Label	Unweighted Frequency	%
1	She knows a lot	9438	74.7 %
2	She knows a little	1502	11.9 %
3	She doesn't know anything	783	6.2 %
4	Don't have/see mother/guardian	287	2.3 %
	<b>Missing Data</b>		
-9	Missing	632	5.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,010 valid cases out of 12,642 total cases.

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q51E: MOTHER KNOWS: WHAT YOU DO W/ FREE TIME

How much does your mother (or female guardian) really know about . . .

E. . . . What you do with your free time?

Value	Label	Unweighted Frequency	%
1	She knows a lot	7323	57.9 %
2	She knows a little	3320	26.3 %
3	She doesn't know anything	1258	10.0 %
4	Don't have/see mother/guardian	198	1.6 %
	<b>Missing Data</b>		
-9	Missing	543	4.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,099 valid cases out of 12,642 total cases.

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q52A: FATHER KNOWS: WHO YOUR FRIENDS ARE

How much does your father (or male guardian) really know about . . .

A. . . . who your friends are?

Value	Label	Unweighted Frequency	%
1	He knows a lot	4486	35.5 %
2	He knows a little	4559	36.1 %
3	He doesn't know anything	1906	15.1 %
4	Don't have/see father/guardian	1108	8.8 %
	<b>Missing Data</b>		
-9	Missing	583	4.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,059 valid cases out of 12,642 total cases.

*Location:* 324-325 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q52B: FATHER KNOWS: HOW YOU SPEND MONEY

How much does your father (or male guardian) really know about . . .

B. . . . how you spend your money?

Value	Label	Unweighted Frequency	%
1	He knows a lot	5223	41.3 %
2	He knows a little	3415	27.0 %
3	He doesn't know anything	2240	17.7 %
4	Don't have/see father/guardian	1120	8.9 %
	<b>Missing Data</b>		
-9	Missing	644	5.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,998 valid cases out of 12,642 total cases.

*Location:* 326-327 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q52C: FATHER KNOWS: WHERE YOU ARE AFTER SCHOOL

How much does your father (or male guardian) really know about . . .

C. . . . where you are after school?

Value	Label	Unweighted Frequency	%
1	He knows a lot	6433	50.9 %
2	He knows a little	2509	19.8 %
3	He doesn't know anything	1917	15.2 %
4	Don't have/see father/guardian	1118	8.8 %
<b>Missing Data</b>			
-9	Missing	665	5.3 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,977 valid cases out of 12,642 total cases.

*Location:* 328-329 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q52D: FATHER KNOWS: WHERE YOU GO AT NIGHT

How much does your father (or male guardian) really know about . . .

D. . . . where you go at night?

Value	Label	Unweighted Frequency	%
1	He knows a lot	6913	54.7 %
2	He knows a little	1955	15.5 %
3	He doesn't know anything	1882	14.9 %
4	Don't have/see father/guardian	1184	9.4 %
<b>Missing Data</b>			
-9	Missing	708	5.6 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,934 valid cases out of 12,642 total cases.

*Location:* 330-331 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q52E: FATHER KNOWS: WHAT YOU DO W/ FREE TIME

How much does your father (or male guardian) really know about . . .

E. . . . what you do with your free time?

Value	Label	Unweighted Frequency	%
1	He knows a lot	5456	43.2 %

Value	Label	Unweighted Frequency	%
2	He knows a little	3295	26.1 %
3	He doesn't know anything	2155	17.0 %
4	Don't have/see father/guardian	1110	8.8 %
	<b>Missing Data</b>		
-9	Missing	626	5.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,016 valid cases out of 12,642 total cases.

*Location:* 332-333 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### Q53A: PARENT/GUARDIAN: HELPS ME AS MUCH AS I NEED

My parent/guardian . . .

A. . . . helps me as much as I need.

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	5345	42.3 %
2	Sometimes	2558	20.2 %
3	Almost never	551	4.4 %
4	Don't have or don't see parent/guardian	66	0.5 %
	<b>Missing Data</b>		
-9	Missing	354	2.8 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,520 valid cases out of 12,642 total cases.

*Location:* 334-335 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7

---

### Q53B: PARENT/GUARDIAN: LETS ME DO THE THINGS I LIKE DOING

My parent/guardian . . .

B. . . . lets me do the things I like doing.

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	3769	29.8 %
2	Sometimes	3746	29.6 %
3	Almost never	927	7.3 %
4	Don't have or don't see parent/guardian	58	0.5 %
	<b>Missing Data</b>		
-9	Missing	374	3.0 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,500 valid cases out of 12,642 total cases.

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

### Q53C: PARENT/GUARDIAN: IS LOVING

My parent/guardian . . .

C. . . . is loving.

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	6820	53.9 %
2	Sometimes	1303	10.3 %
3	Almost never	300	2.4 %
4	Don't have or don't see parent/guardian	60	0.5 %
	<b>Missing Data</b>		
-9	Missing	391	3.1 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,483 valid cases out of 12,642 total cases.

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

### Q53D: PARENT/GUARDIAN: UNDERSTANDS MY PROBLEMS

My parent/guardian . . .

D. . . . understands my problems and worries.

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	3960	31.3 %
2	Sometimes	2937	23.2 %
3	Almost never	1510	11.9 %
4	Don't have or don't see parent/guardian	76	0.6 %
	<b>Missing Data</b>		
-9	Missing	391	3.1 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,483 valid cases out of 12,642 total cases.

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

### Q53E: PARENT/GUARDIAN: LIKES ME TO MAKE OWN DECISIONS

My parent/guardian . . .

E. . . . likes me to make my own decisions.

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	3471	27.5 %
2	Sometimes	3468	27.4 %
3	Almost never	1456	11.5 %
4	Don't have or don't see parent/guardian	79	0.6 %
	<b>Missing Data</b>		
-9	Missing	400	3.2 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,474 valid cases out of 12,642 total cases.

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

### Q53F: PARENT/GUARDIAN: TRIES TO CONTROL EVERYTHING I DO

My parent/guardian . . .

F. . . . tries to control everything I do.

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	1990	15.7 %
2	Sometimes	2794	22.1 %
3	Almost never	3515	27.8 %
4	Don't have or don't see parent/guardian	175	1.4 %
	<b>Missing Data</b>		
-9	Missing	400	3.2 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,474 valid cases out of 12,642 total cases.

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

### Q53G: PARENT/GUARDIAN: TREATS ME LIKE A BABY

My parent/guardian . . .

G. . . . treats me like a baby

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	1248	9.9 %
2	Sometimes	2216	17.5 %
3	Almost never	4744	37.5 %
4	Don't have or don't see parent/guardian	286	2.3 %
	<b>Missing Data</b>		
-9	Missing	380	3.0 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,494 valid cases out of 12,642 total cases.

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

### Q53H: PARENT/GUARDIAN: MAKES ME FEEL BETTER WHEN UPSET

My parent/guardian . . .

H. . . . makes me feel better when I am upset.

(Not asked on Form 5/6)



Value	Label	Unweighted Frequency	%
1	Almost always	3515	27.8 %
2	Sometimes	3180	25.2 %
3	Almost never	1703	13.5 %
4	Don't have or don't see parent/guardian	88	0.7 %
	<b>Missing Data</b>		
-9	Missing	388	3.1 %
-7	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,486 valid cases out of 12,642 total cases.

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

## Q54: SATISFIED W/ FAMILY RELATIONSHIPS

In general, how satisfied are you with the relationships in your family? (Mark one circle next to the number that best describes your feelings.)

Value	Label	Unweighted Frequency	%
0	0 - We have very BAD relationships in our family	160	1.3 %
1	-	132	1.0 %
2	-	217	1.7 %
3	-	336	2.7 %
4	-	440	3.5 %
5	-	847	6.7 %
6	-	786	6.2 %
7	-	1167	9.2 %
8	-	1729	13.7 %
9	-	2385	18.9 %
10	10 - We have very GOOD relationships in our family	4117	32.6 %
	<b>Missing Data</b>		
-9	Missing	326	2.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,316 valid cases out of 12,642 total cases.

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q55\_1: NUMBER OF CLOSE FRIENDS: MALES

At present, how many close MALE friends do you have?

Value	Label	Unweighted Frequency	%
1	None	846	6.7 %
2	One	1114	8.8 %
3	Two	1745	13.8 %
4	Three or more	8531	67.5 %
	<b>Missing Data</b>		
-9	Missing	406	3.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,236 valid cases out of 12,642 total cases.

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q55\_2: NUMBER OF CLOSE FRIENDS: FEMALES

At present, how many close FEMALE friends do you have?

Value	Label	Unweighted Frequency	%
1	None	720	5.7 %
2	One	1039	8.2 %
3	Two	1525	12.1 %
4	Three or more	8895	70.4 %
	<b>Missing Data</b>		
-9	Missing	463	3.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,179 valid cases out of 12,642 total cases.

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q56: AGE OF FRIENDS IN YOUR GROUP

Are MOST of the friends in your group . . . ?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	More or less your same age (some grade)	6657	52.7 %
2	Older than you (by one grade or more)	1627	12.9 %
3	Younger than you (by one grade or more)	199	1.6 %
	<b>Missing Data</b>		
-9	Missing	391	3.1 %
-7	Not asked on this form	3768	29.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,483 valid cases out of 12,642 total cases.

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

## Q57: DAYS PER WEEK SPEND W/ FRIENDS AFTER SCHOOL

How many days a week do you usually spend time with friends right after school?

Value	Label	Unweighted Frequency	%
0	0 days	2524	20.0 %
1	1 day	1719	13.6 %
2	2 days	1872	14.8 %
3	3 days	1956	15.5 %
4	4 days	1163	9.2 %
5	5 days	1604	12.7 %
6	6 days	1520	12.0 %
	<b>Missing Data</b>		
-9	Missing	284	2.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,358 valid cases out of 12,642 total cases.

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q58: NIGHTS PER WEEK SPEND W/ FRIENDS

How many evenings per week do you usually spend out with your friends?

Value	Label	Unweighted Frequency	%
0	0 evenings	3508	27.7 %
1	1 evening	2120	16.8 %
2	2 evenings	2192	17.3 %
3	3 evenings	1591	12.6 %
4	4 evenings	1016	8.0 %
5	5 evenings	761	6.0 %
6	6 evenings	331	2.6 %
7	7 evenings	803	6.4 %
	<b>Missing Data</b>		
-9	Missing	320	2.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,322 valid cases out of 12,642 total cases.

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q59: HOW OFTEN CALL / TEXT FRIENDS

How often do you talk to your friend(s) on the phone or send them text messages or have contact through the internet?

Value	Label	Unweighted Frequency	%
1	Rarely or never	2323	18.4 %
2	1 or 2 days a week	1768	14.0 %
3	3 or 4 days a week	1825	14.4 %
4	5 or 6 days a week	1287	10.2 %
5	Every day	5142	40.7 %
<b>Missing Data</b>			
-9	Missing	297	2.3 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 12,345 valid cases out of 12,642 total cases.

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q60: GROUP OF FRIENDS ACCEPTED BY YOUR PARENTS

Your group of friends is well accepted by your parents?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	Almost always	5204	41.2 %
2	Sometimes	2346	18.6 %
3	Never, almost never	311	2.5 %
4	They haven't met your group of friends	803	6.4 %
<b>Missing Data</b>			
-9	Missing	210	1.7 %
-7	Not asked on this form	3768	29.8 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 8,664 valid cases out of 12,642 total cases.

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q61: TEACHER'S OPINION OF YOUR SCHOOL PERFORMANCE

In your opinion, what does your class teacher(s) think about your school performance compared to your classmates?

Value	Label	Unweighted Frequency	%
1	Very good	3761	29.8 %
2	Good	4851	38.4 %
3	Average	3006	23.8 %
4	Below average	541	4.3 %
	<b>Missing Data</b>		
-9	Missing	483	3.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,159 valid cases out of 12,642 total cases.

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q62: PRESENT FEELINGS ABOUT SCHOOL

How do you feel about school at present?

Value	Label	Unweighted Frequency	%
1	I like it a lot	3825	30.3 %
2	I like it a bit	5565	44.0 %
3	I don't like it very much	1971	15.6 %
4	I don't like it at all	922	7.3 %
	<b>Missing Data</b>		
-9	Missing	359	2.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,283 valid cases out of 12,642 total cases.

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q63A: STUDENTS IN MY CLASS: ENJOY BEING TOGETHER

Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one.

A. The students in my class(es) enjoy being together.

Value	Label	Unweighted Frequency	%
1	Strongly agree	2707	21.4 %
2	Agree	4925	39.0 %
3	Neither agree nor disagree	3111	24.6 %
4	Disagree	742	5.9 %

Value	Label	Unweighted Frequency	%
5	Strongly disagree	520	4.1 %
	<b>Missing Data</b>		
-9	Missing	637	5.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,005 valid cases out of 12,642 total cases.

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q63B: STUDENTS IN MY CLASS: ARE KIND AND HELPFUL

Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one.

B. Most of the students in my class(es) are kind and helpful.

Value	Label	Unweighted Frequency	%
1	Strongly agree	2002	15.8 %
2	Agree	4654	36.8 %
3	Neither agree nor disagree	3212	25.4 %
4	Disagree	1320	10.4 %
5	Strongly disagree	770	6.1 %
	<b>Missing Data</b>		
-9	Missing	684	5.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,958 valid cases out of 12,642 total cases.

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q63C: STUDENTS IN MY CLASS: ACCEPT ME AS I AM

Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one.

C. Other students accept me as I am.

Value	Label	Unweighted Frequency	%
1	Strongly agree	3957	31.3 %
2	Agree	4772	37.7 %
3	Neither agree nor disagree	1953	15.4 %

Value	Label	Unweighted Frequency	%
4	Disagree	657	5.2 %
5	Strongly disagree	595	4.7 %
	<b>Missing Data</b>		
-9	Missing	708	5.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,934 valid cases out of 12,642 total cases.

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q64: AMOUNT OF PRESSURE FROM SCHOOLWORK

How pressured do you feel by the schoolwork you have to do?

Value	Label	Unweighted Frequency	%
1	Not at all	2522	19.9 %
2	A little	4720	37.3 %
3	Some	2826	22.4 %
4	A lot	2067	16.4 %
	<b>Missing Data</b>		
-9	Missing	507	4.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,135 valid cases out of 12,642 total cases.

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q65: HOW OFTEN ARE YOU BULLIED AT SCHOOL

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months?

Value	Label	Unweighted Frequency	%
1	I haven't been bullied at school the past couple of months	8730	69.1 %
2	It has only happened once or twice	2018	16.0 %
3	2 or 3 times a month	514	4.1 %
4	About once a week	334	2.6 %
5	Several times a week	512	4.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	Missing	534	4.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,108 valid cases out of 12,642 total cases.

*Location:* 378-379 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## Q66A: HOW OFTEN GOT BULLIED: CALLED NAMES / TEASED

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

A. I was called mean names, was made fun of, or teased in a hurtful way.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	8140	64.4 %
2	Only once or twice	2131	16.9 %
3	2 or 3 times a month	421	3.3 %
4	About once a week	402	3.2 %
5	Several times a week	695	5.5 %
	<b>Missing Data</b>		
-9	Missing	853	6.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,789 valid cases out of 12,642 total cases.

*Location:* 380-381 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## Q66B: HOW OFTEN GOT BULLIED: LEFT OUT OF THINGS

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

B. Other students left me out of things on purpose, excluded me from their group of friends, or completely



ignored me.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	8820	69.8 %
2	Only once or twice	1676	13.3 %
3	2 or 3 times a month	387	3.1 %
4	About once a week	362	2.9 %
5	Several times a week	472	3.7 %
	<b>Missing Data</b>		
-9	Missing	925	7.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,717 valid cases out of 12,642 total cases.

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q66C: HOW OFTEN GOT BULLIED: HIT / KICKED / PUSHED

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

C. I was hit, kicked, pushed, shoved around, or locked indoors.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	10005	79.1 %
2	Only once or twice	925	7.3 %
3	2 or 3 times a month	256	2.0 %
4	About once a week	225	1.8 %
5	Several times a week	278	2.2 %
	<b>Missing Data</b>		
-9	Missing	953	7.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,689 valid cases out of 12,642 total cases.

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q66D: HOW OFTEN GOT BULLIED: OTHERS LIED ABOUT ME

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

D. Other students told lies or spread false rumors about me and tried to make others dislike me.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	8263	65.4 %
2	Only once or twice	1994	15.8 %
3	2 or 3 times a month	555	4.4 %
4	About once a week	336	2.7 %
5	Several times a week	577	4.6 %
	<b>Missing Data</b>		
-9	Missing	917	7.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,725 valid cases out of 12,642 total cases.

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q66E: HOW OFTEN GOT BULLIED: FOR MY RACE / COLOR

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

E. I was bullied with mean names and comments about my race or color.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	10158	80.4 %
2	Only once or twice	749	5.9 %
3	2 or 3 times a month	231	1.8 %
4	About once a week	198	1.6 %
5	Several times a week	341	2.7 %
	<b>Missing Data</b>		
-9	Missing	965	7.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,677 valid cases out of 12,642 total cases.

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q66F: HOW OFTEN GOT BULLIED: FOR MY RELIGION

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

F. I was bullied with mean names and comments about my religion.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	10554	83.5 %
2	Only once or twice	544	4.3 %
3	2 or 3 times a month	179	1.4 %
4	About once a week	126	1.0 %
5	Several times a week	234	1.9 %
	<b>Missing Data</b>		
-9	Missing	1005	7.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,637 valid cases out of 12,642 total cases.

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q66G: HOW OFTEN GOT BULLIED: MADE SEXUAL JOKES TO ME

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

G. Other students made sexual jokes, comments or gestures to me.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	9152	72.4 %
2	Only once or twice	1291	10.2 %

Value	Label	Unweighted Frequency	%
3	2 or 3 times a month	401	3.2 %
4	About once a week	340	2.7 %
5	Several times a week	504	4.0 %
<b>Missing Data</b>			
-9	Missing	954	7.5 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,688 valid cases out of 12,642 total cases.

*Location:* 392-393 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q66H: HOW OFTEN GOT BULLIED: USING A COMPUTER / E-MAIL

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

H. I was bullied using a computer or e-mail messages or pictures.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	10766	85.2 %
2	Only once or twice	438	3.5 %
3	2 or 3 times a month	184	1.5 %
4	About once a week	113	0.9 %
5	Several times a week	157	1.2 %
<b>Missing Data</b>			
-9	Missing	984	7.8 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,658 valid cases out of 12,642 total cases.

*Location:* 394-395 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q66I: HOW OFTEN GOT BULLIED: USING A CELL PHONE

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

I. I was bullied using a cell phone.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	10777	85.2 %
2	Only once or twice	434	3.4 %
3	2 or 3 times a month	156	1.2 %
4	About once a week	110	0.9 %
5	Several times a week	149	1.2 %
	<b>Missing Data</b>		
-9	Missing	1016	8.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,626 valid cases out of 12,642 total cases.

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q66J: HOW OFTEN GOT BULLIED: USING A COMPUTER / E-MAIL, OUTSIDE OF SCHOOL

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

J. I was bullied outside of school using a computer or e-mail messages or pictures.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	10776	85.2 %
2	Only once or twice	462	3.7 %
3	2 or 3 times a month	177	1.4 %
4	About once a week	98	0.8 %
5	Several times a week	175	1.4 %
	<b>Missing Data</b>		
-9	Missing	954	7.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,688 valid cases out of 12,642 total cases.

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q66K: HOW OFTEN GOT BULLIED: USING A CELL PHONE, OUTSIDE OF SCHOOL

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you been bullied at school in the past couple of months in the ways listed below?

K. I was bullied outside of school using a cell phone.

Value	Label	Unweighted Frequency	%
1	I have not been bullied in this way in the past couple months	10814	85.5 %
2	Only once or twice	405	3.2 %
3	2 or 3 times a month	159	1.3 %
4	About once a week	115	0.9 %
5	Several times a week	167	1.3 %
	<b>Missing Data</b>		
-9	Missing	982	7.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,660 valid cases out of 12,642 total cases.

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q67: HOW OFTEN HAVE YOU BULLIED ANOTHER STUDENT

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you taken part in bullying another student(s) at school in the past couple of months?

Value	Label	Unweighted Frequency	%
1	I haven't bullied another student at school in the past couple of months	8618	68.2 %
2	It has only happened once or twice	2417	19.1 %
3	2 or 3 times a month	454	3.6 %
4	About once a week	219	1.7 %
5	Several times a week	246	1.9 %
	<b>Missing Data</b>		
-9	Missing	688	5.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,954 valid cases out of 12,642 total cases.

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q68A: HOW OFTEN BULLIED OTHERS: CALLED NAMES / TEASED

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

A. I called another student(s) mean names, made fun of, or teased him or her in a hurtful way.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	8849	70.0 %
2	Only once or twice	1981	15.7 %
3	2 or 3 times a month	300	2.4 %
4	About once a week	200	1.6 %
5	Several times a week	292	2.3 %
	<b>Missing Data</b>		
-9	Missing	1020	8.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,622 valid cases out of 12,642 total cases.

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q68B: HOW OFTEN BULLIED OTHERS: LEFT OUT OF THINGS

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

B. I kept another student(s) out things on purpose, excluded him or her from my group of friends or completely ignored him or her.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	9676	76.5 %
2	Only once or twice	1301	10.3 %

Value	Label	Unweighted Frequency	%
3	2 or 3 times a month	239	1.9 %
4	About once a week	156	1.2 %
5	Several times a week	220	1.7 %
<b>Missing Data</b>			
-9	Missing	1050	8.3 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,592 valid cases out of 12,642 total cases.

*Location:* 406-407 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q68C: HOW OFTEN BULLIED OTHERS: HIT / KICKED / PUSHED

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

C. I hit, kicked, pushed, shoved around, or locked another student(s) indoors

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10208	80.7 %
2	Only once or twice	801	6.3 %
3	2 or 3 times a month	193	1.5 %
4	About once a week	163	1.3 %
5	Several times a week	196	1.6 %
<b>Missing Data</b>			
-9	Missing	1081	8.6 %
<b>Total</b>		<b>12,642</b>	<b>100%</b>

Based upon 11,561 valid cases out of 12,642 total cases.

*Location:* 408-409 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q68D: HOW OFTEN BULLIED OTHERS: TOLD LIES ABOUT THEM

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.



How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

D. I spread false rumors about another student(s) and tried to make others dislike him or her.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10469	82.8 %
2	Only once or twice	658	5.2 %
3	2 or 3 times a month	163	1.3 %
4	About once a week	128	1.0 %
5	Several times a week	148	1.2 %
	<b>Missing Data</b>		
-9	Missing	1076	8.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,566 valid cases out of 12,642 total cases.

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q68E: HOW OFTEN BULLIED OTHERS: FOR THEIR RACE / COLOR

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

E. I bullied another student(s) with mean names or comments about his or her race or color.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10676	84.4 %
2	Only once or twice	476	3.8 %
3	2 or 3 times a month	157	1.2 %
4	About once a week	99	0.8 %
5	Several times a week	160	1.3 %
	<b>Missing Data</b>		
-9	Missing	1074	8.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,568 valid cases out of 12,642 total cases.

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q68F: HOW OFTEN BULLIED OTHERS: FOR THEIR RELIGION

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

F. I bullied another student(s) with mean names or comments about his or her religion.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10843	85.8 %
2	Only once or twice	348	2.8 %
3	2 or 3 times a month	123	1.0 %
4	About once a week	98	0.8 %
5	Several times a week	149	1.2 %
	<b>Missing Data</b>		
-9	Missing	1081	8.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,561 valid cases out of 12,642 total cases.

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q68G: HOW OFTEN BULLIED OTHERS: MADE SEXUAL JOKES TO THEM

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

G. I made sexual jokes, comments or gestures to another student(s).

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10409	82.3 %
2	Only once or twice	629	5.0 %
3	2 or 3 times a month	191	1.5 %
4	About once a week	135	1.1 %
5	Several times a week	191	1.5 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	Missing	1087	8.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,555 valid cases out of 12,642 total cases.

*Location:* 416-417 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q68H: HOW OFTEN BULLIED OTHERS: USING A COMPUTER / E-MAIL

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

H. I bullied another student(s) using a computer, e-mail messages or pictures.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10912	86.3 %
2	Only once or twice	298	2.4 %
3	2 or 3 times a month	101	0.8 %
4	About once a week	92	0.7 %
5	Several times a week	147	1.2 %
	<b>Missing Data</b>		
-9	Missing	1092	8.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,550 valid cases out of 12,642 total cases.

*Location:* 418-419 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q68I: HOW OFTEN BULLIED OTHERS: USING A CELL PHONE

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

I. I bullied another student(s) using a cell phone.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10856	85.9 %
2	Only once or twice	355	2.8 %
3	2 or 3 times a month	114	0.9 %
4	About once a week	95	0.8 %
5	Several times a week	132	1.0 %
	<b>Missing Data</b>		
-9	Missing	1090	8.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,552 valid cases out of 12,642 total cases.

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q68J: HOW OFTEN BULLIED OTHERS: USING A COMPUTER / E-MAIL, OUTSIDE OF SCHOOL

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

J. I bullied others outside of school using a computer, e-mail messages or pictures.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10867	86.0 %
2	Only once or twice	339	2.7 %
3	2 or 3 times a month	117	0.9 %
4	About once a week	89	0.7 %
5	Several times a week	145	1.1 %
	<b>Missing Data</b>		
-9	Missing	1085	8.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,557 valid cases out of 12,642 total cases.

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q68K: HOW OFTEN BULLIED OTHERS: USING A CELL PHONE, OUTSIDE OF SCHOOL

Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a

student is teased repeatedly in a way he or she does not like or when they are deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way.

How often have you bullied another student(s) at school in the past couple of months in the ways listed below?

K. I bullied others outside of school using a cell phone.

Value	Label	Unweighted Frequency	%
1	I have not bullied another student in this way in the past couple of months	10868	86.0 %
2	Only once or twice	344	2.7 %
3	2 or 3 times a month	111	0.9 %
4	About once a week	63	0.5 %
5	Several times a week	156	1.2 %
	<b>Missing Data</b>		
-9	Missing	1100	8.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,542 valid cases out of 12,642 total cases.

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q69: PAST 12 MONTHS: HOW OFTEN IN A PHYSICAL FIGHT

During the past 12 months, how many times were you in a physical fight?

Value	Label	Unweighted Frequency	%
1	I have not been in a physical fight	7852	62.1 %
2	1 time	1890	15.0 %
3	2 times	975	7.7 %
4	3 times	556	4.4 %
5	4 times or more	804	6.4 %
	<b>Missing Data</b>		
-9	Missing	565	4.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,077 valid cases out of 12,642 total cases.

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q70: PAST 12 MONTHS: WHO DID YOU PHYSICALLY FIGHT

The last time you were in a physical fight during the past 12 months, with whom did you fight?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	I have not been in a physical fight	5272	41.7 %
2	A total stranger	356	2.8 %
3	A parent or other adult family member	107	0.8 %
4	A brother or sister	609	4.8 %
5	A boyfriend/girlfriend or date	52	0.4 %
6	A friend or someone I know	1264	10.0 %
7	Someone not listed above	685	5.4 %
	<b>Missing Data</b>		
-9	Missing	529	4.2 %
-8	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,345 valid cases out of 12,642 total cases.

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q71: PAST 30 DAYS: HOW OFTEN CARRIED A WEAPON

During the past 30 days, on how many days did you carry a weapon, such as a gun, knife or club?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	I did not carry a weapon during the past 30 days	7311	57.8 %
2	1 day	394	3.1 %
3	2 to 3 days	339	2.7 %
4	4 to 5 days	145	1.1 %
5	6 or more days	363	2.9 %
	<b>Missing Data</b>		
-9	Missing	322	2.5 %
-8	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,552 valid cases out of 12,642 total cases.

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q72: PAST 30 DAYS: WHAT TYPE OF WEAPON CARRIED

The last time you carried a weapon during the past 30 days, what type of weapon was it?

(Not asked on Form 5/6)

Value	Label	Unweighted Frequency	%
1	I did not carry a weapon during the past 30 days	7267	57.5 %
2	Knife or pocketknife	687	5.4 %
3	Stick or club	72	0.6 %
4	Knuckle-brace / brass knuckles	77	0.6 %
5	Tear gas / pepper spray / Mace	46	0.4 %
6	Handgun or other firearm	226	1.8 %
7	Other	98	0.8 %
	<b>Missing Data</b>		
-9	Missing	401	3.2 %
-8	Not asked on this form	3768	29.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,473 valid cases out of 12,642 total cases.

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

## Q73: EVER SMOKED TOBACCO

Have you ever smoked tobacco? (At least one cigarette, cigar or pipe).

Value	Label	Unweighted Frequency	%
1	Yes	1932	15.3 %
2	No	10233	80.9 %
	<b>Missing Data</b>		
-9	Missing	477	3.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,165 valid cases out of 12,642 total cases.

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## Q74: HOW OFTEN SMOKE TOBACCO PRESENTLY

How often do you smoke tobacco at present?

Value	Label	Unweighted Frequency	%
1	Every day	270	2.1 %
2	At least once a week, but not every day	266	2.1 %

Value	Label	Unweighted Frequency	%
3	Less than once a week	502	4.0 %
4	I do not smoke	11071	87.6 %
	<b>Missing Data</b>		
-9	Missing	533	4.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,109 valid cases out of 12,642 total cases.

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q75A: PRESENTLY HOW OFTEN DRINK: BEER

At present, how often do you drink anything alcoholic, such as beer, wine, or hard liquor like, Vodka or rum? Try to include even those times when you only drink a small amount (e.g. one or two sips).

A. Beer

Value	Label	Unweighted Frequency	%
1	Every day	152	1.2 %
2	Every week	223	1.8 %
3	Every month	335	2.6 %
4	Rarely	1476	11.7 %
5	Never	9745	77.1 %
	<b>Missing Data</b>		
-9	Missing	711	5.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,931 valid cases out of 12,642 total cases.

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q75B: PRESENTLY HOW OFTEN DRINK: WINE

At present, how often do you drink anything alcoholic, such as beer, wine, or hard liquor like, Vodka or rum? Try to include even those times when you only drink a small amount (e.g. one or two sips).

B. Wine

Value	Label	Unweighted Frequency	%
1	Every day	116	0.9 %
2	Every week	137	1.1 %



Value	Label	Unweighted Frequency	%
3	Every month	236	1.9 %
4	Rarely	1460	11.5 %
5	Never	9931	78.6 %
	<b>Missing Data</b>		
-9	Missing	762	6.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,880 valid cases out of 12,642 total cases.

*Location:* 440-441 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q75C: PRESENTLY HOW OFTEN DRINK: LIQUOR / SPIRITS

At present, how often do you drink anything alcoholic, such as beer, wine, or hard liquor like, Vodka or rum? Try to include even those times when you only drink a small amount (e.g. one or two sips).

C, Liquor / Spirits

Value	Label	Unweighted Frequency	%
1	Every day	135	1.1 %
2	Every week	234	1.9 %
3	Every month	412	3.3 %
4	Rarely	1065	8.4 %
5	Never	9945	78.7 %
	<b>Missing Data</b>		
-9	Missing	851	6.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,791 valid cases out of 12,642 total cases.

*Location:* 442-443 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q75D: PRESENTLY HOW OFTEN DRINK: PRE-MIXED DRINKS

At present, how often do you drink anything alcoholic, such as beer, wine, or hard liquor like, Vodka or rum? Try to include even those times when you only drink a small amount (e.g. one or two sips).

D. Pre-mixed drinks (for example, Smirnoff Ice, Bacardi Breezer, Mike's Hard Lemonade).

Value	Label	Unweighted Frequency	%
1	Every day	185	1.5 %

Value	Label	Unweighted Frequency	%
2	Every week	244	1.9 %
3	Every month	486	3.8 %
4	Rarely	1429	11.3 %
5	Never	9452	74.8 %
	<b>Missing Data</b>		
-9	Missing	846	6.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,796 valid cases out of 12,642 total cases.

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q75E: PRESENTLY HOW OFTEN DRINK: ANY OTHER DRINK

At present, how often do you drink anything alcoholic, such as beer, wine, or hard liquor like, Vodka or rum? Try to include even those times when you only drink a small amount (e.g. one or two sips).

E. Any other drink that contains alcohol

Value	Label	Unweighted Frequency	%
1	Every day	170	1.3 %
2	Every week	234	1.9 %
3	Every month	430	3.4 %
4	Rarely	1363	10.8 %
5	Never	9682	76.6 %
	<b>Missing Data</b>		
-9	Missing	763	6.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,879 valid cases out of 12,642 total cases.

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q75\_COMP1: DO YOU DRINK ALCOHOL PRESENTLY - COMPUTED

At present, do you drink anything alcoholic? Try to include even those times when you only drank a small amount (e.g. one or two sips).

(Computed variable combining responses from Q75A to Q75E)

Value	Label	Unweighted Frequency	%
0	No	8007	63.3 %
1	Yes	3829	30.3 %
	<b>Missing Data</b>		
-9	Missing	806	6.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,836 valid cases out of 12,642 total cases.

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q75\_COMP2: PRESENTLY HOW OFTEN DRINK ALCOHOL - COMPUTED

At present, how often do you drink anything alcoholic? Try to include even those times when you only drank a small amount (e.g. one or two sips).

(Computed variable combining responses from Q75A to Q75E)

Value	Label	Unweighted Frequency	%
1	Every day	89	0.7 %
2	Every week	106	0.8 %
3	Every month	477	3.8 %
4	Rarely	1465	11.6 %
5	Never	9849	77.9 %
	<b>Missing Data</b>		
-9	Missing	656	5.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,986 valid cases out of 12,642 total cases.

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q76A: PAST 30 DAYS HOW OFTEN: SMOKED CIGARETTES

On how many occasions (if any) have you done the following things in the last 30 days?

A. Smoked cigarettes

Value	Label	Unweighted Frequency	%
1	Never	10652	84.3 %
2	Once or twice	543	4.3 %
3	3-5 times	181	1.4 %

Value	Label	Unweighted Frequency	%
4	6-9 times	96	0.8 %
5	10-19 times	79	0.6 %
6	20-39 times	68	0.5 %
7	40 times or more	306	2.4 %
	<b>Missing Data</b>		
-9	Missing	717	5.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,925 valid cases out of 12,642 total cases.

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q76B: PAST 30 DAYS HOW OFTEN: DRUNK ALCOHOL

On how many occasions (if any) have you done the following things in the last 30 days?

B. Drunk alcohol

Value	Label	Unweighted Frequency	%
1	Never	9294	73.5 %
2	Once or twice	1426	11.3 %
3	3-5 times	427	3.4 %
4	6-9 times	214	1.7 %
5	10-19 times	175	1.4 %
6	20-39 times	99	0.8 %
7	40 times or more	261	2.1 %
	<b>Missing Data</b>		
-9	Missing	746	5.9 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,896 valid cases out of 12,642 total cases.

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q76C: PAST 30 DAYS HOW OFTEN: BEEN DRUNK

On how many occasions (if any) have you done the following things in the last 30 days?

C. Been drunk

Value	Label	Unweighted Frequency	%
1	Never	10443	82.6 %
2	Once or twice	746	5.9 %
3	3-5 times	236	1.9 %
4	6-9 times	114	0.9 %
5	10-19 times	100	0.8 %
6	20-39 times	49	0.4 %
7	40 times or more	220	1.7 %
	<b>Missing Data</b>		
-9	Missing	734	5.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,908 valid cases out of 12,642 total cases.

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q76\_COMP: PAST 30 DAYS: EVER DRINK ALCOHOL - COMPUTED

Have you drunk any alcohol in the past 30 days?

(Computed variable combining responses from Q76B and Q76C.)

Value	Label	Unweighted Frequency	%
0	No	9206	72.8 %
1	Yes	2699	21.3 %
	<b>Missing Data</b>		
-9	Missing	737	5.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,905 valid cases out of 12,642 total cases.

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

---

## Q77: HOW MANY CIGARETTES SMOKED PER DAY, PAST 30 DAYS

How frequently have you smoked cigarettes during the LAST 30 DAYS?

Value	Label	Unweighted Frequency	%
1	Not at all	11117	87.9 %
2	Less than 1 cigarette per week	360	2.8 %
3	Less than 1 cigarette per day	154	1.2 %
4	1-5 cigarettes per day	180	1.4 %
5	6-10 cigarettes per day	70	0.6 %

Value	Label	Unweighted Frequency	%
6	11-20 cigarettes per day	34	0.3 %
7	More than 20 cigarettes per day	51	0.4 %
	<b>Missing Data</b>		
-9	Missing	676	5.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,966 valid cases out of 12,642 total cases.

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q78A: HOW MANY FRIENDS: SMOKE CIGARETTES

How many of your friends would you estimate . . .

A. . . . Smoke cigarettes?

Value	Label	Unweighted Frequency	%
1	None	8144	64.4 %
2	A few	2414	19.1 %
3	Some	850	6.7 %
4	Most	344	2.7 %
5	All	161	1.3 %
	<b>Missing Data</b>		
-9	Missing	729	5.8 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,913 valid cases out of 12,642 total cases.

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q78B: HOW MANY FRIENDS: DRINK ALCOHOL

How many of your friends would you estimate . . .

B. . . . Drink alcohol?

Value	Label	Unweighted Frequency	%
1	None	7177	56.8 %
2	A few	2413	19.1 %
3	Some	1193	9.4 %
4	Most	791	6.3 %

Value	Label	Unweighted Frequency	%
5	All	295	2.3 %
	<b>Missing Data</b>		
-9	Missing	773	6.1 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,869 valid cases out of 12,642 total cases.

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q78C: HOW MANY FRIENDS: GET DRUNK ONCE A WEEK

How many of your friends would you estimate . . .

C. . . . Get drunk at least once a week?

Value	Label	Unweighted Frequency	%
1	None	9018	71.3 %
2	A few	1580	12.5 %
3	Some	674	5.3 %
4	Most	344	2.7 %
5	All	189	1.5 %
	<b>Missing Data</b>		
-9	Missing	837	6.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,805 valid cases out of 12,642 total cases.

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q78D: HOW MANY FRIENDS: SMOKE / USE MARIJUANA

How many of your friends would you estimate . . .

D. . . . Smoke / use marijuana (pot, weed, hashish, joint)?

Value	Label	Unweighted Frequency	%
1	None	8194	64.8 %
2	A few	1735	13.7 %
3	Some	908	7.2 %
4	Most	700	5.5 %
5	All	316	2.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-9	Missing	789	6.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,853 valid cases out of 12,642 total cases.

*Location:* 468-469 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## Q78E: HOW MANY FRIENDS: CARRY A WEAPON

How many of your friends would you estimate . . .

E. . . . Carry a weapon, such as a gun, knife or club?

Value	Label	Unweighted Frequency	%
1	None	9493	75.1 %
2	A few	1486	11.8 %
3	Some	437	3.5 %
4	Most	249	2.0 %
5	All	195	1.5 %
	<b>Missing Data</b>		
-9	Missing	782	6.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,860 valid cases out of 12,642 total cases.

*Location:* 470-471 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## Q79: EVER GOTTEN REALLY DRUNK

Have you ever had so much alcohol that you were really drunk?

Value	Label	Unweighted Frequency	%
1	No, never	10371	82.0 %
2	Yes, once	889	7.0 %
3	Yes, 2-3 times	407	3.2 %
4	Yes, 4-10 times	168	1.3 %
5	Yes, more than 10 times	181	1.4 %
	<b>Missing Data</b>		
-9	Missing	626	5.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>



Based upon 12,016 valid cases out of 12,642 total cases.

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

---

## Q80A: WHAT AGE DID YOU FIRST: DRINK ALCOHOL

At what age did you first do the following things?

A. Drink alcohol (more than a small amount)

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	828	6.5 %
2	11 years old or less	104	0.8 %
3	12 years old	104	0.8 %
4	13 years old	141	1.1 %
5	14 years old	239	1.9 %
6	15 years old	262	2.1 %
7	16 years old or older	70	0.6 %
	<b>Missing Data</b>		
-9	Missing	150	1.2 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,748 valid cases out of 12,642 total cases.

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7

---

## Q80B: WHAT AGE DID YOU FIRST: GET DRUNK

At what age did you first do the following things?

B. Get drunk

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1142	9.0 %
2	11 years old or less	33	0.3 %
3	12 years old	49	0.4 %
4	13 years old	81	0.6 %
5	14 years old	152	1.2 %

Value	Label	Unweighted Frequency	%
6	15 years old	229	1.8 %
7	16 years old or older	62	0.5 %
	<b>Missing Data</b>		
-9	Missing	150	1.2 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,748 valid cases out of 12,642 total cases.

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q80C: WHAT AGE DID YOU FIRST SMOKE A CIGARETTE

At what age did you first do the following things?

C. Smoke a cigarette (more than a puff)

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1249	9.9 %
2	11 years old or less	67	0.5 %
3	12 years old	63	0.5 %
4	13 years old	93	0.7 %
5	14 years old	114	0.9 %
6	15 years old	132	1.0 %
7	16 years old or older	24	0.2 %
	<b>Missing Data</b>		
-9	Missing	156	1.2 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,742 valid cases out of 12,642 total cases.

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q81A: EVER HAD MARIJUANA: IN YOUR LIFE

Have you ever taken marijuana (pot, weed, hashish, joint)?

A. In your life

Value	Label	Unweighted Frequency	%
1	Never	10299	81.5 %
2	Once or twice	655	5.2 %
3	3-5 times	204	1.6 %
4	6-9 times	160	1.3 %
5	10-19 times	131	1.0 %
6	20-39 times	110	0.9 %
7	40 times or more	367	2.9 %
	<b>Missing Data</b>		
-9	Missing	716	5.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,926 valid cases out of 12,642 total cases.

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q81B: EVER HAD MARIJUANA: IN THE LAST 12 MONTHS

Have you ever taken marijuana (pot, weed, hashish, joint)?

B. In the last 12 months

Value	Label	Unweighted Frequency	%
1	Never	10553	83.5 %
2	Once or twice	442	3.5 %
3	3-5 times	195	1.5 %
4	6-9 times	172	1.4 %
5	10-19 times	115	0.9 %
6	20-39 times	112	0.9 %
7	40 times or more	223	1.8 %
	<b>Missing Data</b>		
-9	Missing	830	6.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,812 valid cases out of 12,642 total cases.

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q81C: EVER HAD MARIJUANA: IN THE LAST 30 DAYS

Have you ever taken marijuana (pot, weed, hashish, joint)?

C. In the last 30 days

Value	Label	Unweighted Frequency	%
1	Never	10961	86.7 %
2	Once or twice	312	2.5 %
3	3-5 times	143	1.1 %
4	6-9 times	92	0.7 %
5	10-19 times	98	0.8 %
6	20-39 times	56	0.4 %
7	40 times or more	141	1.1 %
	<b>Missing Data</b>		
-9	Missing	839	6.6 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,803 valid cases out of 12,642 total cases.

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q81\_COMP: EVER HAD MARIJUANA - COMPUTED

Have you ever taken marijuana (pot, weed, hashish, joint)?

(Computed variable combining responses from Q81A to Q81C)

Value	Label	Unweighted Frequency	%
1	Yes	1712	13.5 %
2	No	10248	81.1 %
	<b>Missing Data</b>		
-9	Missing	682	5.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,960 valid cases out of 12,642 total cases.

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q82A: EVER TAKEN DRUG PAST 12 MONTHS: ECSTASY

Have you ever taken one or several of these drugs in the last 12 months?

A. Ecstasy

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1629	12.9 %
2	Once or twice	51	0.4 %
3	3-5 times	17	0.1 %
4	6-9 times	17	0.1 %
5	10-19 times	6	0.0 %
6	20-39 times	4	0.0 %
7	40 times or more	13	0.1 %
	<b>Missing Data</b>		
-9	Missing	161	1.3 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,737 valid cases out of 12,642 total cases.

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q82B: EVER TAKEN DRUG PAST 12 MONTHS: AMPHETAMINES

Have you ever taken one or several of these drugs in the last 12 months?

B. Amphetamines (meth, ice, glass, speed)

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1680	13.3 %
2	Once or twice	25	0.2 %
3	3-5 times	8	0.1 %
4	6-9 times	8	0.1 %
5	10-19 times	4	0.0 %
6	20-39 times	3	0.0 %
7	40 times or more	13	0.1 %
	<b>Missing Data</b>		
-9	Missing	157	1.2 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,741 valid cases out of 12,642 total cases.

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q82C: EVER TAKEN DRUG PAST 12 MONTHS: OPIATES

Have you ever taken one or several of these drugs in the last 12 months?

C. Opiates (heroin, morphine, smack)

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1679	13.3 %
2	Once or twice	10	0.1 %
3	3-5 times	18	0.1 %
4	6-9 times	7	0.1 %
5	10-19 times	6	0.0 %
6	20-39 times	3	0.0 %
7	40 times or more	10	0.1 %
	<b>Missing Data</b>		
-9	Missing	165	1.3 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,733 valid cases out of 12,642 total cases.

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

## Q82D: EVER TAKEN DRUG PAST 12 MONTHS: MEDICATION TO GET HIGH

Have you ever taken one or several of these drugs in the last 12 months?

D. Medication to get high

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1592	12.6 %
2	Once or twice	67	0.5 %
3	3-5 times	19	0.2 %
4	6-9 times	21	0.2 %
5	10-19 times	16	0.1 %
6	20-39 times	10	0.1 %
7	40 times or more	14	0.1 %
	<b>Missing Data</b>		
-9	Missing	159	1.3 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,739 valid cases out of 12,642 total cases.

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7

---

## Q82E: EVER TAKEN DRUG PAST 12 MONTHS: COCAINE

Have you ever taken one or several of these drugs in the last 12 months?

E. Cocaine

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1673	13.2 %
2	Once or twice	26	0.2 %
3	3-5 times	13	0.1 %
4	6-9 times	4	0.0 %
5	10-19 times	6	0.0 %
6	20-39 times	5	0.0 %
7	40 times or more	10	0.1 %
	<b>Missing Data</b>		
-9	Missing	161	1.3 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,737 valid cases out of 12,642 total cases.

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7

---

## Q82F: EVER TAKEN DRUG PAST 12 MONTHS: GLUE / SOLVENTS

Have you ever taken one or several of these drugs in the last 12 months?

F. Glue / solvents

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1699	13.4 %
2	Once or twice	9	0.1 %
3	3-5 times	5	0.0 %
4	6-9 times	5	0.0 %
5	10-19 times	9	0.1 %

Value	Label	Unweighted Frequency	%
6	20-39 times	4	0.0 %
7	40 times or more	9	0.1 %
	<b>Missing Data</b>		
-9	Missing	158	1.2 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,740 valid cases out of 12,642 total cases.

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q82G: EVER TAKEN DRUG PAST 12 MONTHS: BALTOK

Have you ever taken one or several of these drugs in the last 12 months?

G. Baltok

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1706	13.5 %
2	Once or twice	5	0.0 %
3	3-5 times	5	0.0 %
4	6-9 times	8	0.1 %
5	10-19 times	4	0.0 %
6	20-39 times	3	0.0 %
7	40 times or more	8	0.1 %
	<b>Missing Data</b>		
-9	Missing	159	1.3 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,739 valid cases out of 12,642 total cases.

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q82H: EVER TAKEN DRUG PAST 12 MONTHS: LSD

Have you ever taken one or several of these drugs in the last 12 months?

H. LSD



(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1686	13.3 %
2	Once or twice	16	0.1 %
3	3-5 times	7	0.1 %
4	6-9 times	9	0.1 %
5	10-19 times	4	0.0 %
6	20-39 times	4	0.0 %
7	40 times or more	12	0.1 %
	<b>Missing Data</b>		
-9	Missing	160	1.3 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,738 valid cases out of 12,642 total cases.

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q82I: EVER TAKEN DRUG PAST 12 MONTHS: ANABOLIC STEROIDS

Have you ever taken one or several of these drugs in the last 12 months?

I. Anabolic steroids

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1691	13.4 %
2	Once or twice	7	0.1 %
3	3-5 times	3	0.0 %
4	6-9 times	9	0.1 %
5	10-19 times	8	0.1 %
6	20-39 times	4	0.0 %
7	40 times or more	11	0.1 %
	<b>Missing Data</b>		
-9	Missing	165	1.3 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,733 valid cases out of 12,642 total cases.

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

## Q82J: EVER TAKEN DRUG PAST 12 MONTHS: ANY OTHER DRUG

Have you ever taken one or several of these drugs in the last 12 months?

J. Other drug

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Never	1552	12.3 %
2	Once or twice	27	0.2 %
3	3-5 times	26	0.2 %
4	6-9 times	13	0.1 %
5	10-19 times	9	0.1 %
6	20-39 times	16	0.1 %
7	40 times or more	26	0.2 %
	<b>Missing Data</b>		
-9	Missing	229	1.8 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,669 valid cases out of 12,642 total cases.

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

## Q82\_COMP1: EVER TAKEN DRUG PAST 12 MONTHS: ANY DRUG - COMPUTED

Have you ever taken one or several of these drugs in the last 12 months?

(Computed variable combining responses from Q82A to Q82J)

(Not asked on Form 5/6 or Form 7/8/9)

Value	Label	Unweighted Frequency	%
1	Yes	258	2.0 %
2	No	1489	11.8 %
	<b>Missing Data</b>		
-9	Missing	151	1.2 %
-7	Not asked on this form	10744	85.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 1,747 valid cases out of 12,642 total cases.

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7

---

## Q82\_COMP2: NUMBER OF DIFFERENT DRUGS TAKEN PAST 12 MONTHS - COMPUTED

How many of these 10 drugs have you taken in the last 12 months?

(Computed variable combining responses from Q82A to Q82J)

(Not asked on Form 5/6 or Form 7/8/9)

Based upon 258 valid cases out of 12,642 total cases.

- Mean: 2.79
- Median: 2.00
- Mode: 1.00
- Minimum: 1
- Maximum: 10
- Standard Deviation: 2.63

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7

---

## Q83\_1: DOES YOUR FATHER HAVE A JOB

Does your father have a job?

Value	Label	Unweighted Frequency	%
1	Yes	9547	75.5 %
2	No	1007	8.0 %
	<b>Missing Data</b>		
-9	Missing	2088	16.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 10,554 valid cases out of 12,642 total cases.

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q83\_2: WHAT IS YOUR FATHER'S JOB

What is your father's job?

Value	Label	Unweighted Frequency	%
1	Professional 1 (doctor / lawyer / scientist)	523	4.1 %
2	Professional 2 (teacher / librarian / nurse)	680	5.4 %
3	Business owner, executive, manager	951	7.5 %
4	Technical	257	2.0 %

Value	Label	Unweighted Frequency	%
5	Office worker	323	2.6 %
6	Sales worker	445	3.5 %
7	Restaurant worker	780	6.2 %
8	Craftsperson	69	0.5 %
9	Construction Worker	1289	10.2 %
10	Mechanic	305	2.4 %
11	Factory worker / laborer	628	5.0 %
12	Transportation	581	4.6 %
13	Military / security	571	4.5 %
14	Farm / fishery	115	0.9 %
15	Sick	3	0.0 %
16	Takes care of others	3	0.0 %
17	Unemployed	1	0.0 %
18	Don't know	274	2.2 %
19	Don't have / don't see	0	0.0 %
20	Other	1241	9.8 %
	<b>Missing Data</b>		
-9	Missing	1529	12.1 %
-8	Not Applicable	2074	16.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 9,039 valid cases out of 12,642 total cases.

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

### Q83\_3: WHY DOES YOUR FATHER NOT HAVE A JOB

Why does your father not have a job?

Value	Label	Unweighted Frequency	%
1	Sick, retired, or a student	315	2.5 %
2	Looking for a job	492	3.9 %
3	Takes care of others, or is full-time in the home	156	1.2 %
4	I don't know	1316	10.4 %
	<b>Missing Data</b>		
-9	Missing	10363	82.0 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 2,279 valid cases out of 12,642 total cases.

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## Q83\_4: FATHER'S OCCUPATION SES

What is your father's Social Economic Status (SES)?

High 1. Professional

(professional 1 and professional 2)

2. Business Person

(business owner, executive, director)

3. Technical/Office/Sales

(technical, office worker, sales worker)

4. Skilled Worker/Military

(craftsperson, construction, military, farm, mechanic)

Low 5. Service/Laborer

(restaurant worker, factory worker, transportation)

6. Unclassifiable (other)

Value	Label	Unweighted Frequency	%
1	High - Professional (professional 1 and 2)	1203	9.5 %
2	Business Person (business owner, executive, manager)	951	7.5 %
3	Technical / Office / Sales (technical, office worker, sales worker)	1025	8.1 %
4	Skilled Worker / Military (craftsperson, construction, military, farm, mechanic)	2349	18.6 %
5	Low - Service / Laborer (restaurant worker, factory worker, transportation)	1989	15.7 %
6	Unclassifiable (other)	1241	9.8 %
	<b>Missing Data</b>		
-9	Missing	3884	30.7 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,758 valid cases out of 12,642 total cases.

*Location:* 518-519 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q84\_1: DOES YOUR MOTHER HAVE A JOB

Does your mother have a job?

Value	Label	Unweighted Frequency	%
1	Yes	8672	68.6 %
2	No	2911	23.0 %
	<b>Missing Data</b>		
-9	Missing	1059	8.4 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 11,583 valid cases out of 12,642 total cases.

*Location:* 520-521 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## Q84\_2: WHAT IS YOUR MOTHER'S JOB

What is your mother's job?

Value	Label	Unweighted Frequency	%
1	Professional 1 (doctor / lawyer / scientist)	300	2.4 %
2	Professional 2 (teacher / librarian / nurse)	1889	14.9 %
3	Business owner, executive, manager	515	4.1 %
4	Technical	134	1.1 %
5	Office worker	1036	8.2 %
6	Sales worker	566	4.5 %
7	Restaurant worker	1891	15.0 %
8	Craftsperson	54	0.4 %
9	Construction Worker	45	0.4 %
10	Mechanic	9	0.1 %
11	Factory worker / laborer	240	1.9 %
12	Transportation	120	0.9 %
13	Military / security	135	1.1 %
14	Farm / fishery	48	0.4 %
15	Sick	6	0.0 %
16	Takes care of others	18	0.1 %
17	Unemployed	1	0.0 %
18	Don't know	167	1.3 %
19	Don't have / don't see	1	0.0 %
20	Other	1046	8.3 %
	<b>Missing Data</b>		
-9	Missing	3372	26.7 %
-8	Not Applicable	1049	8.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,221 valid cases out of 12,642 total cases.

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## Q84\_3: WHY DOES YOUR MOTHER NOT HAVE A JOB

Why does your mother not have a job?

Value	Label	Unweighted Frequency	%
1	Sick, retired, or a student	366	2.9 %
2	Looking for a job	697	5.5 %
3	Takes care of others, or is full-time in the home	1480	11.7 %
4	I don't know	841	6.7 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-9	Missing	9258	73.2 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 3,384 valid cases out of 12,642 total cases.

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

## Q84\_4: MOTHER'S OCCUPATION SES

What is your mother's Social Economic Status (SES)?

High 1. Professional

(professional 1 and professional 2)

2. Business Person

(business owner, executive, director)

3. Technical/Office/Sales

(technical, office worker, sales worker)

4. Skilled Worker/Military

(craftsperson, construction, military, farm, mechanic)

Low 5. Service/Laborer

(restaurant worker, factory worker, transportation)

6. Unclassifiable (other)

Value	Label	Unweighted Frequency	%
1	High - Professional (professional 1 and 2)	2189	17.3 %
2	Business Person (business owner, executive, manager)	515	4.1 %
3	Technical / Office / Sales (technical, office worker, sales worker)	1736	13.7 %
4	Skilled Worker / Military (craftsperson, construction, military, farm, mechanic)	291	2.3 %
5	Low - Service / Laborer (restaurant worker, factory worker, transportation)	2251	17.8 %
6	Unclassifiable (other)	1046	8.3 %
	<b>Missing Data</b>		
-9	Missing	4614	36.5 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 8,028 valid cases out of 12,642 total cases.

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

## Q85: WERE YOU BORN IN THE UNITED STATES

Where you born in the United States?

Value	Label	Unweighted Frequency	%
1	Yes	11030	87.2 %

Value	Label	Unweighted Frequency	%
2	No	1068	8.4 %
	<b>Missing Data</b>		
-9	Missing	544	4.3 %
	<b>Total</b>	<b>12,642</b>	<b>100%</b>

Based upon 12,098 valid cases out of 12,642 total cases.

*Location:* 528-529 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9



# APPENDIX



## BMI-for-age Weight Status Categories for Boys & Girls

The formula for calculating Body Mass Index (BMI) is the exact same for children and adults. The formula used to create the BMI variable in this dataset was:

$$[ \text{Weight (lbs)} / \text{Height (in)}^2 ] * 703$$

However, the interpretation of BMI is different for children and adults. A child's age and gender must be taken into account to properly calculate BMI for children. For further information about understanding children's BMI please consult the Centers for Disease Control's Web site.

[http://www.cdc.gov/nccdphp/dnpa/bmi/childrens\\_BMI/about\\_childrens\\_BMI.htm](http://www.cdc.gov/nccdphp/dnpa/bmi/childrens_BMI/about_childrens_BMI.htm)


The following tables provide the points on the BMI-for-age charts for boys and girls used to classify a respondent's raw BMI score into one of four categories based upon percentiles. The category labels and percentile cutoffs were established by the Centers for Disease Control for the year 2000. The charts on the following pages were downloaded from the Centers for Disease Control's Web site.

[http://www.cdc.gov/growthcharts/clinical\\_charts.htm](http://www.cdc.gov/growthcharts/clinical_charts.htm)

BOYS				
AGE	Underweight	Healthy Weight	At Risk of Overweight	Overweight
	BMI ≤ 5th	5th < BMI ≤ 85th	85th < BMI ≤ 95th	BMI > 95th
10	BMI ≤ 14.3	14.3 < BMI ≤ 19.4	19.4 < BMI ≤ 22.1	BMI > 22.1
11	BMI ≤ 14.5	14.5 < BMI ≤ 20.2	20.2 < BMI ≤ 23.2	BMI > 23.2
12	BMI ≤ 15.0	15.0 < BMI ≤ 21.0	21.0 < BMI ≤ 24.2	BMI > 24.2
13	BMI ≤ 15.4	15.4 < BMI ≤ 21.8	21.8 < BMI ≤ 25.2	BMI > 25.2
14	BMI ≤ 16.0	16.0 < BMI ≤ 22.6	22.6 < BMI ≤ 26.0	BMI > 26.0
15	BMI ≤ 16.5	16.5 < BMI ≤ 23.4	23.4 < BMI ≤ 26.8	BMI > 26.8
16	BMI ≤ 17.1	17.1 < BMI ≤ 24.2	24.2 < BMI ≤ 27.5	BMI > 27.5
17	BMI ≤ 17.7	17.7 < BMI ≤ 24.8	24.8 < BMI ≤ 28.2	BMI > 28.2

GIRLS				
AGE	Underweight	Healthy Weight	At Risk of Overweight	Overweight
	BMI ≤ 5th	5th < BMI ≤ 85th	85th < BMI ≤ 95th	BMI > 95th
10	BMI ≤ 14.0	14.0 < BMI ≤ 20.0	20.0 < BMI ≤ 23.1	BMI > 23.1
11	BMI ≤ 14.4	14.4 < BMI ≤ 20.8	20.8 < BMI ≤ 24.1	BMI > 24.1
12	BMI ≤ 14.8	14.8 < BMI ≤ 21.7	21.7 < BMI ≤ 25.2	BMI > 25.2
13	BMI ≤ 15.3	15.3 < BMI ≤ 22.5	22.5 < BMI ≤ 26.2	BMI > 26.2
14	BMI ≤ 15.8	15.8 < BMI ≤ 23.3	23.3 < BMI ≤ 27.2	BMI > 27.2
15	BMI ≤ 16.3	16.3 < BMI ≤ 24.0	24.0 < BMI ≤ 28.1	BMI > 28.1
16	BMI ≤ 16.8	16.8 < BMI ≤ 24.6	24.6 < BMI ≤ 28.8	BMI > 28.8
17	BMI ≤ 17.2	17.2 < BMI ≤ 25.2	25.2 < BMI ≤ 29.6	BMI > 29.6

# CDC Growth Charts: United States



Published May 30, 2000.


SOURCE: Developed by the National Center for Health Statistics in collaboration with the National Center for Chronic Disease Prevention and Health Promotion (2000).

- 130 -



SAFER • HEALTHIER • PEOPLE™

## CDC Growth Charts: United States



Published May 30, 2000.

SOURCE: Developed by the National Center for Health Statistics in collaboration with the National Center for Chronic Disease Prevention and Health Promotion (2000).

- 131 -



SAFER • HEALTHIER • PEOPLE™