

Cucumber Report

May 30, 2025, 4:54:14 PM

Start : May 30, 4:53:30.492 PM

End : May 30, 4:54:13.685 PM

Duration : 43.193 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 5
FAILED - 2
SKIPPED - 28




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>End-to-End App chat flow Using email</u>	26.112 s	1	0	1	0	21	3	1	17
<u>End-to-End App Launch and Login Flow Using email</u>	17.038 s	1	0	1	0	14	2	1	11

#	Feature Name	Scenario Name
1	<u>End-to-End App chat flow Using email</u>	<u>User chat</u>
2	<u>End-to-End App Launch and Login Flow Using email</u>	<u>User completes onboarding and successfully logs in using email verification</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Regression	2	0	2	0	2	0	2	0
@E2E	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>End-to-End App chat flow Using email</u>	1	0	1	0	26.112 s
2	<u>End-to-End App Launch and Login Flow Using email</u>	1	0	1	0	17.038 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>End-to-End App chat flow Using email</u>	<u>User chat</u>	21	3	1	17	26.110 s
2	<u>End-to-End App Launch and Login Flow Using email</u>	<u>User completes onboarding and successfully logs in using email verification</u>	14	2	1	11	17.038 s

End-to-End App chat flow Using email

FAILED	DURATION - 26.112 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 3 Fail - 1 Skip - 17	
/ 4:53:30.492 PM // 4:53:56.604 PM /					

User chat



FAILED	DURATION - 26.110 s		Steps Total - 21 Pass - 3 Fail - 1 Skip - 17	
/ 4:53:30.494 PM // 4:53:56.604 PM /				
End-to-End App chat flow Using email				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	11.321 s
2	Given the user launches the application	PASSED	3.007 s
3	When the user completes the onboarding skip	PASSED	0.975 s
4	And the user taps on the Sign Up button org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.Button[@content-desc="Sign up"]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$wCTze6JU.click(Unknown Source) at pages.gmailSignUpPage.signUp(gmailSignUpPage.java:36) at stepDefinitions.gmailSignUpSteps.the_user_taps_on_the_sign_up_button(gmailSignUpSteps.java:46) at ?.the user taps on the Sign Up button(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/chat.feature:14) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@62f9c790 (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)	FAILED	10.687 s



#	Step / Hook Details	Status	Duration
	<p>at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160) ... 6 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.Button[@content-desc="Sign up"]}) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) * Not displayable characters are replaced by '?'. </p>		
5	When the user enters a valid email ID	SKIPPED	0.000 s
6	And the user accepts the Terms and Conditions	SKIPPED	0.001 s
7	And the user taps on the Continue button	SKIPPED	0.000 s
8	And the user taps the Verify Email button inside the email	SKIPPED	0.000 s
9	When the user taps the Continue button on the verification success screen	SKIPPED	0.000 s
10	And the user creates a new security PIN	SKIPPED	0.000 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.001 s
12	And the user taps Continue on the generated QR code page	SKIPPED	0.000 s
13	And the user taps the Lets Get Started button	SKIPPED	0.000 s
14	Then the user should land on the home page of the app	SKIPPED	0.000 s
15	And user click on chat module	SKIPPED	0.000 s
16	And user click on create chat icon	SKIPPED	0.000 s
17	And user click on username	SKIPPED	0.000 s
18	And user enter username	SKIPPED	0.000 s
19	And user click on continue username button	SKIPPED	0.000 s
20	And user type the message	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	Then user click on send message button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	Scenario Failed: User chat		

End-to-End App Launch and Login Flow Using email

FAILED	DURATION - 17.038 s	Scenarios		Steps	
/ 4:53:56.647 PM // 4:54:13.685 PM /		Total - 1		Total - 14	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

User completes onboarding and successfully logs in using email verification

FAILED		DURATION - 17.038 s			Steps	
/ 4:53:56.647 PM // 4:54:13.685 PM /		Total - 14				
End-to-End App Launch and Login Flow Using email		Pass - 2				
@Regression @E2E		Fail - 1				
					Skip - 11	

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	3.084 s
2	Given the user launches the application	PASSED	3.016 s
3	When the user completes the onboarding skip	FAILED	10.917 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained([By.xpath: //android.view.View[@content-desc="Skip"]]) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$TUrj3Gmz.click(Unknown Source) at pages.gmailSignUpPage.onboardingSkip(gmailSignUpPage.java:28) at stepDefinitions.gmailSignUpSteps.the_user_completes_the_onboarding_skip(gmailSignUpSteps.java:40) at ?.the user completes the onboarding skip(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/gmailSignUp.		

#	Step / Hook Details	Status	Duration
	<p>feature:13)</p> <p>Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@87f501f (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160)</p> <p>... 6 more</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.view.View[@content-desc="Skip"]}) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver</p> <p>at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)</p> <p>at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217)</p> <p>at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	And the user taps on the Sign Up button	SKIPPED	0.000 s
5	When the user enters a valid email ID	SKIPPED	0.000 s
6	And the user accepts the Terms and Conditions	SKIPPED	0.000 s
7	And the user taps on the Continue button	SKIPPED	0.001 s
8	And the user taps the Verify Email button inside the email	SKIPPED	0.000 s
9	When the user taps the Continue button on the verification success screen	SKIPPED	0.000 s
10	And the user creates a new security PIN	SKIPPED	0.001 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.000 s
12	And the user taps Continue on the generated QR code page	SKIPPED	0.000 s
13	And the user taps the Lets Get Started button	SKIPPED	0.000 s
14	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	Scenario Failed: User completes onboarding and successfully logs in using email verification		