

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
End-to-End App Launch and Login Flow Using gmail	20.730 s	1	0	1	0	14	4	1	9

FAIL & SKIP SCENARIOS -- 3 --

#	# Feature Name Scenario Name					
1	End-to-End App Launch and Login Flow Using gmail	User completes onboarding and successfully logs in using Gmail verification				


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Regression	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using gmail	1	0	1	0	20.730 s


SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	End-to-End App Launch and Login Flow Using gmail	User completes onboarding and successfully logs in using Gmail verification	14	4	1	9	20.726 s

DETAILED SECTION -- 7 --

End-to-End App Launch and Login Flow Using gmail



User completes onboarding and successfully logs in using Gmail verification



#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	10.487 s
2	Given the user launches the application	PASSED	3.021 s
3	When the user completes the onboarding skip	PASSED	4.130 s
4	And the user taps on the Sign Up button	PASSED	2.942 s
5	When the user enters a valid email ID	FAILED	0.010 s
	io.cucumber.core.exception.CucumberException: Step [the user enters a valid email ID] is defined with 1 parameters at 'stepDefinitions. gmailSignUpSteps.the_user_enters_a_valid_email_id(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: the user enters a valid email ID at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at base.CustomizeTestNGCucum.runScenario(CustomizeTestNGCucum.java:26)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
6	And the user taps the Verify Email button inside the email	SKIPPED	0.000 s
7	And the user accepts the Terms and Conditions	SKIPPED	0.000 s
8	And the user taps on the Continue button	SKIPPED	0.000 s
9	When the user taps the Continue button on the verification success screen	SKIPPED	0.001 s
10	And the user creates a new security PIN	SKIPPED	0.000 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.000 s

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
12	And the user taps Continue on the generated QR code page	SKIPPED	0.001 s
13	And the user taps the Lets Get Started button	SKIPPED	0.000 s
14	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	Scenario Failed: User completes onboarding and successfully logs in using Gmail verification		