

| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| End-to-End App Launch and Login Flow Using gmail | 44.840 s | 1 | 0 | 1 | 0 | 14 | 10 | 1 | 3 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name | | | | | | |
|---|--|---|--|--|--|--|--|--|
| 1 | End-to-End App Launch and Login Flow Using gmail | User completes onboarding and successfully logs in using Gmail verification | | | | | | |


| TAG | Scenario | | | Feature | | | | | |
|-------------|----------|---|---|---------|---|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @Regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @E2E | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration | |
|---|--|---|---|---|---|----------|--|
| 1 | End-to-End App Launch and Login Flow Using gmail | 1 | 0 | 1 | 0 | 44.840 s | |


SCENARIOS SUMMARY -- 6




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|----|----|---|---|----------|
| 1 | End-to-End App Launch and Login Flow Using gmail | User completes onboarding and successfully logs in using Gmail verification | 14 | 10 | 1 | 3 | 44.836 s |

DETAILED SECTION -- 7 --

End-to-End App Launch and Login Flow Using gmail



User completes onboarding and successfully logs in using Gmail verification



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | Given the mobile app is installed on the device | PASSED | 10.663 s |
| 2 | Given the user launches the application | PASSED | 3.025 s |
| 3 | When the user completes the onboarding skip | PASSED | 10.665 s |
| 4 | And the user taps on the Sign Up button | PASSED | 0.649 s |
| 5 | When the user enters a valid email ID | PASSED | 3.003 s |
| 6 | And the user taps the Verify Email button inside the email | PASSED | 0.001 s |
| 7 | And the user accepts the Terms and Conditions | PASSED | 1.166 s |
| 8 | And the user taps on the Continue button | PASSED | 1.451 s |
| 9 | When the user taps the Continue button on the verification success screen | PASSED | 1.745 s |
| 10 | And the user creates a new security PIN | PASSED | 2.210 s |
| 11 | And the user confirms the PIN by tapping the Confirm and Continue button | FAILED | 10.132 s |
| | org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.View[@content-desc="Confirm & Continue"]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) | | |
| | at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$jHl0IPYN.click(Unknown Source) | | |
| | at pages.gmailSignUpPage.confirmPin(gmailSignUpPage.java:87) | | |
| | at stepDefinitions.gmailSignUpSteps.the_user_confirms_the_pin_by_tapping_the_confirm_and_continue_button(gmailSignUpSteps. java:106) | | |
| | at ?.the user confirms the PIN by tapping the Confirm and Continue button(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/gmailSignUp.feature:21) | | |
| | Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@124eb83d (tried for 10 second(s) with 500 milliseconds interval) | | |
| | at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) | | |
| | at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135) | | |
| | at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160) | | |
| | 6 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.view.View[@content-desc="Confirm & Continue"]}) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: | | |
| | 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver | | |
| | at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) | | |
| | at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at io.appium.java client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160) | | |
| | at io.appium.java_client.pagefactory.AppiumElementLocator.iambdasiindElements1(AppiumElementLocator.java.160) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java.217) | | |
| | at io.appium.java_client.pagefactory.AppiumElementLocator\$waitingFunction.appiy(AppiumElementLocator.java.217) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java.210) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 12 | And the user taps Continue on the generated QR code page | SKIPPED | 0.000 s |
| 13 | And the user taps the Lets Get Started button | SKIPPED | 0.000 s |
| 14 | Then the user should land on the home page of the app | SKIPPED | 0.000 s |
| | AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | Scenario Failed: User completes onboarding and successfully logs in using Gmail verification | | |
| | | | |