

Cucumber Report

May 30, 2025, 4:56:44 PM

Start : May 30, 4:55:32.588 PM

End : May 30, 4:56:44.232 PM

Duration : 1 m 11.644 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 21
FAILED - 2
SKIPPED - 12



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>End-to-End App chat flow Using email</u>	55.399 s	1	0	1	0	21	19	1	1
<u>End-to-End App Launch and Login Flow Using email</u>	16.202 s	1	0	1	0	14	2	1	11

#	Feature Name	Scenario Name
1	<u>End-to-End App chat flow Using email</u>	<u>User chat</u>
2	<u>End-to-End App Launch and Login Flow Using email</u>	<u>User completes onboarding and successfully logs in using email verification</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	2	0	2	0	2	0	2	0
@E2E	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>End-to-End App chat flow Using email</u>	1	0	1	0	55.399 s
2	<u>End-to-End App Launch and Login Flow Using email</u>	1	0	1	0	16.202 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>End-to-End App chat flow Using email</u>	<u>User chat</u>	21	19	1	1	55.395 s
2	<u>End-to-End App Launch and Login Flow Using email</u>	<u>User completes onboarding and successfully logs in using email verification</u>	14	2	1	11	16.202 s

End-to-End App chat flow Using email

FAILED	DURATION - 55.399 s	Scenarios		Steps	
/ 4:55:32.588 PM // 4:56:27.987 PM /		Total - 1	1	Total - 21	21
		Pass - 0		Pass - 19	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

User chat



<div>FAILED</div> <div>DURATION - 55.395 s</div>			<div>Steps</div> <div>Total - 21</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:55:32.592 PM // 4:56:27.987 PM /				
End-to-End App chat flow Using email				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	10.487 s
2	Given the user launches the application	PASSED	3.020 s
3	When the user completes the onboarding skip	PASSED	1.215 s
4	And the user taps on the Sign Up button	PASSED	2.442 s
5	When the user enters a valid email ID	PASSED	6.993 s
6	And the user accepts the Terms and Conditions	PASSED	0.750 s
7	And the user taps on the Continue button	PASSED	2.020 s
8	And the user taps the Verify Email button inside the email	PASSED	6.404 s
9	When the user taps the Continue button on the verification success screen	PASSED	1.499 s
10	And the user creates a new security PIN	PASSED	3.874 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	PASSED	1.081 s
12	And the user taps Continue on the generated QR code page	PASSED	2.678 s
13	And the user taps the Lets Get Started button	PASSED	0.310 s
14	Then the user should land on the home page of the app	PASSED	0.002 s
15	And user click on chat module	PASSED	1.878 s



#	Step / Hook Details	Status	Duration
16	And user click on create chat icon	PASSED	1.708 s
17	And user click on username	PASSED	1.409 s
18	And user enter username	PASSED	3.610 s
19	And user click on continue username button	PASSED	0.706 s
20	<p>And user type the message</p> <p>org.openqa.selenium.StaleElementReferenceException: The element 'By.xpath: //android.widget.EditText' is not linked to the same object in DOM anymore For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: io.appium.java_client.android.AndroidDriver Command: [7179bd32-e7c1-420d-ad7d-bcab41b2efe3, sendKeysToElement {value=[Ljava.lang.CharSequence;@1c6ac73c, id=00000000-0000-08ce-0000-008600000003}] Capabilities {appium:appActivity: com.app.thecloudcard.MainAc..., appium:appPackage: com.app.thecloudcard, appium:automationName: UiAutomator2, appium:databaseEnabled: false, appium:desired: {appActivity: com.app.thecloudcard.MainAc..., appPackage: com.app.thecloudcard, automationName: UiAutomator2, deviceName: 1387243978000B5, noReset: true, platformName: ANDROID, platformVersion: 14}, appium:deviceApiLevel: 34, appium:deviceManufacturer: vivo, appium:deviceModel: I2127, appium:deviceName: 1387243978000B5, appium:deviceScreenDensity: 396, appium:deviceScreenSize: 1080x2408, appium:deviceUDID: 1387243978000B5, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.475, appium:platformVersion: 14, appium:statBarHeight: 79, appium:takesScreenshot: true, appium:viewportRect: {height: 2329, left: 0, top: 79, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Element: [[AndroidDriver: on ANDROID (7179bd32-e7c1-420d-ad7d-bcab41b2efe3)] -> xpath: //android.widget.EditText] Session ID: 7179bd32-e7c1-420d-ad7d-bcab41b2efe3</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:243) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.appium.java_client.pagefactory.ElementInterceptor.getObject(ElementInterceptor.java:42) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:79) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$2SsG8sUv.sendKeys(Unknown Source) at pages.chatPage.helloMes(chatPage.java:65) </pre>	FAILED	3.185 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.chatSteps.user_type_the_message(chatSteps.java:50) at ?.user type the message(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/chat.feature:30) * Not displayable characters are replaced by '?'.		
21	Then user click on send message button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	Scenario Failed: User chat		

End-to-End App Launch and Login Flow Using email

FAILED	DURATION - 16.202 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 2 Fail - 1 Skip - 11	
/ 4:56:28.030 PM // 4:56:44.232 PM /					

User completes onboarding and successfully logs in using email verification

FAILED	DURATION - 16.202 s		Steps Total - 14 Pass - 2 Fail - 1 Skip - 11	
/ 4:56:28.030 PM // 4:56:44.232 PM /				
End-to-End App Launch and Login Flow Using email				
@Regression @E2E				

#	Step / Hook Details	Status	Duration
1	Given the mobile app is installed on the device	PASSED	3.014 s
2	Given the user launches the application	PASSED	3.015 s
3	When the user completes the onboarding skip	FAILED	10.162 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.View[@content-desc="Skip"]}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:75) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$2SsG8sUv.click(Unknown Source) at pages.gmailSignUpPage.onboardingSkip(gmailSignUpPage.java:28) at stepDefinitions.gmailSignUpSteps.the_user_completes_the_onboarding_skip(gmailSignUpSteps.java:40) at ?.the user completes the onboarding skip(file:///E:/Ashwini/CloudcardApp/cloudcardApp/src/test/resources/features/gmailSignUp.feature:13) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@41be8db9 (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160) ... 6 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.view.View[@content-desc="Skip"]}) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:74) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:54) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) * Not displayable characters are replaced by '?'. </p>		
4	And the user taps on the Sign Up button	SKIPPED	0.001 s
5	When the user enters a valid email ID	SKIPPED	0.000 s
6	And the user accepts the Terms and Conditions	SKIPPED	0.000 s
7	And the user taps on the Continue button	SKIPPED	0.000 s
8	And the user taps the Verify Email button inside the email	SKIPPED	0.000 s
9	When the user taps the Continue button on the verification success screen	SKIPPED	0.000 s
10	And the user creates a new security PIN	SKIPPED	0.000 s
11	And the user confirms the PIN by tapping the Confirm and Continue button	SKIPPED	0.001 s
12	And the user taps Continue on the generated QR code page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	And the user taps the Lets Get Started button	SKIPPED	0.000 s
14	Then the user should land on the home page of the app	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.000 s
	Scenario Failed: User completes onboarding and successfully logs in using email verification		