

Cucumber Report

17-Jan-2025, 2:49:19 pm

Start : Jan 17, 2:46:38.288 pm

End : Jan 17, 2:49:18.398 pm

Duration : 2 m 40.110 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 7
FAILED - 2
SKIPPED - 0

Steps


PASSED - 49
FAILED - 2
SKIPPED - 0




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Videos Module Operations in Master Module</u>		2 m 40.110 s		9	7	2	0	51	49	2	0

#	Feature Name	Scenario Name
1	<u>Videos Module Operations in Master Module</u>	<u>Add a video with valid data</u>
2		<u>Prevent SQL injection in URL</u>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Add		6	4	2	0	1	0	1	0
@MasterModule		9	7	2	0	1	0	1	0
@AddVideo		6	4	2	0	1	0	1	0
@P2		9	7	2	0	1	0	1	0
@Update		1	1	0	0	1	0	1	0
@UpdateVideo		1	1	0	0	1	0	1	0
@ViewVideo		1	1	0	0	1	0	1	0
@View		1	1	0	0	1	0	1	0
@FilterVideo		1	1	0	0	1	0	1	0
@Filter		1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Videos Module Operations in Master Module</u>	9	7	2	0	2 m 40.110 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Videos Module Operations in Master Module</u>	<u>Add a video with valid data</u>	6	5	1	0	23.528 s
2		<u>Validate mandatory fields</u>	5	5	0	0	14.975 s
3		<u>Cancel adding a marketing category</u>	6	6	0	0	15.780 s
4		<u>Test back button functionality</u>	6	6	0	0	15.603 s
5		<u>Prevent SQL injection in URL</u>	7	6	1	0	21.681 s
6		<u>Validate duplicate title entry</u>	7	7	0	0	12.678 s
7		<u>Update Videos Details</u>	5	5	0	0	8.482 s
8		<u>View Videos Details</u>	4	4	0	0	7.446 s
9		<u>Filter Videos Details</u>	5	5	0	0	7.970 s


Videos Module Operations in Master Module




Add a video with valid data





#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario) Login Successful: Add a video with valid data 	PASSED	4.701 s
1	And I navigate to the Master Module	PASSED	0.233 s
2	And I select the Videos Module	PASSED	2.164 s
3	Given User click on Add Videos button	PASSED	4.101 s
4	Then User fill all the details	PASSED	0.594 s
5	And User click on Submit	PASSED	0.000 s
6	And a success message "Data Added Successfully" should be displayed org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[.=\"Data Added Successfully\"]"} (Session info: chrome=131.0.6778.266) For documentation on this error, please visit: https://www.selenium.dev/	FAILED	10.568 s


#	Step / Hook Details	Status	Duration
	<p>documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b5766b0eba36d0947c7af43000f1d321, findElement {using=xpath, value=/p[.= "Data Added Successfully"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.266, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\WINDOWS\TEMP\scoped_dir3...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63924}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63924/devtoo..., se:cdpVersion: 131.0.6778.266, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b5766b0eba36d0947c7af43000f1d321</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy33.getText(Unknown Source) at Pages.Master.VideosPage.videoSuccessMsg(VideosPage.java:109) at stepDefinitions.Master.VideosSteps.a_success_message_should_be_displayed(VideosSteps.java:118) at ?.a success message "Data Added Successfully" should be displayed(file:///D:/automation/practice/src/test/resources/features/Master/Videos.feature:13)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario)</p> <p>Add a video with valid data</p> 	PASSED	1.125 s


Validate mandatory fields




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario) Login Successful: Validate mandatory fields 	PASSED	5.013 s
1	And I navigate to the Master Module	PASSED	0.216 s
2	And I select the Videos Module	PASSED	2.094 s
3	Given User click on Add Videos button	PASSED	4.101 s
4	When User clicks on the VideoSubmit button without filling any fields	PASSED	0.314 s
5	Then Video title border color should be RED indicating that field is mandatory Console Output is as expected: Border Color: rgb(245, 82, 82)	PASSED	2.346 s
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario) Validate mandatory fields 	PASSED	0.868 s


Cancel adding a marketing category





#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario) Login Successful: Cancel adding a marketing category 	PASSED	4.425 s
1	And I navigate to the Master Module	PASSED	0.164 s
2	And I select the Videos Module	PASSED	2.302 s
3	Given User click on Add Videos button	PASSED	4.094 s
4	Then User fill all the details	PASSED	0.623 s
5	And User clicks on Add videos Cancel button	PASSED	2.032 s
6	Then User should able to see video listing page "Videos Listing" Videos Listing Screenshot captured and attached to the report: Videos Listing 	PASSED	1.251 s

#	Step / Hook Details	Status	Duration
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario) Cancel adding a marketing category 	PASSED	0.879 s


Test back button functionality

PASSED	DURATION - 15.603 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:47:51.622 pm // 2:48:07.225 pm /				
Videos Module Operations in Master Module				
@Add @MasterModule @AddVideo @P2				


#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario) Login Successful: Test back button functionality 	PASSED	5.659 s
1	And I navigate to the Master Module	PASSED	0.100 s
2	And I select the Videos Module	PASSED	1.887 s
3	Given User click on Add Videos button	PASSED	4.108 s
4	Then User fill all the details	PASSED	0.632 s
5	And User clicks on Add videos Back button	PASSED	1.792 s
6	Then User should able to see video listing page "Videos Listing"  Screenshot captured and attached to the report: Videos Listing	PASSED	0.771 s


#	Step / Hook Details	Status	Duration
	<pre></pre>  <p>NOT FOUND</p>		
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario) Test back button functionality 	PASSED	0.644 s

Prevent SQL injection in URL





#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario) Login Successful: Prevent SQL injection in URL	PASSED	3.937 s


#	Step / Hook Details	Status	Duration
			
1	And I navigate to the Master Module	PASSED	0.167 s
2	And I select the Videos Module	PASSED	2.175 s
3	Given User click on Add Videos button	PASSED	4.167 s
4	Then User enters title and Description	PASSED	0.466 s
5	When the user enters "https://example.com/video"; DROP TABLE videos; --" in the "URL" field	PASSED	0.139 s
6	And User click on Submit	PASSED	0.000 s
7	Then an error video URL message "Invalid URL Passed" should be displayed	FAILED	10.059 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[.=\"Invalid Url Passed\"]"} (Session info: chrome=131.0.6778.266) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [82ad511e2ee1ca1a3a5e67fe2fc69163, findElement {using=xpath, value=//p[.=\"Invalid Url Passed\"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.266, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\WINDOWS\TEMP\scoped_dir1...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64100}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64100/devtoo..., se:cdpVersion: 131.0.6778.266, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 82ad511e2ee1ca1a3a5e67fe2fc69163 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy33.getText(Unknown Source) at Pages.Master.VideosPage.videoURLInvalidMsg(VideosPage.java:123) at stepDefinitions.Master.VideosSteps.an_error_video_url_message_should_be_displayed(VideosSteps.java:236) at ?.an error video URL message "Invalid URL Passed" should be displayed(file:///D:/automation/practice/src/test/resources/features/Master/Videos.feature:41) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario)</p> <p>Prevent SQL injection in URL</p> 	PASSED	0.559 s


Validate duplicate title entry




#	Step / Hook Details	Status	Duration
	<p>BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario)</p> <p>Login Successful: Validate duplicate title entry</p> 	PASSED	4.235 s
1	And I navigate to the Master Module	PASSED	0.145 s
2	And I select the Videos Module	PASSED	2.098 s

#	Step / Hook Details	Status	Duration
3	Given User click on Add Videos button	PASSED	4.089 s
4	When User enter "SubscriptionGame" in title	PASSED	0.348 s
5	And User enter URL and Description	PASSED	0.332 s
6	And User click on Submit	PASSED	0.001 s
7	Then An video already exist error message should be displayed indicating "Video already exist." Console Output is as expected: Video already exist.	PASSED	0.802 s
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario) Validate duplicate title entry 	PASSED	0.612 s


Update Videos Details




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario) Login Successful: Update Videos Details 	PASSED	4.493 s
1	And I navigate to the Master Module	PASSED	0.142 s
2	And I select the Videos Module	PASSED	2.244 s

#	Step / Hook Details	Status	Duration
3	Given User click on Update Videos button	PASSED	0.196 s
4	Then User update title of the Video	PASSED	0.738 s
5	And User click on update button	PASSED	0.075 s
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario)	PASSED	0.585 s
	Update Videos Details		


View Videos Details




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario)	PASSED	4.021 s
	Login Successful: View Videos Details		
1	And I navigate to the Master Module	PASSED	0.285 s
2	And I select the Videos Module	PASSED	2.062 s
3	Given User click on View videos button	PASSED	0.211 s
4	Then User should able to see the details	PASSED	0.083 s
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario)	PASSED	0.779 s

#	Step / Hook Details	Status	Duration
	<p>View Videos Details</p> 		

Filter Videos Details



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.hook.beforeScenario(io.cucumber.java.Scenario)	PASSED	4.429 s
	Login Successful: Filter Videos Details		
			
1	And I navigate to the Master Module	PASSED	0.262 s
2	And I select the Videos Module	PASSED	2.226 s
3	Given User Click on Filter button	PASSED	0.221 s
4	Then User enter title in Title field	PASSED	0.095 s
5	And User should able to filtered data	PASSED	0.079 s
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario)	PASSED	0.640 s
	Filter Videos Details		

#	Step / Hook Details	Status	Duration
	