



**Autonomous Vehicle Simulation (AVS) Laboratory,
University of Colorado**

Basilisk Technical Memorandum

Document ID: Basilisk-subTemplateModule

SHORT DESCRIPTIVE TITLE (12 WORDS OR LESS)

Prepared by	J. Doe
-------------	--------

Status: status description
Scope/Contents
Include a short summary of what this system engineering report is about. Should be 300 words or less.

Rev:	Change Description	By
Draft	XXXXXX	X. XXXX

Contents

1	Introduction	1
2	Document ID	1
3	Report Formatting and Styling	2
3.1	Equations	2
3.2	Citation	2
3.3	Figures	2
3.4	Tables	2
4	Unit Test Discussion	2
4.1	Unit Test Table Results	2
4.2	Unit Test Figure Results	3
5	Acknowledgment	3
6	Notation	4




Fig. 1: Sample Figure Inclusion.

1 Introduction

Provide a brief introduction to the material being discussed in this report. For example, include what the motivation is, maybe provide a supportive figure such as Figure 1, reference earlier work if needed in a literature review.

2 Document ID

The technical document ID is setup through the module name. For example, if the module name is “subModuleTemplate”, then the subTemplateModule parameter is set to this name. The document ID then becomes AVS-SIM-subModuleTemplate.

3 Report Formatting and Styling

3.1 Equations

Equations are centered with the equation number flush to the right. In the text, these equations should be referenced by name as Eq. (1) or Equation (1) (e.g., not eq. 1, (1), or Equation 1).

$$a = b^2 \tag{1}$$

3.2 Citation

The citation of bibliographical references is indicated in the text by superscripted Arabic numerals, preferably at the end of a sentence. This is the default style included in this report \LaTeX class.

References listed at the end of the paper are indicated in the text by a superscript Arabic number. If this causes confusion in mathematics or if a superscript is not appropriate for other reasons, this can be expressed as (Ref. 1).

3.3 Figures

Illustrations are referred to by name in the text as Figure 1, Figure 2, etc., or, Figures 3 and 4 (e.g., not figure 1, Fig. 1, or *Figure 1*). Captions are in title case (miniscule lettering with the first letter of major words majuscule); they are 10-point serif font and centered below the figure as shown in Figure 1. Each illustration should have a caption unless it is a mere sketch. An explanatory caption of several sentences is permissible. Each included illustration must be called out (mentioned) in the text. Ideally, figures should appear within the text just before they are called out.

The figure files (PDF preferred) should be stored in a common “Figure” sub-folder. If available, any drawing documents used to create this figure can be stored in a “Support” sub-folder.

3.4 Tables

Tables are referred to by name in the text as Table 1, or, Tables 2 and 3 (e.g., not table 1, Tbl. 1, or Table 1). The title is centered above the table, as shown in Table 2. The minimum number of lines needed for clarity is desired. The table font may be adjusted smaller than the body text as necessary.

Table 2: A Caption Goes Here

Animal	Description	Price (\$)
Gnat	per gram	13.65
	each	0.01
Gnu	stuffed	92.50
Emu	stuffed	33.33
Armadillo	frozen	8.99

4 Unit Test Discussion

The results of the unit test should be included in the documentation. The results can be discussed verbally, but also included as tables and figures.

4.1 Unit Test Table Results

To automatically create a unit test table to include in the documentation, use the command:

```
unitTestSupport.writeTableLaTeX(
    tableName,
    tableHeaders,
    caption,
    dataMatrix,
    path)
```

Here `tableName` is a unique table name that is used to specify the \TeX filename and the table reference label. The array `tableHeaders` contains the column header titles. Note that these labels can include math variables as well. The table data is given in the array `dataMatrix`. This function creates the \TeX code for each table, and stores the result inside the documentation folder's Tables sub-folder. For example, the tables 3–5 are auto-generated by the python unit test.

Table 3: Sample output table for $\text{param1} = 1$ and $\text{param2} = 1$.

time [s]	Output 1	Error	Output 2	Error	Output 3 r	Error
0	2	0	1	0	0.7	0
0.5	3	0	1	0	0.7	0
1	4	0	1	0	0.7	0
1.5	2	0	1	0	0.7	0
2	3	0	1	0	0.7	0

Table 4: Sample output table for $\text{param1} = 1$ and $\text{param2} = 3$.

time [s]	Output 1	Error	Output 2	Error	Output 3 r	Error
0	2	0	3	0	0.7	0
0.5	3	0	3	0	0.7	0
1	4	0	3	0	0.7	0
1.5	2	0	3	0	0.7	0
2	3	0	3	0	0.7	0

Table 5: Sample output table for $\text{param1} = 2$ and $\text{param2} = 2$.

time [s]	Output 1	Error	Output 2	Error	Output 3 r	Error
0	3	0	2	0	0.7	0
0.5	4	0	2	0	0.7	0
1	5	0	2	0	0.7	0
1.5	3	0	2	0	0.7	0
2	4	0	2	0	0.7	0

4.2 Unit Test Figure Results

If figures and plots are generated in the python unit tests, these can be also automatically included in the unit test documentation. This is achieved with the command:

```
unitTestSupport.writeFigureLaTeX(
    "testPlot",
    "Illustration of Sample Plot",
    plt,
    "width=0.5\\textwidth",
    path)
```

An example of such an automatic inclusion is shown in Figure 2. The figure name is the file name to include, but also the label name to use to reference the figure. Not that in this figure 3 simulation results are shown in one figure. These can also be saved off to separate figures if needed.

5 Acknowledgment

Any acknowledgment which the author or authors wish to make may appear here.




Fig. 2: Illustration of Sample Plot

6 Notation

If mathematical symbols require definition, a table of notation should appear here. A footnote near the beginning of the paper where mathematics is introduced should direct attention of the reader to this table.