



OPTIMISED RISK ANALYSIS

www.monarc.lu

Quick Start

CASES Luxembourg

Version 2017-11-27

Table of Contents

1. Introduction	1
1.1. Purpose	1
1.2. Other documents	1
1.3. Syntax used in the document	1
1.4. Syntax used in MONARC	1
2. Creating the first risk analysis	2
3. Description of the main view	3
4. Simplified risk analysis	4
4.1. Risk identification (default modeling)	4
4.2. Edit impacts and consequences	5
4.3. Risk assessment	6
4.4. Risk treatment	7
4.5. Risk treatment plan management	8

1. Introduction

1.1. Purpose

The purpose of this document is to help get started quickly with MONARC. It explains the main features of the tool and the necessary steps to deal with a risk with the default settings.

1.2. Other documents



- **User Guide**: Complete documentation of the tool.
- **Method Guide**: Complete documentation of the method.
- **Technical Guide**: Complete technical documentation.

1.3. Syntax used in the document



All numbers in white on a red background are used on print-screen views to provide additional explanations. Explanations are always after the view with the corresponding numbering. **i.e.** 1.

Reference MONARC Reference

1.4. Syntax used in MONARC



Button that always brings up the menu.




Creating/adding something in context (assets, recommendations, etc.).



Most fields of MONARC display additional information when the pointer stay unmoved some time.


2. Creating the first risk analysis


After clicking on **Create a risk analysis**, the following pop-up appear

The screenshot shows the MONARC application interface. On the left sidebar, there is a button labeled 'Create a risk analysis' which is highlighted with a red rectangle. The main content area shows a 'My situation' header. A modal window titled 'Create a risk analysis' is open in the center. The modal has a blue header with a close button. It contains several form fields: 'Source' with two radio buttons, 'CASES model' (selected) and 'Existing analysis'; 'CASES model *' with a dropdown menu showing 'Modelling CASES'; 'Show inherent operational risks' with an unchecked checkbox; 'Description' with a text input; 'Language *' with a dropdown menu showing 'English'; 'Name *' with a text input showing 'My Analyse'; and 'Description' with a text input. At the bottom right of the modal are 'Cancel' and 'Create' buttons. Red numbered circles (1-6) are placed over the form elements to indicate the steps: 1. 'CASES model' radio button, 2. 'Modelling CASES' dropdown, 3. 'Show inherent operational risks' checkbox, 4. 'English' language dropdown, 5. 'My Analyse' name input, and 6. 'Description' input.

1. Select **CASES model**
2. There are at least two choices. Select **Modelling CASES**, this is the default template. It provides sufficient knowledge bases to start an analysis.
3. **Show inherent operational risks**. This option does not matter right now.
4. Select your preferred language for this new analysis. (FR/EN/DE/NL)
5. Give your analysis a name, for example *My analysis*.
6. Optional field, which allows you to describe your analysis with more details.

3. Description of the main view




1. Risk Analyses panel: Create and select a risk analysis. Once the analysis is selected, the dashboard can be retracted to optimize the horizontal space by clicking on icon .
2. Navigation panel, users administration and account management.
3. Access to steps of the method by clicking on numbers 1 to 4.
4. Contextual working areas of analysis.

4. Simplified risk analysis

4.1. Risk identification (default modeling)

It is necessary to use the assets of the library and place them in the analysis. If the risk analysis does not contain any assets, follow the instructions below, otherwise go to the next chapter. MONARC proposes by default a structure where primary assets (Business) must be placed on the root of the analysis and supporting assets below. In order to simplify this step, two groups of assets have been created:

- **Front-Office:** This asset group provides the identification of the common risks found on the user's side for a "Human Resources" department (for example, risks related to the office, computers, applications, physical & environmental risks...).
- **Back-Office:** These assets group provide the identification of transversal risks of the organization related to the IT and to organizations in general.



Click on the + or the - to expand or wrap all categories of the library.

1. In the category **Primary assets**, click on **Department** and then, by holding down the left mouse button, move the asset to the analysis area just above (Drag and Drop).
2. In the category **Model Structure** find the assets **Front Office** and **Back Office** and then, by holding down the left mouse button, move the asset on the asset **Department**, which is now in the analysis area.

The screenshot shows the MONARC Risk Analysis interface. On the left, a tree view under 'My Analysis' shows a hierarchy: Department (1), Front Office (2), Service office, Employees, User workstations, Specific software, Back Office (3), Building, IT room, System administrator, Administrator workstations, Server management, Backup management, Network and Telecom, IT organization, and Software development. The main area displays '84 information risks' with a table of risk data. The table has columns for Asset, Impact (C, I, A), Threat (Label, Prob.), Vulnerability (Label, Existing controls), Current risk (Qualif., C, I, A), Treatment, and Target risk. The table lists various risks related to administrator workstations, backup management, and building security.

1. The risk analysis now offers a model for *Department*.
2. The *Front Office* now offers a default identification of the risks on the users' side.
3. The *Back Office* now offers a default identification of the risks, for IT and organization.
4. The total number of risks in this model is 84 (in this case).




Identified risks by default are the risks commonly encountered and supposed to be significant, they do not claim to be exhaustive.


4.2. Edit impacts and consequences

The aim is to define impacts and consequences for primary assets that can result from an occurrence of a risk from the model. In the case of this analysis, the primary asset is *Department*.

The screenshot shows the MONARC interface with the 'Department' asset selected. The top bar displays 'Confidentiality: 3', 'Integrity: 2', and 'Availability: 2'. A context menu is open over the '84 information risks' table, showing options: Edit impacts (3), Import analysis, Export analysis, See asset in the library, and Detach. The table lists risks for 'Administrator workstations' and 'Retrieval of recycled or discarded media'.

1. Click on the primary asset **Department**.
2. Click on icon  to display the context menu of the asset.
3. Click on **Edit impacts**.

The pop-up below appears.



Edit asset

Consequences Show hidden consequences

	Reputation	Operational	Legal	Financial	Personal
Confidentiality	2	0	2	Unknown	3
Integrity	2	0	1	Unknown	2
Availability	2	0	2	Unknown	2

Max 3

Strong impact, hardly bearable.
Information leaks seriously harm organization
- Confidential information leaks.
- Bank secrecy
- Sensitive personal data
- Security incident

Cancel Save

1. Consultation of impact scales is done through the menu at the top right of the screen.



By leaving the pointer unmoved over the numbers, the meaning of this number appears after one second.

When one of the criteria **C** (confidentiality), **I** (integrity) or **A** (availability) is allocated, there is a need to ask : what are the consequences on the company, and more particularly on its ROLFP, i.e. its **Reputation**, its **Operation**, its **Legal**, its **Finances** or the impact on the **Person** (in the sense of personal data).

In the case of the above figure, the **3** (out of 5) impact on confidentiality, is explained by the maximum value ROLFP regarding confidentiality. Example, **3** is the consequence for the person in case of disclosure of his personal file.

4.3. Risk assessment

5 information risks

Asset	Impact			Threat		Vulnerability			Current risk			Treatment	Target risk
	C	I	A	Label	Prob.	Label	Existing controls	Qualif.	C	I	A		
Building	3	2	2	Theft or destruction of media, documents or equipment	3	The principle of least privilege is not applied	No access control	5	45		30	Not treated	45
Building	3	2	2	Theft or destruction of media, documents or equipment	-	Authorisation management is flawed		-	-		-	Not treated	-
Building	3	2	2	Theft or destruction of media, documents or equipment	-	Flaws in the physical access boundaries		-	-		-	Not treated	-
Building	3	2	2	Abuse of rights	-	No supervision of third-party access (supplier, cleaner, etc.)		-	-		-	Not treated	-

1. Click on a secondary asset, for example **Building**.
2. **CIA Impact**: It has been assigned to the *Department* is inherited by default and are no longer required.
3. **Threat**: *Theft or destruction of media, documents or equipment* is a physical threat that expresses fear of being robbed or destroyed materials.
4. **probability (Prob.)** : This is an estimate of the probability on a scale of 1 to 4 that the threat occurs. Take, for example, the case of a very large company where this threat is above average, so 3.
5. **Vulnerability**: *The principle of least privilege is not applied*. The security principles searched are to know who has access rights and whether they related to the duties of the people involved.
6. **Existing controls**: Describe, in a factual manner, the security controls in place regarding this vulnerability or, more broadly, the risk in question. Take, for example, a second unfavorable case, for example a hospital where the whole building is like a public area.
7. **Qualification (Qualif.)** : In relation to the measure in place (point 6 above), the vulnerability qualification is therefore maximum 5 out of 5.
8. **Current Risk** : All the parameters for calculating the risk are present, the current risk is therefore calculated based on the CIA values, which are directly dependent on the threat.



By leaving the pointer on most fields, a tooltip appears after 1 second.

4.4. Risk treatment

The risk treatment consists in proposing one of the 4 types of treatment, knowing that most of the time the treatment is to reduce the risk by allocating a control, or to accept a weak risk. To access click on **Not treated** in *Treatment column*.

My Analysis

- Department
 - Front Office
 - Service office
 - Employees
 - User workstations
 - Specific software
 - Back Office
 - Building
 - IT room
 - System administrator
 - Administrator workstations
 - Server management
 - Backup management
 - Network and Telecom
 - IT organization
 - Software development

Assets library

Search an asset...

Fundamentals

EBIOS

← Back to the list

Risk sheet

	C	I	D
Current risk	45		30
Target risk	18		12

Asset: Department > Back Office > Building

Threat: Theft or destruction of media, documents or equipment

Threat probability: 3 - Could happen occasionally

Vulnerability: The principle of least privilege is not applied

Vulnerability qualification: 5 - Very strong vulnerability: No measures have been implemented. Very low maturity or no maturity at all.

Existing controls: No access control

Recommendations: Entry *** > Control all persons in the entrance of the building

Search a recommen...

Kind of treatment: Reduction

Reduce vulnerability by: 3

Security referential: 11.1.2 - Physical entry controls

Save

1. Create one or many recommendations.
2. Define the treatment type (according to ISO / IEC 27005).
3. Estimate the risk-reducing value in order to define the residual risk.
4. Save the treatment.

4.5. Risk treatment plan management

Home > My Analysis

Risk analysis

Expand all / Wrap all

Search an asset...

My Analysis

Risks analysis

Information risks

Operational risks

Risk threshold (on max CIA)

Keywords

Kind of treatment

Page 1

84 information

Evaluation and treatment of risks

- ☐ Estimation, evaluation and risk treatment
- ☐ Risk treatment plan management

Deliverable: Final report


Risk treatment plan management

Reset positions

	Recommendation	Imp.	Asset	Existing controls	Current risk	Target risk
Entry	Control all persons in the entrance of the building	***	Building	No access control	45	18
Administrator workstations	3 2 2 Forging of rights	-	Authorisation management is flawed	-	-	Not treated
Administrator workstations	3 2 2 Forging of rights	-	User authentication is not ensured	-	-	Not treated
Administrator workstations	3 2 2 Forging of rights	-	The user workstation is not monitored	-	-	Not treated

In that case, the risk treatment plan only consists in one risk, but once all risks are treated, all risks and information risk recommendations will be in the treatment plan.

1. The call of the pop-up is done by clicking on the 3rd step of the method and **Risk treatment plan management**.

2. Order the recommendation positions holding down the left mouse button on icon  and move it.
3. Reset the positions in importance order (Imp.)
4. Edit recommendation

A final report of risk analysis can be generated by clicking on the 3rd step of the method and **Deliverable: final report**.



Deliverables are only relevant when the MONARC method has been fully processed and all information has been entered.